



Dental Group

PRODUCT CATALOGUE

2026

ENGLISH



INTELLIGENT
PROSTHETIC
DENTISTRY




THE LOGIC OF SIMPLICITY


ScanLogiq® is a comprehensive solution designed to digitise full-arch restorations with high precision — without requiring additional equipment. The system combines the physical component ScanLogiq® with the online platform AssistLogiq®, guiding the clinician from intraoral scanning to a validated STL file ready for any CAD/CAM software.

Its geometry optimises scan capture through Scan Flag iQs, while real-time automated validation reduces operator dependency and minimises stitching errors in extended scans. Compatible with major transepithelial connections, ScanLogiq® delivers a predictable, repeatable and efficient digital workflow in complex rehabilitations.


SYSTEM



SCAN FLAG iQ




DATA SETS



ASSISTLOGIQ®



WORKFLOW



HIGH ACCURACY IN FULL-ARCH SCANS

Minimises stitching errors and enhances precision.



REAL-TIME AUTOMATED VALIDATION

Continuous control and quality verification during scanning.



GUIDED WORKFLOW

From IOS acquisition to STL validation and export.



NO ADDITIONAL HARDWARE REQUIRED

Complete kit with components and AssistLogiq® platform access.



OPEN SYSTEM

Validated STL files ready for any CAD/CAM software.

SCANLOGIQ DATA MARKERS

Precision & Simplicity scanning

One Shot IQ and Reverse IQ are ScanLogiQ® Data Markers for intraoral and extraoral scanning. Both are designed to digitise provisional restorations on single or full-arch implants with maximum precision and efficiency.

Compatible with open digital workflows (Exocad, 3Shape, DentalWings, Blender, Real Guide), it integrates seamlessly into REVERSE-style protocols for predictable, aesthetic and reliable final outcomes.



COMPLETE CLINICAL CAPTURE

Records implant position, occlusion and gingival profile while correlating provisional esthetics to the final design.



PRECISION & SIMPLICITY

Scans directly on the provisional—no splints or auxiliary structures, no saliva or patient movement.

Improves stability and can reduce visits by up to 40%.



DIGITAL INTEGRATION

Works across major CAD/CAM systems and connects naturally with other IPD systems like ScanLogiQ® ensuring workflow continuity and collaboration between clinic and lab.



INNOVATIVE DESIGN

Thanks to their geometry and dimensions, the process of intraoral scanning is more efficient.

MULTI-UNIT AP

Anatomical precision for full-arch restorations

The IPD MUA AP is a trans-epithelial abutment engineered for multi-unit, screw-retained prostheses in full or partial arch cases, including All-on-4® / All-on-6®.

Its anatomical profile promotes soft-tissue adaptation, delivering natural gingival contours, predictable peri-implant sealing and enhanced final aesthetics.

Manufactured in Grade V ELI titanium with differentiated TiN and BLC coatings, it balances strength, biocompatibility and visual harmony across indications.



ANATOMICAL SOFT-TISSUE PROFILE

Curved design supports natural gingival contours and stable tissue integration.



ENHANCED AESTHETIC OUTCOMES

Smooth transition from abutment to gum for harmonious peri-implant appearance.



MATERIAL INTELLIGENCE

Strategic TiN and BLC coatings for durability and biocompatibility



HIGH-PRECISION TITANIUM MANUFACTURING

Optimised for mechanical reliability and long-term clinical performance.



IPDMILLED SYSTEM

Precision and Efficiency in dental implant restorations

In a world where precision and efficiency are paramount, IPDMilled Abutment Blanks provide an advanced, reliable solution for modern dental implantology. Engineered to streamline workflows and ensure consistent, high-quality results, they are the perfect choice for dental technicians committed to excellence.



MULTI-IMPLANT COMPATIBILITY

- Works with leading implant systems.
- Cutting-edge technology.



PATIENT-SPECIFIC CUSTOMIZATION

- Designed for precision and individual needs.




HIGH QUALITY

- Ensures durability, biocompatibility, and long-term performance materials.
- Certified and guaranteed quality



The Holder is the ideal solution for high-performance custom abutment manufacturing. Its robust, validated design ensures safe and precise milling, seamlessly integrating with CAD/CAM software. It enables direct work on blanks with pre-defined connections, optimizing production times and minimizing errors. This system enhances process traceability and maximizes clinical fit accuracy—an essential tool for laboratories aiming for productivity and excellence in oral rehabilitation.”



SMART FIXATION

- Patented fixation design for easy premill changes.
- No need to remove the holder from the milling machine.
- Central bar can be quickly and safely extracted.
- Simplifies and speeds up the workflow.
- Expert technical support and guidance.



LIST COMPATIBILITIES AVAILABLE

- Datron
- Dental concept systems®
- DMG MORI®
- Imes-icore®*
- Roboice Dental
- Röders
- VHF Camfacture*
- Yenadent
- Ivoclar*

**When using original CAM software from VHF, Imes or Ivoclar, the manufacturer or reseller must be contacted to request IPD support and its activation.*

If this supplier is unable to provide support, it may be necessary to pay a 'Freedom fee' to unlock the software and allow the use of the IPD support.

**The holder and its components are not medical devices.*



COMING
SOON

SUBPERIOSTEAL MUA

Custom SPI prosthetics

The Subperiosteal MUA (IPD/AB-MR-00/SP) ensures a precise, stable interface between custom subperiosteal implants (SPI) and screw-retained prostheses. Its universal Ø4.8 mm platform, optimised narrow profile and open digital compatibility (Exocad, 3Shape, DentalWings, Blender, RealGuide) make it ideal for full-arch cases with limited vertical space.

A unique hybrid solution that combines minimal height, universal compatibility and full clinical control.



MINIMAL HEIGHT

Prosthesis sits directly on the subperiosteal structure, optimising space and enabling rehabilitation in severe atrophy cases.



MODULAR AND REPLACEABLE

The component can be removed or exchanged without altering the implant, enhancing maintenance and managing complications efficiently.



ARCHITECTURE AND COMPATIBILITY

Ø4.8 mm platform and M1.4 thread compatible with leading multi-unit systems and CAD/CAM libraries (Exocad, 3Shape, DentalWings, Blender, RealGuide).

SHOP ONLINE

Access our products
wherever you are!

shop.ipd2004.com/es

shop.ipd2004.de/de

shop.ipd2004.fr/fr

shop.ipd2004.pt

shop.ipd2004.be



TRAINING PROGRAMMES

Transform your future with *ipd*



Become an **ipd Pro User** with our training programmes



Facilitate practical interaction with products and solutions through the *ipd* digital workflow.



An opportunity to share our values and expertise with all attendees.



Become familiar with our advanced digital solutions, adapted to customise any type of [restorative implant rehabilitation](#).



ORIGINAL ADVANCED SOLUTIONS




PSD SYSTEM



SCAN BODY



MULTI-UNIT SYSTEM



CUSTOM TI-BASE

INDEX

COMPATIBILITIES

MULTI-UNIT	
AB MULTI-UNIT [RP ø4,8]	17
NOBEL BIOCARE®	
AA BRANEMARK SYSTEM® [NP ø3,5 / RP ø4,1 / WP ø5,1]	21
AC REPLACE® SELECT [NP ø3,5 / RP ø4,3 / WP ø5,0]	25
AD ACTIVE® [ø3,0 / NP ø3,5 / RP ø4,3]	29
BIOMET® 3i®	
BA OSSEOTITE® [NP ø3,4 / RP ø4,1 / WP ø5,0]	33
BB OSSEOTITE® CERTAIN® [NP ø3,4 / RP ø4,1 / WP ø5,0]	37
★ BC PILAR DE PERFIL BAJO [RP ø4,8]	41
KLOCKNER®	
CA SK2-NK2 [RP ø4,2]	44
CB ESSENTIAL CONE® [RP ø4,5]	47
CC KL™ [NP ø3,5 / RP ø4,1 / WP ø5,1]	50
CD Vega® [NV ø3,5 / RV ø4,0-ø4,5]	54
STRAUMANN®	
DA TISSUE LEVEL [SynOcta RN ø4,8 / RN ø4,8 / WN ø6,5]	59
DB BONE LEVEL [NC ø3,3 / RC ø4,1]	61
DC BLX® [RB/WB]	65
DD SRA® [ø3,5/ø 4,6]	68
★ DE TLX® [NT / RT / WT]	71
ASTRA®	
EA OSSEOSPEED™ [Uniabutment 20°-40° / Yellow ø3,0 / Aqua ø3,5-4,0 / Lilac ø4,5-5,0]	74
EB EVOLUTION® [XS ø3,0 / S ø3,6 / M ø4,2 / L ø4,8 / XL ø5,4]	79
ZIMMER®	
FA SCREW VENT® [ø3,5 / ø4,5 / ø5,7]	83
FB SWISSPLUS® [SynOcta RN ø4,8, ø4,8]	87
FC EZTETIC® [NP ø3,1]	91
BTI®	
GA EXTERNA [Tiny ø3,5 / Universal ø4,1 / Ancha ø5,5]	94
GB INTERNA [Estrecha ø3,5 / Universal ø4,1 / Ancha ø5,5]	98
GC MULTI-IM® [ø4,1]	102
GD CORE® [Core ø3,5]	104
MICRODENT®	
HA MICRODENT SYSTEM [ø3,5 / ø4,2 / ø5,1]	107
HB MICRODENT UNIVERSAL™ [ø3,5 ø4,1 / ø5,1]	110
DENTSPLY®	
IA XIVE® FRIADENT® [ø3,4 / ø3,8 / ø4,5 / ø5,5]	114
IB ANKYLOS® [Balance Base / C/X]	117
CAMLOG®	
JA CAMLOG® IMPLANT SYSTEM [ø3,3 / ø3,8 / ø4,3 / ø5,0]	119
JB CONELOG® [ø3,3 / ø3,8 / ø4,3 / ø5,0]	122
BIOHORIZONS®	
LB TAPERED INTERNAL [ø3,0 / ø3,5 / ø4,5 / ø5,7]	125
LC TAPERED PRO CONICAL [Narrow ø3,3 /Regular ø3,8]	129
SWEDEN & MARTINA®	
MA OUTLINK® [ø3,3 / ø4,1 / ø5,0]	132
MB PREMIUM™ KOHNO® [ø3,3 / ø3,8 / ø4,25 / ø5,0]	136

PHIBO®	
NA TSH® [S2 / S3-S4 / S5]	139
OSSTEM IMPLANT®	
OB TSIII [M ø3,5 / R ø4,0]	143
BIOTECH® DENTAL	
QB CONTACT® [RP]	146
NEODENT®	
RA HELIX® HE [ø3,3 / ø4,1 / ø5,0]	149
RB GRAND MORSETM GM [GM]	153
RC GM ABUTMENT [RP ø4,8]	156
RD GM MICRO ABUTMENT [ø3,5]	158
BEGO® SEMADOS®	
SB SC/RS [ø3,25-ø3,75 / ø4,1 / ø4,5 / ø5,5]	160
MIS®	
TA SEVEN® [Narrow NP ø3,3 / Standard SP / Wide WP]	163
TB C1 [Narrow NP / Standard SP / Wide WP]	167
TC V3® [Narrow NP / Standard SP]	171
DIO®	
UB UFII [NP (N) / RP (R)]	175
MEGAGEN®	
WA ANYONE® [RP]	178
WB ANYRIDGE® [ø4,0]	181
DENTIUM®	
XA IMPLANTIUM® / SUPERLINE™ [RP]	184
MEDENTIS®	
YB ICX [RP]	187
BREDENT®	
★ ZA BLUE SKY® [ø3,5 / ø4,0]	190
GLOBAL D®	
1A IN-KONE® [RP]	191
ANTHOGYR®	
2A AXIOM® BL [RP]	194
GALIMPLANT®	
3A MULTI-POSITION AESTHETIC® [ø3,8]	197
NEOSS®	
★ 6A PROACTIVE® [NP / SP]	199
THOMMEN MEDICAL	
★ 7A SPI® [ø3,5 / ø4,0/ ø4,5/ ø5,0 / ø6,0]	200
PRODUCT WORKFLOWS	202

WORKING SYSTEMS

ACCESSORIES	206
TECHNICAL SPECIFICATIONS	208
CE MARK	213




Download the interactive catalog.

★ Is a new available compatibility in the 2026 Catalogue.
*Some products may not be available in your country. Please contact your official distributor for more details.

MULTI-UNIT

AB

Prosthetic Platform [RP ø4.8]



SCAN BODY / SCAN DATA MARKER

	Indication	Height (mm)	RP ø4.8
Scan Body		10	IPD/AB-SR-00
		10	IPD/AB-SR-01
One Shot IQ		6	IPD/AB-SR-03
Reverse IQ			IPD/AB-SR-00/RS

Captive screw included except on Reverse Marker IQ. H1.20 Screwdriver.



	Indication	Height (mm)	RP ø4.8
Scan Transfer		12.5	IPD/AB-SR-11
	Screw		IPD/AB-TR-11/C

Screw and protective cap included. 1.20 Hex Screwdriver.



SCANLOGIQ® FULL ARCH SYSTEM*NEW

**Check availability*

			RP ø4.8
ScanlogiQ® KIT	ScanLogiQ® Box	1 Scan Flag IQ Set 6 One Shot IQ 6 Reverse IQ 1 Control Plate IQ 1 Screwdriver 1 Clinical Handle	IPD/AB-KR-00/FS
Scan Flag IQ SET		3 Short 3 Medium 4 Large 0° 2 Large +20° 2 Large -20°	IPD/AB-KR-01/FS
Control Plate IQ			IPD/KT-FS-00

Captive screw IPD/AB-TR-00/FS included on all Scan Flag IQ. 1.25 Hex Screwdriver.



RETURN TO INDEX


Ti-BASE Custom Ti-Base System®

Indication	Post Height (mm)	Gingival Height (mm)	RP ø4.8
	3.5	0.5	IPD/AB-IR-00/3D
	6.5	0.5	IPD/AB-IR-02/3D
	3.5	0.2	IPD/AB-IR-01/3D
	3.85	0.2	IPD/AB-IR-11/3D
	6.5	0.2	IPD/AB-IR-03/3D



SCREWS

RP ø4.8			
IPD and OEM compatible	For straight channels	Torque value	15 Ncm
Screwdriver	Coating	Seat	
Unigrip	-	Flat	IPD/AB-TR-00
Unigrip	TiN	Flat	IPD/AB-TR-00/TiN
Unigrip	BLC	Flat	IPD/AB-TR-00/BLC



RP ø4.8			
	For ASC options	Torque value	15 Ncm
Screwdriver	Coating	Indication	
TPA	TiN	For PH 3.5 & 3.85 mm Ti-Bases	IPD/AB-TR-50
TPA	TiN	For PH 6.5 mm Ti-Bases	IPD/AB-TR-51



MULTI-UNIT ABUTMENT SUBPERIOSTEAL IMPLANTS*

*Check availability

RP ø4.8	
	IPD/AB-MR-00/SP

*Coming soon



ANALOGS

Type	RP ø4.8
Standard	IPD/AB-AR-00
	Full set
	IPD/AB-AR-90/3D
Digital	Analog
	Bottom Screw
	Side Screw



Co-Cr BASE ABUTMENT

RP ø4.8		
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/AB-BR-00
	15°	IPD/AB-BR-10
	25°	IPD/AB-BR-20
	0°	IPD/AB-BR-01
	15°	IPD/AB-BR-11
	25°	IPD/AB-BR-21



Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/AB-BR-00/3D
	Straight/ASC	IPD/AB-BR-01/3D
	Scan Body	IPD/SC-AN-B2

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	RP ø4.8
	IPD/AB-RR-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP ø4.8
	2.75	2 units pack
		IPD/AB-LR-02

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	RP ø4.8
Open tray	IPD/AB-CR-00
Closed tray	IPD/AB-CR-01
Classic Design	



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP ø4.8
	1.5	IPD/AB-PR-01
	0.2	IPD/AB-PR-07
	1.5	IPD/AB-PR-00
Long coping screw		IPD/AB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

Additional options			
	1.5	Classic design	IPD/AB-PR-06

The Classic design abutment is equivalent to the OEM and cannot be used as coping.



HEALING ABUTMENT

Material	Gingival Height (mm)	Head Diameter (mm)	RP ø4.8
POM	4.45	Bottom ø5.0 - Top ø3.67	IPD/AB-DR-00
Titanium	4.45		IPD/AB-DR-01
		Screw	IPD/AB-TR-00
Screw not included			

SCREWDRIVERS

Type	Length (mm)	RP ø4.8
Implant system Screwdriver		
Unigrip	18	IPD/PU-00-18
	25	IPD/PU-00-25
	32	IPD/PU-00-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
Dedicated tools		
2.0 Hex	For straight MUA abutments	IPD/LL-AB-00
	Angled MUA Carrier	IPD/LL-TM-00

ACCESSORIES


Indication	Length (mm)	RP ø4.8
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90
Please see page 210 for more information.		



NOBEL BIOCARE

AA BRANEMARK SYSTEM®

Prosthetic Platform [NP ø3.5 / RP ø4.1 / WP ø5.1]



SCAN BODY

	Indication	Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Scan Body		10	IPD/AA-SN-00	IPD/AA-SR-00	IPD/AA-SW-00
		15	IPD/AA-SN-02	IPD/AA-SR-02	-
		10	IPD/AA-SN-01	IPD/AA-SR-01	IPD/AA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
	0.5	-	IPD/AA-IR-00/3D	-
	1.3	-	-	IPD/AA-IW-02/3D
	1.5	IPD/AA-IN-02/3D	IPD/AA-IR-02/3D	-
	2.5	-	IPD/AA-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	-	IPD/AA-IR-01/3D	-
	1.3	-	-	IPD/AA-IW-03/3D*
	1.5	IPD/AA-IN-03/3D	IPD/AA-IR-03/3D	-
	2.5	-	IPD/AA-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	-

Please see page 204 for the IPD Custom Interface System accessories.
*Only available PH 3.5 mm version.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	NP ø3.5	RP ø4.1	WP ø5.1
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/AA-XN-15/A	PR/AA-XR-15/A	PR/AA-XW-15/A

All premilled abutments include 2 titanium screws.



SCREWS

			NP ø3.5	RP ø4.1	WP ø5.1
IPD compatible	For straight channels	Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Unigrip	-	Conical	IPD/AA-TN-00	IPD/AA-TR-00	IPD/AA-TW-01
Unigrip	TiN	Conical	IPD/AA-TN-00/TiN	IPD/AA-TR-00/TiN	IPD/AA-TW-01/TiN
Unigrip	BLC	Conical	IPD/AA-TN-00/BLC	IPD/AA-TR-00/BLC	IPD/AA-TW-01/BLC
For ASC options			20 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/AA-TN-50	IPD/AA-TR-50	IPD/AA-TW-50
OEM compatible		Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Unigrip	-	Conical	IPD/AA-TN-00	IPD/AA-TR-00	IPD/AA-TW-00
Unigrip	TiN	Conical	IPD/AA-TN-00/TiN	IPD/AA-TR-00/TiN	IPD/AA-TW-00/TiN
Unigrip	BLC	Conical	IPD/AA-TN-00/BLC	IPD/AA-TR-00/BLC	IPD/AA-TW-00/BLC

Additional options			Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Type				
Unigrip	-	For implant level flat seat	-	IPD/AA-TR-02	-	
Unigrip	TiN	For implant level flat seat	-	IPD/AA-TR-02/TiN	-	
Unigrip	BLC	For implant level flat seat	-	IPD/AA-TR-02/BLC	-	
TPA	TiN	For implant level flat seat	-	IPD/AA-TR-52	-	
			Torque value	20 Ncm	20 Ncm	20 Ncm
1.20 Hex	-	Low profile head - conical seat	-	IPD/AA-TR-01	-	
1.20 Hex	TiN	Low profile head - conical seat	-	IPD/AA-TR-01/TiN	-	
1.20 Hex	BLC	Low profile head - conical seat	-	IPD/AA-TR-01/BLC	-	

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
0°		1.0	IPD/AA-MN-01	IPD/AB-MR-01	-
		2.0	IPD/AA-MN-02	IPD/AB-MR-02	-
		3.0	IPD/AA-MN-03	IPD/AB-MR-03	-
		4.0	-	IPD/AB-MR-04	-
		5.0	-	IPD/AB-MR-05	-
17°		2.0	-	IPD/AB-MR-12	-
		3.0	-	IPD/AB-MR-13	-
		4.0	-	IPD/AB-MR-14	-
30°		3.0	-	IPD/AB-MR-33	-
		4.0	-	IPD/AB-MR-34	-
		5.0	-	IPD/AB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-00	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type			NP ø3.5	RP ø4.1	WP ø5.1
Standard			IPD/AA-AN-00	IPD/AA-AR-00	IPD/AA-AW-00
	Full set		IPD/AA-AN-90/3D	IPD/AA-AR-90/3D	IPD/AA-AW-90/3D
Digital	Analog				
	Bottom Screw				
	Side Screw				



Co-Cr BASE ABUTMENT

			NP ø3.5	RP ø4.1	WP ø5.1
Co-Cr Base for analogic workflow					
Indication	Angulation				
	0°		IPD/AA-BN-00	IPD/AA-BR-00	-
	15°		IPD/AA-BN-10	IPD/AA-BR-10	-
	25°		IPD/AA-BN-20	IPD/AA-BR-20	-
	0°		IPD/AA-BN-01	IPD/AA-BR-01	-
	15°		IPD/AA-BN-11	IPD/AA-BR-11	-
	25°		IPD/AA-BN-21	IPD/AA-BR-21	-
Co-Cr Base for digital workflow					
Indication	Angulation				
	Straight/ASC		IPD/AA-BN-00/3D	IPD/AA-BR-00/3D	-
	Straight/ASC		IPD/AA-BN-01/3D	IPD/AA-BR-01/3D	-
Scan Body			IPD/SC-AN-B1	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

CASTABLE ABUTMENT

Indication	NP ø3.5	RP ø4.1	WP ø5.1
	-	IPD/AA-HR-00	IPD/AA-HW-00
	-	IPD/AA-RR-00	IPD/AA-RW-00

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
	1.0	IPD/AA-LN-01	IPD/AA-LR-01	-
	2.0	-	IPD/AA-LR-02	IPD/RA-LW-02
	3.0	IPD/AA-LN-03	IPD/AA-LR-03	IPD/RA-LW-03
	4.0	-	IPD/AA-LR-04	IPD/RA-LW-04
	5.0	IPD/AA-LN-05	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.

COPING ABUTMENT

Type	NP ø3.5	RP ø4.1	WP ø5.1
Open tray	-	IPD/AA-CR-00	IPD/AA-CW-00
Closed tray	-	IPD/AA-CR-01	-

Classic Design

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
	1.5	IPD/AA-PN-06	IPD/AA-PR-06	IPD/AA-PW-06
	1.5	IPD/AA-PN-07	IPD/AA-PR-07	IPD/AA-PW-07
Long coping screw		IPD/AA-TN-00/C	IPD/AA-TR-00/C	IPD/AA-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Head Diameter (mm)	Ø4.0	Ø4.7	Ø5.5
2.0	IPD/AA-DN-02	IPD/AA-DR-02	IPD/AA-DW-02
3.0	IPD/AA-DN-03	IPD/AA-DR-03	IPD/AA-DW-03
4.0	IPD/AA-DN-04	IPD/AA-DR-04	IPD/AA-DW-04
5.0	-	IPD/AA-DR-05	-



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	NP ø3.5	RP ø4.1	WP ø5.1
	0°	2.0	-	IPD/AA-PR-00	-
	15°	1.0	-	IPD/AA-PR-02	-
		2.0	-	IPD/AA-PR-04	-
	25°	1.0	-	IPD/AA-PR-03	-
		2.0	-	IPD/AA-PR-05	-
	0°	2.0	-	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended



SCREWDRIVERS

Type	Length (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Implant system Screwdriver				
Unigrip	18	IPD/PU-00-18	IPD/PU-00-18	IPD/PU-00-18
	25	IPD/PU-00-25	IPD/PU-00-25	IPD/PU-00-25
	32	IPD/PU-00-32	IPD/PU-00-32	IPD/PU-00-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00



ACCESSORIES


Indication	Length (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.



NOBEL BIO CARE

AC REPLACE® SELECT
Prosthetic Platform [NP ø3.5 / RP ø4.3 / WP ø5.0]



SCAN BODY

	Indication	Height (mm)	NP ø3.5	RP ø4.3	WP ø5.0
Scan Body		10	IPD/AC-SN-00	IPD/AC-SR-00	IPD/AC-SW-00
		15	IPD/AC-SN-02	IPD/AC-SR-02	IPD/AC-SW-02
		10	IPD/AC-SN-01	IPD/AC-SR-01	IPD/AC-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.3	WP ø5.0
	0.5	IPD/AC-IN-00/3D	IPD/AC-IR-00/3D	IPD/AC-IW-00/3D
	1.5	IPD/AC-IN-02/3D	IPD/AC-IR-02/3D	IPD/AC-IW-02/3D
	Cutting guide KIT		IPD/KT-IN-00	IPD/KT-IR-00
	0.5	IPD/AC-IN-01/3D	IPD/AC-IR-01/3D	IPD/AC-IW-01/3D
	1.5	IPD/AC-IN-03/3D	IPD/AC-IR-03/3D	IPD/AC-IW-03/3D
	Cutting guide KIT		IPD/KT-IN-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	NP ø3.5	RP ø4.3	WP ø5.0
IPD Blank System (Compatible with NT/IPD Holders)					
	Ti	12	IPD/AC-XN-00	IPD/AC-XR-00	IPD/AC-XW-00
Mill Analog			IPD/AC-AN-00/X	IPD/AC-AR-00/X	IPD/AC-AW-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/AC-XN-15/A	PR/AC-XR-15/A	PR/AC-XW-15/A

All premilled abutments include 2 titanium screws.



SCREWS

			NP ø3.5	RP ø4.3	WP ø5.0
IPD and OEM compatible	For straight channels	Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Unigrip	-	Flat	IPD/AC-TN-00	IPD/AC-TR-00	IPD/AC-TR-00
Unigrip	TiN	Flat	IPD/AC-TN-00/TiN	IPD/AC-TR-00/TiN	IPD/AC-TR-00/TiN
Unigrip	BLC	Flat	IPD/AC-TN-00/BLC	IPD/AC-TR-00/BLC	IPD/AC-TR-00/BLC
For ASC options			25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Flat	IPD/AC-TN-50	IPD/AC-TR-50	IPD/AC-TR-50
For ASC on CrCo abutments			25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Angle			
TPA	TiN	10°	IPD/AC-TN-50	IPD/AC-TR-51	IPD/AC-TR-51
TPA	TiN	20°	IPD/AC-TN-51	-	-



MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NP ø3.5	RP ø4.3	WP ø5.0
0°		1.0	IPD/AC-MN-01	IPD/AC-MR-01	-
		2.0	IPD/AC-MN-02	IPD/AC-MR-02	-
		3.0	-	IPD/AC-MR-03	-
		4.0	-	IPD/AC-MR-04	-
		5.0	-	IPD/AC-MR-05	-
17°		3.0	-	IPD/AC-MR-13	-
30°		4.0	-	IPD/AC-MR-34	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-01	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT* NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	NP ø3.5	RP ø4.3	WP ø5.0
17°		2.0	-	IPD/AC-MR-12/AP	-
		3.0	-	IPD/AC-MR-13/AP	-
30°		3.0	-	IPD/AC-MR-33/AP	-
		4.0	-	IPD/AC-MR-34/AP	-
Replacement Screw for Angled MUA AP			-	IPD/KA-MT-01/BLC	-

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Indication			NP ø3.5	RP ø4.3	WP ø5.0
Standard			IPD/AC-AN-00	IPD/AC-AR-00	IPD/AC-AW-00
	Full set		IPD/AC-AN-90/3D	IPD/AC-AR-90/3D	IPD/AC-AW-90/3D
Digital		Analog			
		Bottom Screw			
		Side Screw			



Co-Cr BASE ABUTMENT

		NP ø3.5	RP ø4.3	WP ø5.0
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/AC-BN-00	IPD/AC-BR-00	-
	15°	IPD/AC-BN-10	IPD/AC-BR-10	-
	25°	IPD/AC-BN-20	-	-
	0°	IPD/AC-BN-01	IPD/AC-BR-01	-
	15°	IPD/AC-BN-11	IPD/AC-BR-11	-
	25°	IPD/AC-BN-21	-	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight	IPD/AC-BN-00/3D	IPD/AC-BR-00/3D	-
	ASC	-	IPD/AC-BR-A0/3D	-
	Straight	IPD/AC-BN-01/3D	IPD/AC-BR-01/3D	-
	ASC	IPD/AC-BN-A1/3D	IPD/AC-BR-A1/3D	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	NP ø3.5	RP ø4.3	WP ø5.0
	-	IPD/AC-HR-00	IPD/AC-HW-00
	-	IPD/AC-RR-00	IPD/AC-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.3	WP ø5.0
	1.0		IPD/AC-LR-01	-
	3.0	IPD/AC-LN-03	IPD/AC-LR-03	-
	5.0	IPD/AC-LN-05	IPD/AC-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	NP ø3.5	RP ø4.3	WP ø5.0
Open tray	-	-	IPD/AC-CW-00
Closed tray	IPD/AC-CN-01	IPD/AC-CR-01	-

Classic Design



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.3	WP ø5.0
	1.5	IPD/AC-PN-06	IPD/AC-PR-06	-
	1.5	IPD/AC-PN-07	IPD/AC-PR-07	-
Long coping screw		IPD/AC-TN-00/C	IPD/AC-TR-00/C	-

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		NP ø3.5	RP ø4.3	WP ø5.0
	Head Diameter (mm)	ø3.5	ø4.3	ø5.0
3.0		IPD/AC-DN-03	IPD/AC-DR-03	IPD/AC-DW-03
5.0		IPD/AC-DN-05	IPD/AC-DR-05	IPD/AC-DW-05
7.0		IPD/AC-DN-07	-	-

TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	NP ø3.5	RP ø4.3	WP ø5.0
	0°	2.0	IPD/AC-PN-00	IPD/AC-PR-00	IPD/AC-PW-00

SCREWDRIVERS

Type	Length (mm)	NP ø3.5	RP ø4.3	WP ø5.0
Implant system Screwdriver				
Unigrip	18	IPD/PU-00-18	IPD/PU-00-18	IPD/PU-00-18
	25	IPD/PU-00-25	IPD/PU-00-25	IPD/PU-00-25
	32	IPD/PU-00-32	IPD/PU-00-32	IPD/PU-00-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	-

ACCESSORIES

Indication	Length (mm)	NP ø3.5	RP ø4.3	WP ø5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	-


Please see page 210 for more information.



NOBEL BIOCARE

AD ACTIVE®

Prosthetic Platform [ø3.0 / NP ø3.5 / RP ø4.3]



SCAN BODY

	Indication	Height (mm)	ø3.0	NP ø3.5	RP ø4.3
Scan Body		10	IPD/AD-ST-00	IPD/AD-SN-00	IPD/AD-SR-00
		15	IPD/AD-ST-02	IPD/AD-SN-02	IPD/AD-SR-02
		10	IPD/AD-ST-01	IPD/AD-SN-01	IPD/AD-SR-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.0	NP ø3.5	RP ø4.3
	0.5	-	IPD/AD-IN-00/3D	IPD/AD-IR-00/3D
	0.8	IPD/AD-IT-00/3D	-	-
	1.5	IPD/AD-IT-02/3D	IPD/AD-IN-02/3D	IPD/AD-IR-02/3D
	2.5	IPD/AD-IT-04/3D	IPD/AD-IN-04/3D	IPD/AD-IR-04/3D
	3.5	-	IPD/AD-IN-06/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IN-00	IPD/KT-IR-00
	0.5	-	IPD/AD-IN-01/3D	IPD/AD-IR-01/3D
	0.8	IPD/AD-IT-01/3D	-	-
	1.5	IPD/AD-IT-03/3D	IPD/AD-IN-03/3D	IPD/AD-IR-03/3D
	2.5	IPD/AD-IT-05/3D	IPD/AD-IN-05/3D	IPD/AD-IR-05/3D
	3.5	-	IPD/AD-IN-07/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IN-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accesories.



CEREC® TI-BASE SYSTEM

Indication	Gingival Height (mm)	ø3.0	NP ø3.5	RP ø4.3
	0.5	-	IPD/AD-IN-00/SI	IPD/AD-IR-00/SI
	1.5	-	IPD/AD-IN-02/SI	IPD/AD-IR-02/SI
	2.5	-	IPD/AD-IN-04/SI	IPD/AD-IR-04/SI
Cerec Block (S/L)		-	S	L
Cerec Library Code		-	B C 3.4	NB B 4.1

TiN screw included.



RETURN TO INDEX

IPDMILLED SYSTEM*
*Check availability

Indication	Material	Diameter (mm)	ø3.0	NP ø3.5	RP ø4.3
IPD Blank System (Compatible with NT/IPD Holders)					
	Ti	12	-	IPD/AD-XN-00	IPD/AD-XR-00
Mill Analog				IPD/AD-AN-00/X	IPD/AD-AR-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/AD-XN-15/A	PR/AD-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			ø3.0	NP ø3.5	RP ø4.3
IPD and OEM compatible	For straight channels	Torque value	15 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Unigrip	-	Conical	IPD/AD-TT-00	IPD/AA-TN-00	IPD/AA-TR-00
Unigrip	TiN	Conical	IPD/AD-TT-00/TiN	IPD/AA-TN-00/TiN	IPD/AA-TR-00/TiN
Unigrip	BLC	Conical	IPD/AD-TT-00/BLC	IPD/AA-TN-00/BLC	IPD/AA-TR-00/BLC
For ASC options			15 Ncm	20 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/AD-TT-50	IPD/AA-TN-50	IPD/AD-TR-50
IPDmilled compatible	For ASC on CrCo abutments	Torque value	-	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Unigrip	-	Conical	-	IPD/AD-TN-00/X	IPD/AD-TR-00/X

MULTI-UNIT ABUTMENT


Angulation	Indication	Gingival Height (mm)	ø3.0 	NP ø3.5 	RP ø4.3 
0°		1.5	-	IPD/AD-MN-01	IPD/AD-MR-01
		2.5	-	IPD/AD-MN-02	IPD/AD-MR-02
		3.5	-	IPD/AD-MN-03	IPD/AD-MR-03
		4.5	-	IPD/AD-MN-04	IPD/AD-MR-04
17°		2.5	-	IPD/AD-MN-12	IPD/AD-MR-12
		3.5	-	IPD/AD-MN-13	IPD/AD-MR-13
30°		3.5	-	IPD/AD-MN-33	IPD/AD-MR-33
		4.5	-	IPD/AD-MN-34	IPD/AD-MR-34
Replacement Screw for Angled MUA			-	IPD/KA-MT-02	IPD/KA-MT-03

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT*
*Check availability

Angulation	Indication	Gingival Height (mm)	ø3.0 	NP ø3.5 	RP ø4.3 
17°		2.5	-	IPD/AD-MN-12/AP	IPD/AD-MR-12/AP
		3.5	-	IPD/AD-MN-13/AP	IPD/AD-MR-13/AP
30°		3.5	-	IPD/AD-MN-33/AP	IPD/AD-MR-33/AP
		4.5	-	IPD/AD-MN-34/AP	IPD/AD-MR-34/AP
Replacement Screw for Angled MUA AP			-	IPD/KA-MT-02/BLC	IPD/KA-MT-03/BLC

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		ø3.0	NP ø3.5	RP ø4.3
Standard		IPD/AD-AT-00	IPD/AD-AN-00	IPD/AD-AR-00
	Full set	IPD/AD-AT-90/3D	IPD/AD-AN-90/3D	IPD/AD-AR-90/3D
Digital				
	Analog			
	Bottom Screw			
	Side Screw			



Co-Cr BASE ABUTMENT

		ø3.0	NP ø3.5	RP ø4.3
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/AD-BT-00	IPD/AD-BN-00	IPD/AD-BR-00
	15°	IPD/AD-BT-10	IPD/AD-BN-10	IPD/AD-BR-10
	25°	IPD/AD-BT-20	IPD/AD-BN-20	IPD/AD-BR-20
	0°	IPD/AD-BT-01	IPD/AD-BN-01	IPD/AD-BR-01
	15°	IPD/AD-BT-11	IPD/AD-BN-11	IPD/AD-BR-11
	25°	IPD/AD-BT-21	IPD/AD-BN-21	IPD/AD-BR-21
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight	IPD/AD-BT-00/3D	IPD/AD-BN-00/3D	IPD/AD-BR-00/3D
	ASC	IPD/AD-BT-A0/3D	IPD/AD-BN-00/3D	IPD/AD-BR-A0/3D
	Straight	IPD/AD-BT-01/3D	IPD/AD-BN-01/3D	IPD/AD-BR-01/3D
	ASC	IPD/AD-BT-A1/3D	IPD/AD-BN-01/3D	IPD/AD-BR-A1/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	ø3.0	NP ø3.5	RP ø4.3
	-	-	IPD/AD-HR-00
	-	-	IPD/AD-RR-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.0	NP ø3.5	RP ø4.3
	1.0	-	IPD/AD-LN-01	IPD/AD-LR-01
	2.0	-	IPD/AD-LN-02	IPD/AD-LR-02
	3.0	-	IPD/AD-LN-03	IPD/AD-LR-03
	4.0	-	IPD/AD-LN-04	IPD/AD-LR-04
	5.0	-	IPD/AD-LN-05	IPD/AD-LR-05

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	ø3.0	NP ø3.5	RP ø4.3
Open tray	IPD/AD-CT-00	-	-
Classic Design			



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.0	NP ø3.5	RP ø4.3
	1.5	IPD/AD-PT-06	IPD/AD-PN-06	IPD/AD-PR-06
	1.5	IPD/AD-PT-07	IPD/AD-PN-07	IPD/AD-PR-07
Long coping screw		IPD/AD-TT-00/C	IPD/AD-TN-00/C	IPD/AD-TR-00/C
The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.				

HEALING ABUTMENT

Gingival Height (mm)	ø3.0	NP ø3.5	RP ø4.3
Head Diameter (mm)	-	ø3.5	ø3.9
Sealing cap	-	IPD/AD-DN-00	IPD/AD-DR-00
Head Diameter (mm)	ø3.1	ø3.6	ø5.0
1.5	-	IPD/AD-DN-01	IPD/AD-DR-01
3.0	IPD/AD-DT-03	IPD/AD-DN-03	IPD/AD-DR-03
5.0	IPD/AD-DT-05	IPD/AD-DN-05	IPD/AD-DR-05
7.0	IPD/AD-DT-07	-	-
Head Diameter (mm)		ø5.0	
3.0 wide	-	IPD/AD-DN-13	-
5.0 wide	-	IPD/AD-DN-15	-

SCREWDRIVERS

Type	Length (mm)	ø3.0	NP ø3.5	RP ø4.3
Implant system Screwdriver				
Unigrip	18	IPD/PU-00-18	IPD/PU-00-18	IPD/PU-00-18
	25	IPD/PU-00-25	IPD/PU-00-25	IPD/PU-00-25
	32	IPD/PU-00-32	IPD/PU-00-32	IPD/PU-00-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	-	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	ø3.0	NP ø3.5	RP ø4.3
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		-	IPD/LL-PS-01	IPD/LL-PS-01
Please see page 210 for more information.				



BIOMET® 3i®

BA OSSEOTITE®
Prosthetic Platform [NP ø3.4 / RP ø4.1 / WP ø5.0]

SCAN BODY

	Indication	Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
Scan Body		10	IPD/BA-SN-00	IPD/AA-SR-00	IPD/BA-SW-00
		15	IPD/BA-SN-02	IPD/AA-SR-02	IPD/BA-SW-02
		10	IPD/BA-SN-01	IPD/AA-SR-01	IPD/BA-SW-01

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
	0.5	-	IPD/AA-IR-00/3D	IPD/BA-IW-00/3D
	1.5	IPD/BA-IN-02/3D	IPD/AA-IR-02/3D	IPD/BA-IW-02/3D
	2.5	-	IPD/AA-IR-04/3D	-
	Cutting guide KIT		IPD/KT-IR-00	IPD/KT-IW-00
	0.5	-	IPD/AA-IR-01/3D	IPD/BA-IW-01/3D
	1.5	IPD/BA-IN-03/3D	IPD/AA-IR-03/3D	IPD/BA-IW-03/3D
	2.5	-	IPD/AA-IR-05/3D	-
	Cutting guide KIT		IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	NP ø3.4	RP ø4.1	WP ø5.0
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/BA-XN-15/A	PR/AA-XR-15/A	PR/BA-XW-15/A

All premilled abutments include 2 titanium screws.



SCREWS

			NP ø3.4	RP ø4.1	WP ø5.0
IPD and OEM compatible	For straight channels	Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Conical	IPD/BA-TR-00	IPD/BA-TR-00	IPD/BA-TR-00
1.20 Hex	TiN	Conical	IPD/BA-TR-00/TiN	IPD/BA-TR-00/TiN	IPD/BA-TR-00/TiN
1.20 Hex	BLC	Conical	IPD/BA-TR-00/BLC	IPD/BA-TR-00/BLC	IPD/BA-TR-00/BLC

For ASC options			Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Conical	IPD/AA-TR-50	IPD/AA-TR-50	IPD/AA-TR-50	

Additional options			Torque value	20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat				
1.20 Hex	-	Low profile head - conical seat	IPD/AA-TR-01	IPD/AA-TR-01	IPD/AA-TR-01	
1.20 Hex	TiN	Low profile head - conical seat	IPD/AA-TR-01/TiN	IPD/AA-TR-01/TiN	IPD/AA-TR-01/TiN	
1.20 Hex	BLC	Low profile head - conical seat	IPD/AA-TR-01/BLC	IPD/AA-TR-01/BLC	IPD/AA-TR-01/BLC	

			Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
1.25 Hex	-	Conical	IPD/BA-TR-01	IPD/BA-TR-01	IPD/BA-TR-01	
1.25 Hex	TiN	Conical	IPD/BA-TR-01/TiN	IPD/BA-TR-01/TiN	IPD/BA-TR-01/TiN	
1.25 Hex	BLC	Conical	IPD/BA-TR-01/BLC	IPD/BA-TR-01/BLC	IPD/BA-TR-01/BLC	

			Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat				
Square	-	Flat	IPD/BA-TR-02	IPD/BA-TR-02	IPD/BA-TR-02	
Square	TiN	Flat	IPD/BA-TR-02/TiN	IPD/BA-TR-02/TiN	IPD/BA-TR-02/TiN	
Square	BLC	Flat	IPD/BA-TR-02/BLC	IPD/BA-TR-02/BLC	IPD/BA-TR-02/BLC	

			Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	For implant level flat seat	IPD/AA-TR-52	IPD/AA-TR-52	IPD/AA-TR-52	

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
0°		1.0	-	IPD/AB-MR-01	-
		2.0	-	IPD/AB-MR-02	-
		3.0	-	IPD/AB-MR-03	-
		4.0	-	IPD/AB-MR-04	-
		5.0	-	IPD/AB-MR-05	-
17°		2.0	-	IPD/AB-MR-12	-
		3.0	-	IPD/AB-MR-13	-
		4.0	-	IPD/AB-MR-14	-
30°		3.0	-	IPD/AB-MR-33	-
		4.0	-	IPD/AB-MR-34	-
		5.0	-	IPD/AB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-00	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		NP ø3.4	RP ø4.1	WP ø5.0
Standard		IPD/BA-AN-00	IPD/AA-AR-00	IPD/BA-AW-00
	Full set	IPD/BA-AN-90/3D	IPD/AA-AR-90/3D	IPD/BA-AW-90/3D
Digital			Analog	
			Bottom Screw	
			Side Screw	

Co-Cr BASE ABUTMENT

		NP ø3.4	RP ø4.1	WP ø5.0
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/BA-BN-00	IPD/AA-BR-00	IPD/BA-BW-00
	15°	IPD/BA-BN-10	IPD/AA-BR-10	IPD/BA-BW-10
	25°	IPD/BA-BN-20	IPD/AA-BR-20	IPD/BA-BW-20
	0°	IPD/BA-BN-01	IPD/AA-BR-01	IPD/BA-BW-01
	15°	IPD/BA-BN-11	IPD/AA-BR-11	IPD/BA-BW-11
	25°	IPD/BA-BN-21	IPD/AA-BR-21	IPD/BA-BW-21

Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	IPD/BA-BN-00/3D	IPD/AA-BR-00/3D	IPD/BA-BW-00/3D
	Straight/ASC	IPD/BA-BN-01/3D	IPD/AA-BR-01/3D	IPD/BA-BW-01/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

CASTABLE ABUTMENT

Indication	NP ø3.4	RP ø4.1	WP ø5.0
	-	IPD/AA-HR-00	IPD/BA-HW-00
	-	IPD/AA-RR-00	IPD/BA-RW-00

PSD OVERDENTURE ABUTMENT


Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
	1.0	IPD/BA-LN-01	IPD/AA-LR-01	-
	2.0	-	IPD/AA-LR-02	-
	3.0	IPD/BA-LN-03	IPD/AA-LR-03	-
	4.0	-	IPD/AA-LR-04	-
	5.0	-	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.

COPING ABUTMENT

Type	NP ø3.4	RP ø4.1	WP ø5.0
Open tray	-	IPD/AA-CR-00	IPD/BA-CW-00
Closed tray	-	IPD/AA-CR-01	-

Classic Design



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
	1.5	IPD/BA-PN-06	IPD/AA-PR-06	IPD/BA-PW-06
	1.5	IPD/BA-PN-07	IPD/AA-PR-07	IPD/BA-PW-07
Long coping screw		IPD/AA-TR-00/C	IPD/AA-TR-00/C	IPD/AA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)		NP ø3.4	RP ø4.1	WP ø5.0
	Head Diameter (mm)	ø4.0	ø4.7	ø5.5
2.0		IPD/BA-DN-02	IPD/AA-DR-02	IPD/BA-DW-02
3.0		IPD/BA-DN-03	IPD/AA-DR-03	IPD/BA-DW-03
4.0		IPD/BA-DN-04	IPD/AA-DR-04	IPD/BA-DW-04
5.0		-	IPD/AA-DR-05	-

TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	NP ø3.4	RP ø4.1	WP ø5.0
	0°	2.0	-	IPD/AA-PR-00	-
	15°	1.0	-	IPD/AA-PR-02	-
		2.0	-	IPD/AA-PR-04	-
	25°	1.0	-	IPD/AA-PR-03	-
		2.0	-	IPD/AA-PR-05	-
	0°		-	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended

SCREWDRIVERS

Type	Length (mm)	NP ø3.4	RP ø4.1	WP ø5.0
Implant system Screwdriver				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
Square	18	IPD/PC-25-18	IPD/PC-25-18	IPD/PC-25-18
	25	IPD/PC-25-25	IPD/PC-25-25	IPD/PC-25-25
	32	IPD/PC-25-32	IPD/PC-25-32	IPD/PC-25-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	NP ø3.4	RP ø4.1	WP ø5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01


Please see page 210 for more information.



BIOMET® 3i®

BB OSSEOTITE® CERTAIN®

Prosthetic Platform [NP ø3.4 / RP ø4.1 / WP ø5.0]



SCAN BODY

	Indication	Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
Scan Body		10	IPD/BB-SN-00	IPD/BB-SR-00	IPD/BB-SW-00
		15	IPD/BB-SN-02	IPD/BB-SR-02	IPD/BB-SW-02
		10	IPD/BB-SN-01	IPD/BB-SR-01	IPD/BB-SW-01


Captive screw included 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
	0.5	IPD/BB-IN-00/3D	IPD/BB-IR-00/3D	IPD/BB-IW-00/3D
	1.5	IPD/BB-IN-02/3D	IPD/BB-IR-02/3D	IPD/BB-IW-02/3D
	2.5	IPD/BB-IN-04/3D	IPD/BB-IR-04/3D	-
Cutting guide KIT		IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	IPD/BB-IN-01/3D	IPD/BB-IR-01/3D	IPD/BB-IW-01/3D
	1.5	IPD/BB-IN-03/3D	IPD/BB-IR-03/3D	IPD/BB-IW-03/3D
	2.5	IPD/BB-IN-05/3D	IPD/BB-IR-05/3D	-
Cutting guide KIT		IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	NP ø3.4	RP ø4.1	WP ø5.0
IPD Blank System (Compatible with NT/IPD Holders)					
	Ti	12	IPD/BB-XN-00	IPD/BB-XR-00	IPD/BB-XW-00
Mill Analog			IPD/BB-AN-00/X	IPD/BB-AR-00/X	IPD/BB-AW-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/BB-XN-15/A	PR/BB-XR-15/A	PR/BB-XW-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			NP ø3.4	RP ø4.1	WP ø5.0
IPD and OEM compatible	For straight channels	Torque value	20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Flat	IPD/BB-TR-01	IPD/BB-TR-01	IPD/BB-TR-01
1.20 Hex	TiN	Flat	IPD/BB-TR-01/TiN	IPD/BB-TR-01/TiN	IPD/BB-TR-01/TiN
1.20 Hex	BLC	Flat	IPD/BB-TR-01/BLC	IPD/BB-TR-01/BLC	IPD/BB-TR-01/BLC
For ASC options			20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Flat	IPD/BB-TR-51	IPD/BB-TR-51	IPD/BB-TR-51
Additional options			20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Conical	-	IPD/BB-TR-02	IPD/BB-TR-02



MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
0°		1.0	IPD/BB-MN-01	IPD/BB-MR-01	-
		2.0	IPD/BB-MN-02	IPD/BB-MR-02	-
		3.0	IPD/BB-MN-03	IPD/BB-MR-03	-
		4.0	IPD/BB-MN-04	IPD/BB-MR-04	-
		5.0	-	IPD/BB-MR-05	-
17°		2.0	-	IPD/BB-MR-12	-
		3.0	-	IPD/BB-MR-13	-
30°		4.0	-	IPD/BB-MR-34	-
		5.0	-	IPD/BB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-02	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		NP ø3.4	RP ø4.1	WP ø5.0
Standard		IPD/BB-AN-00	IPD/BB-AR-00	IPD/BB-AW-00
	Full set	IPD/BB-AN-90/3D	IPD/BB-AR-90/3D	IPD/BB-AW-90/3D
Digital	Analog			
	Bottom Screw			
	Side Screw			



Co-Cr BASE ABUTMENT

		NP ø3.4	RP ø4.1	WP ø5.0
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/BB-BN-00	IPD/BB-BR-00	-
	15°	IPD/BB-BN-10	IPD/BB-BR-10	-
	25°	IPD/BB-BN-20	IPD/BB-BR-20	-
	0°	IPD/BB-BN-01	IPD/BB-BR-01	-
	15°	IPD/BB-BN-11	IPD/BB-BR-11	-
	25°	IPD/BB-BN-21	IPD/BB-BR-21	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight	IPD/BB-BN-00/3D	IPD/BB-BR-00/3D	
	ASC	IPD/BB-BN-A0/3D	IPD/BB-BR-A0/3D	
	Straight	IPD/BB-BN-01/3D	IPD/BB-BN-01/3D	
	ASC	IPD/BB-BN-A1/3D	IPD/BB-BN-A1/3D	
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	NP ø3.4	RP ø4.1	WP ø5.0
	-	IPD/BB-HR-00	IPD/BB-HW-00
	-	IPD/BB-RR-00	IPD/BB-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
	1.0	IPD/BB-LN-01	IPD/BB-LR-01	-
	3.0	IPD/BB-LN-03	IPD/BB-LR-03	-
	5.0	IPD/BB-LN-05	IPD/BB-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	NP ø3.4	RP ø4.1	WP ø5.0
Open tray	-	-	IPD/BB-CW-00
Classic Design			



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NP ø3.4	RP ø4.1	WP ø5.0
	1.5	IPD/BB-PN-06	IPD/BB-PR-06	IPD/BB-PW-06
	1.5	IPD/BB-PN-07	IPD/BB-PR-07	IPD/BB-PW-07
Long coping screw		IPD/BB-TR-01/C	IPD/BB-TR-01/C	IPD/BB-TR-01/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		NP ø3.4	RP ø4.1	WP ø5.0
	Head Diameter (mm)	ø3.5	ø4.1	ø5.0
2.0		IPD/BB-DN-02	IPD/BB-DR-02	IPD/BB-DW-02
3.0		IPD/BB-DN-03	IPD/BB-DR-03	IPD/BB-DW-03
4.0		IPD/BB-DN-04	IPD/BB-DR-04	IPD/BB-DW-04

TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	NP ø3.4	RP ø4.1	WP ø5.0
	0°	2.0	IPD/BB-PN-00	IPD/BB-PR-00	IPD/BB-PW-00

SCREWDRIVERS

Type	Length (mm)	NP ø3.4	RP ø4.1	WP ø5.0
Implant system Screwdriver				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	NP ø3.4	RP ø4.1	WP ø5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01


Please see page 210 for more information.



BIOMET® 3i®

BC LOW PROFILE ABUTMENT

Prosthetic Platform [RP ø4.8]



SCAN BODY / SCAN DATA MARKER

	Indication	Height (mm)	RP ø4.8
Scan Body		10	IPD/BC-SR-00
		10	IPD/BC-SR-01
One Shot IQ		6	IPD/BC-SR-03
Reverse IQ			IPD/BC-SR-00/RS

Captive screw included except on Reverse Marker IQ. 1.20 Hex Screwdriver



SCANLOGIQ® FULL ARCH SYSTEM*

*Check availability

		RP ø4.8
ScanLogiQ® KIT	ScanLogiQ® Box	1 Scan Flag IQ Set 6 One Shot IQ 6 Reverse Marker IQ 1 Control Plate IQ 1 Screwdriver 1 Clinical Handle
		IPD/BC-KR-00/FS
Scan Flag IQ SET		3 Short 3 Medium 4 Large 0° 2 Large +20° 2 Large -20°
Control Plate IQ		IPD/KT-FS-00

Captive screw IPD/AB-TR-00/FS included on all Scan Flag IQ. 1.25 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®


Indication	Post Height (mm)	Gingival Height (mm)	RP ø4.8
	4.25	0.5	IPD/BC-IR-00/3D
	6.5	0.5	IPD/BC-IR-02/3D
	4.6	0.2	IPD/BC-IR-01/3D
	6.5	0.2	IPD/BC-IR-03/3D



RETURN TO INDEX

SCREWS

RP ø4.8			
IPD and OEM compatible	For straight channels	Torque value	15 Ncm
Screwdriver	Coating	Seat	
1.20 Hex	-	Flat	IPD/BC-TR-00
1.20 Hex	TiN	Flat	IPD/BC-TR-00/TiN
1.20 Hex	BLC	Flat	IPD/BC-TR-00/BLC
For ASC options		Torque value	15 Ncm
Screwdriver	Coating	Indication	
TPA	TiN	For PH 4.0 mm Ti-bases	IPD/BC-TR-50
TPA	TiN	For PH 6.5 mm Ti-bases	IPD/BC-TR-51



ANALOGS

Type			RP ø4.8
Standard			IPD/BC-AR-00
Digital	Full set		IPD/BC-AR-90/3D



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)		RP ø4.8
	3.35	2 units pack	IPD/BC-LR-02

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)		RP ø4.8
	0.5		IPD/BC-PR-06
	0.2		IPD/BC-PR-07
Long coping screw			IPD/BC-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)			RP ø4.8
Head Diameter (mm)		Bottom ø5.0 - Top ø3.67	
4.45			IPD/BC-DR-04
	Screw		IPD/BC-TR-00

Screw not included



SCREWDRIVERS

Type	Length (mm)	RP ø4.8
Implant system Screwdriver		
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	RP ø4.8
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01

Please see page 210 for more information.





KLOCKNER®

CA SK2-NK2

Prosthetic Platform [RP ø4.2]

SCAN BODY / SCAN DATA MARKER

	Indication	Height (mm)	RP ø4.2
Scan Body		10	IPD/CA-SR-00
		10	IPD/CA-SR-01

Captive screw included 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RP ø4.2
	0.5	IPD/CA-IR-00/3D ¹
	2.25	IPD/CA-IR-04/3D ²
		Cutting guide KIT ¹ IPD/KT-IW-00 (no ASC) ² IPD/KT-IR-00
	0.5	IPD/CA-IR-01/3D*
	2.25	IPD/CA-IR-05/3D
		Cutting guide KIT IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.
*Only available Post Height 3.5 mm version

SCREWS

			RP ø4.2
IPD and OEM compatible	For straight channels	Torque value	30 Ncm
Screwdriver	Coating	Seat	
1.70 Hex	-	Conical	IPD/CA-TR-00
1.70 Hex	TiN	Conical	IPD/CA-TR-00/TiN
1.70 Hex	BLC	Conical	IPD/CA-TR-00/BLC
		Torque value	30 Ncm
Screwdriver	Coating	Seat	
Cruciform	-	Conical	IPD/CA-TR-01
Cruciform	TiN	Conical	IPD/CA-TR-01/TiN
	For ASC options	Torque value	25 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/CA-TR-50



RETURN TO INDEX

ANALOGS

Type		RP ø4.2
Standard		IPD/CA-AR-00
	Full set	IPD/CA-AR-90/3D
Digital	Analog	
	Bottom Screw	
	Side Screw	



Co-Cr BASE ABUTMENT

		RP ø4.2
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/CA-BR-00
	15°	IPD/CA-BR-10
	25°	IPD/CA-BR-20
	0°	IPD/CA-BR-01
	15°	IPD/CA-BR-11
	25°	IPD/CA-BR-21
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/CA-BR-00/3D
	Straight/ASC	IPD/CA-BR-01/3D
	Scan Body	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT


Indication		RP ø4.2
		IPD/CA-HR-00
		IPD/CA-RR-00



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP ø4.2
	1.5	IPD/CA-PR-06
	1.5	IPD/CA-PR-07
	Long coping screw	IPD/CA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		RP ø4.2
	Head Diameter (mm)	ø5.2
5.5		IPD/CA-DR-00
	Screw	IPD/CA-TR-00

Screw not included



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	RP ø4.2
	0°	0.2	IPD/CA-PR-00

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended

SCREWDRIVERS

Type	Length (mm)	RP ø4.2
Implant system Screwdriver		
1.70 Hex	18	IPD/PH-70-18
	25	IPD/PH-70-25
	32	IPD/PH-70-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32

ACCESSORIES

Indication	Length (mm)	RP ø4.2
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01

Please see page 210 for more information.



KLOCKNER®

CB ESSENTIAL CONE®

Prosthetic Platform [RP ø4.5]

SCAN BODY

	Indication	Height (mm)	RP ø4.5
Scan Body		10	IPD/CB-SR-00
		15	D/CB-SR-02
		10	IPD/CB-SR-01

Captive screw included 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RP ø4.5
	0.5	IPD/CB-IR-00/3D
	Cutting guide KIT	IPD/KT-IR-00
	0.5	IPD/CB-IR-01/3D
	Cutting guide KIT	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accesories.


SCREWS

			RP ø4.5
IPD and OEM compatible	For straight channels	Torque value	30 Ncm
Screwdriver	Coating	Seat	
Star	-	Conical	IPD/CB-TR-00
Star	TiN	Conical	IPD/CB-TR-00/TiN
Star	BLC	Conical	IPD/CB-TR-00/BLC

	For ASC options	Torque value	20 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/CB-TR-50

ANALOGS

Type		RP ø4.5
Standard		IPD/CB-AR-00
	Full set	IPD/CB-AR-90/3D
Digital	Analog	
	Bottom Screw	
	Side Screw	



RETURN TO INDEX

Co-Cr BASE ABUTMENT

RP ø4.5		
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/CB-BR-00
	15°	IPD/CB-BR-10
	25°	IPD/CB-BR-20
	0°	IPD/CB-BR-01
	15°	IPD/CB-BR-11
	25°	IPD/CB-BR-21
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/CB-BR-00/3D
	Straight/ASC	IPD/CB-BR-01/3D
Scan Body		IPD/SC-AN-B2

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP ø4.5
	1.0	IPD/CB-LR-01
	3.0	IPD/CB-LR-03
	5.0	IPD/CB-LR-05
	7.0	IPD/CB-LR-07

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP ø4.5
	1.5	IPD/CB-PR-06
	1.5	IPD/CB-PR-07
Long coping screw		IPD/CB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	RP ø4.5
Head Diameter (mm)	
1.5	IPD/CB-DR-01
3.0	IPD/CB-DR-03
4.5	IPD/CB-DR-04



SCREWDRIVERS

Type	Length (mm)	RP ø4.5
Implant system Screwdriver		
Star	18	IPD/PS-00-18
	25	IPD/PS-00-25
	32	IPD/PS-00-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	RP ø4.5
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01

Please see page 210 for more information.





KLOCKNER®

CC KL™

Prosthetic Platform [NP ø3.5 / RP ø4.1 / WP ø5.1]

SCAN BODY

	Indication	Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Scan Body		10	IPD/AA-SN-00	IPD/AA-SR-00	IPD/AA-SW-00
		15	IPD/AA-SN-02	IPD/AA-SR-02	-
		10	IPD/AA-SN-01	IPD/AA-SR-01	IPD/AA-SW-01

Captive screw included. 1.20 Hex Screwdriver.




Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
	0.5	-	IPD/AA-IR-00/3D	-
	1.3	-	-	IPD/AA-IW-02/3D
	1.5	IPD/AA-IN-02/3D	IPD/AA-IR-02/3D	-
	2.5	-	IPD/AA-IR-04/3D	-
Cutting guide KIT		IPD/KT-IR-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	-	IPD/AA-IR-01/3D	-
	1.3	-	-	IPD/AA-IW-03/3D*
	1.5	IPD/AA-IN-03/3D	IPD/AA-IR-03/3D	-
	2.5	-	IPD/AA-IR-05/3D	-
Cutting guide KIT		IPD/KT-IN-01	IPD/KT-IR-01	-

Please see page 204 for the IPD Custom Interface System accessories.

*Only available Post Height 3.5 mm version



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	NP ø3.5	RP ø4.1	WP ø5.1
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/AA-XN-15/A	PR/AA-XR-15/A	PR/AA-XW-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			NP ø3.5	RP ø4.1	WP ø5.1
IPD compatible	For straight channels	Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Unigrip	-	Conical	IPD/AA-TN-00	IPD/AA-TR-00	IPD/AA-TW-01
Unigrip	TiN	Conical	IPD/AA-TN-00/TiN	IPD/AA-TR-00/TiN	IPD/AA-TW-01/TiN
Unigrip	BLC	Conical	IPD/AA-TN-00/BLC	IPD/AA-TR-00/BLC	IPD/AA-TW-01/BLC

	For ASC options	Torque value	20 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/AA-TN-50	IPD/AA-TR-50	IPD/AA-TW-50

OEM compatible		Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Unigrip	-	Conical	IPD/AA-TN-00	IPD/AA-TR-00	IPD/AA-TW-00
Unigrip	TiN	Conical	IPD/AA-TN-00/TiN	IPD/AA-TR-00/TiN	IPD/AA-TW-00/TiN
Unigrip	BLC	Conical	IPD/AA-TN-00/BLC	IPD/AA-TR-00/BLC	IPD/AA-TW-00/BLC

Additional options		Torque value		35 Ncm	
Screwdriver	Coating	Seat			
Unigrip	-	For implant level flat seat	-	IPD/AA-TR-02	-
Unigrip	TiN	For implant level flat seat	-	IPD/AA-TR-02/TiN	-
Unigrip	BLC	For implant level flat seat	-	IPD/AA-TR-02/BLC	-
TPA	TiN	For implant level flat seat	-	IPD/AA-TR-52	-

		Torque value		20 Ncm	
1.20 Hex	-	Low profile head - conical seat	-	IPD/AA-TR-01	-
1.20 Hex	TiN	Low profile head - conical seat	-	IPD/AA-TR-01/TiN	-
1.20 Hex	BLC	Low profile head - conical seat	-	IPD/AA-TR-01/BLC	-

MULTI-UNIT ABUTMENT


Angulation	Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
0°		1.0	IPD/AA-MN-01	IPD/AB-MR-01	-
		2.0	IPD/AA-MN-02	IPD/AB-MR-02	-
		3.0	IPD/AA-MN-03	IPD/AB-MR-03	-
		4.0	-	IPD/AB-MR-04	-
		5.0	-	IPD/AB-MR-05	-
17°		2.0	-	IPD/AB-MR-12	-
		3.0	-	IPD/AB-MR-13	-
		4.0	-	IPD/AB-MR-14	-
30°		3.0	-	IPD/AB-MR-33	-
		4.0	-	IPD/AB-MR-34	-
		5.0	-	IPD/AB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-00	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



Co-Cr BASE ABUTMENT

		NP ø3.5	RP ø4.1	WP ø5.1
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/AA-BN-00	IPD/AA-BR-00	-
	15°	IPD/AA-BN-10	IPD/AA-BR-10	-
	25°	IPD/AA-BN-20	IPD/AA-BR-20	-
	0°	IPD/AA-BN-01	IPD/AA-BR-01	-
	15°	IPD/AA-BN-11	IPD/AA-BR-11	-
	25°	IPD/AA-BN-21	IPD/AA-BR-21	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	IPD/AA-BN-00/3D	IPD/AA-BR-00/3D	-
	Straight/ASC	IPD/AA-BN-01/3D	IPD/AA-BR-01/3D	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	-
All ASC CoCr analogic workflow abutments include the relevant TPA screw.				



CASTABLE ABUTMENT

Indication	NP ø3.5	RP ø4.1	WP ø5.1
	-	IPD/AA-HR-00	IPD/AA-HW-00
	-	IPD/AA-RR-00	IPD/AA-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
	1.0	IPD/AA-LN-01	IPD/AA-LR-01	-
	2.0	-	IPD/AA-LR-02	IPD/RA-LW-02
	3.0	IPD/AA-LN-03	IPD/AA-LR-03	IPD/RA-LW-03
	4.0	-	IPD/AA-LR-04	IPD/RA-LW-04
	5.0	IPD/AA-LN-05	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	NP ø3.5	RP ø4.1	WP ø5.1
Open tray	-	IPD/AA-CR-00	IPD/AA-CW-00
Closed tray	-	IPD/AA-CR-01	-

Classic Design



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
	1.5	IPD/AA-PN-06	IPD/AA-PR-06	IPD/AA-PW-06
	1.5	IPD/AA-PN-07	IPD/AA-PR-07	IPD/AA-PW-07
Long coping screw		IPD/AA-TN-00/C	IPD/AA-TR-00/C	IPD/AA-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT


Gingival Height (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Head Diameter (mm)	ø4.0	ø4.7	ø5.5
2.0	IPD/AA-DN-02	IPD/AA-DR-02	IPD/AA-DW-02
3.0	IPD/AA-DN-03	IPD/AA-DR-03	IPD/AA-DW-03
4.0	IPD/AA-DN-04	IPD/AA-DR-04	IPD/AA-DW-04
5.0	-	IPD/AA-DR-05	-



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	NP ø3.5	RP ø4.1	WP ø5.1
	0°	2.0	-	IPD/AA-PR-00	-
		1.0	-	IPD/AA-PR-02	-
	15°	2.0	-	IPD/AA-PR-04	-
		1.0	-	IPD/AA-PR-03	-
	25°	2.0	-	IPD/AA-PR-05	-
	0°	2.0	-	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended



SCREWDRIVERS

Type	Length (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Implant system Screwdriver				
Unigrip	18	IPD/PU-00-18	IPD/PU-00-18	IPD/PU-00-18
	25	IPD/PU-00-18	IPD/PU-00-18	IPD/PU-00-18
	32	IPD/PU-00-18	IPD/PU-00-18	IPD/PU-00-18
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	NP ø3.5	RP ø4.1	WP ø5.1
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.





KLOCKNER®

CD VEGA®

Prosthetic Platform [NV ø3.5 /RV ø4.0-ø4.5]

SCAN BODY

	Indication	Height (mm)	NV ø3.5	RV ø4.0-ø4.5
Scan Body		10	IPD/CD-SN-00	IPD/CD-SR-00
		15	IPD/CD-SN-02	IPD/CD-SR-02
		10	IPD/CD-SN-01	IPD/CD-SR-01

Captive screw included. 120 Hex Screwdriver.


Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NV ø3.5	RV ø4.0-ø4.5
	0.7	IPD/CD-IN-00/3D	IPD/CD-IR-00/3D
	1.5	IPD/CD-IN-02/3D	IPD/CD-IR-02/3D
	2.5	IPD/CD-IN-04/3D	IPD/CD-IR-04/3D
	3.5	IPD/CD-IN-06/3D	IPD/CD-IR-06/3D
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00
	0.7	IPD/CD-IN-01/3D	IPD/CD-IR-01/3D
	1.5	IPD/CD-IN-03/3D	IPD/CD-IR-03/3D
	2.5	IPD/CD-IN-05/3D	IPD/CD-IR-05/3D
	3.5	IPD/CD-IN-07/3D	IPD/CD-IR-07/3D
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

SCREWS

			NV ø3.5	RV ø4.0-ø4.5
IPD compatible	For straight channels	Torque value	25 Ncm	25 Ncm
Screwdriver	Coating	Seat		
Star	-	Conical	IPD/CD-TN-00	IPD/CD-TR-00
Star	TiN	Conical	IPD/CD-TN-00/TiN	IPD/CD-TR-00/TiN
Star	BLC	Conical	IPD/CD-TN-00/BLC	IPD/CD-TR-00/BLC
For ASC options			25 Ncm	25 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/CD-TN-50	IPD/CD-TR-50

[RETURN TO INDEX](#)

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NV ø3.5	RV ø4.0-ø4.5
0°		1.5	IPD/CD-MN-01	IPD/CD-MR-01
		2.5	IPD/CD-MN-02	IPD/CD-MR-02
		3.5	IPD/CD-MN-03	IPD/CD-MR-03
		4.5	IPD/CD-MN-04	IPD/CD-MR-04
		5.5	IPD/CD-MN-05	IPD/CD-MR-05
17°		2.5	IPD/CD-MN-12	IPD/CD-MR-12
30°		3.5	IPD/CD-MN-33	IPD/CD-MR-33
Replacement Screw for Angled MUA			IPD/KA-MT-05	IPD/KA-MT-11

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



MULTI-UNIT AP ABUTMENT*

*Check availability

Angulation	Indication	Gingival Height (mm)	NV ø3.5 	RV ø4.0-ø4.5 
17°		2.5	IPD/CD-MN-12/AP	IPD/CD-MR-12/AP
		3.5	IPD/CD-MN-13/AP	IPD/CD-MR-13/AP
30°		3.5	IPD/CD-MN-33/AP	IPD/CD-MR-33/AP
		4.5	IPD/CD-MN-34/AP	IPD/CD-MR-34/AP
Replacement Screw for Angled MUA AP			IPD/KA-MT-05/BLC	IPD/KA-MT-11/BLC

Please see page 206 for the Multi-unit system accessories.



ANALOGS


Type		NV ø3.5	RV ø4.0-ø4.5
Standard		IPD/CD-AN-00	IPD/CD-AR-00
	Full set	IPD/CD-AN-90/3D	IPD/CD-AR-90/3D
Digital	Analog		
	Bottom Screw		
	Side Screw		



Co-Cr BASE ABUTMENT

		NV ø3.5	RV ø4.0-ø4.5
Co-Cr Base for analogic workflow			
Indication	Angulation		
	0°	IPD/CD-BN-00	IPD/CD-BR-00
	15°	IPD/CD-BN-10	IPD/CD-BR-10
	25°	IPD/CD-BN-20	-
	0°	IPD/CD-BN-01	IPD/CD-BR-01
	15°	IPD/CD-BN-11	IPD/CD-BR-11
	25°	IPD/CD-BN-21	-
Co-Cr Base for digital workflow			
Indication	Angulation		
	Straight/ASC	IPD/CD-BN-00/3D	IPD/CD-BR-00/3D
	Straight/ASC	IPD/CD-BN-01/3D	IPD/CD-BR-01/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NV ø3.5	RV ø4.0-ø4.5
	1.0	IPD/CD-LN-01	IPD/CD-LR-01
	2.0	IPD/CD-LN-02	IPD/CD-LR-02
	3.0	IPD/CD-LN-03	IPD/CD-LR-03
	4.0	IPD/CD-LN-04	IPD/CD-LR-04
	5.0	IPD/CD-LN-05	IPD/CD-LR-05
	6.0	IPD/CD-LN-06	IPD/CD-LR-06
	7.0	IPD/CD-LN-07	IPD/CD-LR-07

Please see page 205 for the PSD system accesories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NV ø3.5	RV ø4.0-ø4.5
	1.5	IPD/CD-PN-06	IPD/CD-PR-06
	1.5	IPD/CD-PN-07	IPD/CD-PR-07
Long coping screw		IPD/CD-TN-00/C	IPD/CD-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)		NV ø3.5	RV ø4.0-ø4.5
	Head Diameter (mm)	ø3.8	ø4.4
1.5		IPD/CD-DN-01	IPD/CD-DR-01
3.0		IPD/CD-DN-03	IPD/CD-DR-03
5.0		IPD/CD-DN-05	IPD/CD-DR-05

SCREWDRIVERS

Type	Length (mm)	NV ø3.5	RV ø4.0-ø4.5
Implant system Screwdriver			
Star	18	IPD/PS-00-18	IPD/PS-00-18
	25	IPD/PS-00-25	IPD/PS-00-25
	32	IPD/PS-00-32	IPD/PS-00-32
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver			
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver			
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	NV ø3.5	RV ø4.0-ø4.5
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01


Please see page 210 for more information.



STRAUMANN®

DA TISSUE LEVEL®

Prosthetic platform [SynOcta RN ø4.8 / RN ø4.8 / WN ø6.5]



SCAN BODY

	Indication	Height (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Scan Body		10	-	IPD/DA-SR-00	IPD/DA-SW-00
		15	-	IPD/DA-SR-02	-
		10	-	IPD/DA-SR-01	IPD/DA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE  Custom Ti-Base System®

Indication	Gingival Height (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
	0.4	-	IPD/DA-IR-00/3D	IPD/DA-IW-02/3D
Cutting guide KIT		-	IPD/KT-IR-00	IPD/KT-IW-00
	0.4	-	IPD/DA-IR-01/3D	IPD/DA-IW-03/3D
Cutting guide KIT		-	IPD/KT-IR-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accesories.



IPDMILLED SYSTEM* 

*Check availability

Indication	Material	Diameter (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
TYPE IPD System (Compatible with NT/IPD Holders)					
Mill Analog	Ti	12	-	IPD/DA-XR-00	IPD/DA-XW-00
			-	IPD/DA-AR-00/X	IPD/DA-AW-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/DA-XR-15/A	PR/DA-XW-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			SynOcta RN ø4.8	RN ø4.8	WN ø6.5
IPD compatible	For straight channels	Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Torx	-	Conical	IPD/DA-TR-00	IPD/DA-TR-01	IPD/DA-TR-01
Torx	TiN	Conical	IPD/DA-TR-00/TiN	IPD/DA-TR-01/TiN	IPD/DA-TR-01/TiN
Torx	BLC	Conical	IPD/DA-TR-00/BLC	IPD/DA-TR-01/BLC	IPD/DA-TR-01/BLC

For ASC options			Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Conical	IPD/DA-TR-50	IPD/DA-TR-51	IPD/DA-TR-51	

OEM compatible		Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Torx	-	Conical	IPD/DA-TR-00	IPD/DA-TR-03	IPD/DA-TR-03
Torx	TiN	Conical	IPD/DA-TR-00/TiN	IPD/DA-TR-03/TiN	IPD/DA-TR-03/TiN
Torx	BLC	Conical	IPD/DA-TR-00/BLC	IPD/DA-TR-03/BLC	IPD/DA-TR-03/BLC

IPDmilled compatible		Torque value		35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
Torx	-	Conical	-	IPD/DA-TR-01/X	IPD/DA-TR-01/X

MULTI-UNIT ABUTMENT

Angulation	Gingival Height (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
0°	1.0	-	IPD/DA-MR-01	-

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type			SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Standard			IPD/DA-AR-01	IPD/DA-AR-00	IPD/DA-AW-00
	Full set		-	IPD/DA-AR-90/3D	IPD/DA-AW-90/3D
Digital	Analog				
	Bottom Screw				
	Side Screw				

Co-Cr BASE ABUTMENT

		SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/DA-BR-03	IPD/DA-BR-00	IPD/DA-BW-00
	15°	IPD/DA-BR-13	IPD/DA-BR-10	IPD/DA-BW-10
	25°	-	IPD/DA-BR-20	IPD/DA-BW-20
	0°	IPD/DA-BR-02	IPD/DA-BR-01	IPD/DA-BW-01
	15°	IPD/DA-BR-12	IPD/DA-BR-11	IPD/DA-BW-11
	25°	-	IPD/DA-BR-21	IPD/DA-BW-21
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	IPD/DA-BR-03/3D	IPD/DA-BR-00/3D	IPD/DA-BW-00/3D
	Straight/ASC	IPD/DA-BR-02/3D	IPD/DA-BR-01/3D	IPD/DA-BW-01/3D
Scan Body		IPD/SC-AN-B2	IPD/SC-AN-B2	IPD/SC-AN-B2

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Indication	IPD/DA-HR-00	IPD/DA-HR-01	-
	IPD/DA-RR-00	IPD/DA-RR-01	-



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Indication	1.0	-	IPD/DA-LR-01	-
	2.0	-	IPD/DA-LR-02	-
	3.0	-	IPD/DA-LR-03	-

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Indication	1.5	IPD/DA-PR-09	IPD/DA-PR-06	IPD/DA-PW-06
	1.5	IPD/DA-PR-08	IPD/DA-PR-07	IPD/DA-PW-07
Long coping screw		IPD/DA-TR-00/C	IPD/DA-TR-01/C	IPD/DA-TR-01/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Head Diameter (mm)		ø5.5	
Sealing cap	-	IPD/DA-DR-00	-
1.5	-	IPD/DA-DR-01	-
3.0	-	IPD/DA-DR-03	-
4.5	-	IPD/DA-DR-04	-



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Indication	0°	2.0	-	IPD/DA-PR-01	IPD/DA-PW-00



SYNOCTA ABUTMENT

Indication	Angulation	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Indication	0°	-	IPD/DA-PR-00	-



SCREWDRIVERS

Type	Length (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Implant system Screwdriver				
Torx	18	IPD / PT-00-18	IPD / PT-00-18	IPD / PT-00-18
	25	IPD / PT-00-25	IPD / PT-00-25	IPD / PT-00-25
	32	IPD / PT-00-32	IPD / PT-00-32	IPD / PT-00-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD / PH-20-18	IPD / PH-20-18	IPD / PH-20-18
	25	IPD / PH-20-25	IPD / PH-20-25	IPD / PH-20-25
	32	IPD / PH-20-32	IPD / PH-20-32	IPD / PH-20-32
ASC Screwdriver				
TPA	18	IPD / KA-CT-18	IPD / KA-CT-18	IPD / KA-CT-18
	25	IPD / KA-CT-25	IPD / KA-CT-25	IPD / KA-CT-25
	32	IPD / KA-CT-32	IPD / KA-CT-32	IPD / KA-CT-32
PSD Screwdriver				
PSD	25	IPD / LL-PS-00	IPD / LL-PS-00	IPD / LL-PS-00



ACCESSORIES

Indication	Length (mm)	SynOcta RN ø4.8	RN ø4.8	WN ø6.5
Clinical RA Shank Handle	16	IPD / MC-00-16	IPD / MC-00-16	IPD / MC-00-16
Laboratory RA Shank Handle	70	IPD / ML-00-70	IPD / ML-00-70	IPD / ML-00-70
RA Shank Ratchet	90	IPD / DI-00-90	IPD / DI-00-90	IPD / DI-00-90
Ratchet adapter		IPD / DI-KA-90	IPD / DI-KA-90	IPD / DI-KA-90
PSD and insert extractor tool		IPD / LL-PS-01	IPD / LL-PS-01	IPD / LL-PS-01

Please see page 210 for more information.




STRAUMANN®

DB BONE LEVEL®
Prosthetic platform [NC ø3.3 / RC ø4.1]

SCAN BODY

	Indication	Height (mm)	NC ø3.3	RC ø4.1
Scan Body		10	IPD / DB-SN-00	IPD / DB-SR-00
		15	IPD / DB-SN-02	IPD / DB-SR-02
		10	IPD / DB-SN-01	IPD / DB-SR-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NC ø3.3	RC ø4.1
	0.5	IPD / DB-IN-00/3D	IPD / DB-IR-00/3D
	1.5	IPD / DB-IN-02/3D	IPD / DB-IR-02/3D
	2.5	IPD / DB-IN-04/3D	IPD / DB-IR-04/3D
	3.5	IPD / DB-IN-06/3D	IPD / DB-IR-06/3D
	Cutting guide KIT	IPD / KT-IN-00	IPD / KT-IR-00
	0.5	IPD / DB-IN-01/3D	IPD / DB-IR-01/3D
	1.5	IPD / DB-IN-03/3D	IPD / DB-IR-03/3D
	2.5	IPD / DB-IN-05/3D	IPD / DB-IR-05/3D
	3.5	IPD / DB-IN-07/3D	IPD / DB-IR-07/3D
	Cutting guide KIT	IPD / KT-IN-01	IPD / KT-IR-01

Please see page 204 for the IPD Custom Interface System accesories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	NC ø3.3	RC ø4.1
TYPE IPD System (Compatible with NT/IPD Holders)				
Mill Analog	Ti	12	IPD / DB-XN-00	IPD / DB-XR-00
			IPD / DB-AN-00/X	IPD / DB-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	10	-	PR / DB-XR-10/A
	Ti	15	PR / DB-XN-15/A	PR / DB-XR-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

		NC ø3.3		RC ø4.1
IPD and OEM compatible	For straight channels	Torque value	35 Ncm	35 Ncm
Screwdriver	Coating	Seat		
Torx	-	Conical	IPD/DB-TR-00	IPD/DB-TR-00
Torx	TiN	Conical	IPD/DB-TR-00/TiN	IPD/DB-TR-00/TiN
Torx	BLC	Conical	IPD/DB-TR-00/BLC	IPD/DB-TR-00/BLC
For ASC options		Torque value	20 Ncm	20 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/DB-TR-50	IPD/DB-TR-50

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival	IPD/KA-MT-04	NC ø3.3	RC ø4.1
0°		1.5		IPD/DB-MN-01	IPD/DB-MR-01
		2.5		IPD/DB-MN-02	IPD/DB-MR-02
		3.5		IPD/DB-MN-03	IPD/DB-MR-03
		4.5		IPD/DB-MN-04	IPD/DB-MR-04
17°		2.5		IPD/DB-MN-12	IPD/DB-MR-12¹
		3.5		IPD/DB-MN-13	IPD/DB-MR-13²
30°		3.5		IPD/DB-MN-33	IPD/DB-MR-33¹
		4.5		IPD/DB-MN-34	IPD/DB-MR-34¹
Replacement Screw for Angled MUA				IPD/KA-MT-04	IPD/KA-MT-05¹
				IPD/KA-MT-02²	

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT* NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	NC ø3.3 	RC ø4.1  
17°		2.5	IPD/DB-MN-12/AP	IPD/DB-MR-12/AP
		3.5	IPD/DB-MN-13/AP	IPD/DB-MR-13/AP
30°		3.5	IPD/DB-MN-33/AP	IPD/DB-MR-33/AP
		4.5	IPD/DB-MN-34/AP	IPD/DB-MR-34/AP
	Replacement Screw for Angled MUA AP		IPD/KA-MT-04/BLC	IPD/KA-MT-02/BLC

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type		NC ø3.3	RC ø4.1
Standard		IPD/DB-AN-00	IPD/DB-AR-00
	Full set	IPD/DB-AN-90/3D	IPD/DB-AR-90/3D
Digital	Analog		
	Bottom Screw		
	Side Screw		



Co-Cr BASE ABUTMENT

		NC ø3.3	RC ø4.1
Co-Cr Base for analogic workflow			
Indication	Angulation		
	0°	IPD/DB-BN-00	IPD/DB-BR-00
	15°	IPD/DB-BN-10	IPD/DB-BR-10
	0°	IPD/DB-BN-01	IPD/DB-BR-01
	15°	IPD/DB-BN-11	IPD/DB-BR-11
Co-Cr Base for digital workflow			
Indication	Angulation		
	Straight/ASC	IPD/DB-BN-00/3D	IPD/DB-BR-00/3D
	Straight/ASC	IPD/AA-BN-01/3D	IPD/DB-BR-01/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

CASTABLE ABUTMENT

Indication	NC ø3.3	RC ø4.1
	-	IPD/DB-HR-00
	-	IPD/DB-RR-00

All ASC CrCo analogic workflow abutments include the relevant TPA screw.

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NC ø3.3	RC ø4.1
	1.0	IPD/DB-LN-01	IPD/DB-LR-01
	2.0	IPD/DB-LN-02	IPD/DB-LR-02
	3.0	IPD/DB-LN-03	IPD/DB-LR-03
	4.0	IPD/DB-LN-04	IPD/DB-LR-04
	5.0	IPD/DB-LN-05	IPD/DB-LR-05

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NC ø3.3	RC ø4.1
	1.5	IPD/DB-PN-06	IPD/DB-PR-06
	1.5	IPD/DB-PN-07	IPD/DB-PR-07
		IPD/DB-TR-00/C	IPD/DB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	NC ø3.3	RC ø4.1
Head Diameter (mm)	ø3.8	ø4.5
2.0	IPD/DB-DN-02	IPD/DB-DR-02
3.5	IPD/DB-DN-03	-
4.0	-	IPD/DB-DR-04
5.0	IPD/DB-DN-05	-
6.0	-	IPD/DB-DR-06



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	NC ø3.3	RC ø4.1
	0°	2.0	-	IPD/DB-PR-00

SCREWDRIVERS

Type	Length (mm)	NC ø3.3	RC ø4.1
Implant system Screwdriver			
Torx	18	IPD/PT-00-18	IPD/PT-00-18
	25	IPD/PT-00-25	IPD/PT-00-25
	32	IPD/PT-00-32	IPD/PT-00-32
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver			
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver			
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	NC ø3.3	RC ø4.1
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.



STRAUMANN®

DC BLX®

Prosthetic platform [RB/WB]

SCAN BODY

	Indication	Height (mm)	RB/WB
Scan Body		10	IPD/DC-SR-00
		15	IPD/DC-SR-02
		10	IPD/DC-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RB/WB
	1.0	IPD/DC-IR-00/3D
	2.0	IPD/DC-IR-02/3D
	3.0	IPD/DC-IR-04/3D
Cutting guide KIT		IPD/KT-IR-00
	1.0	IPD/DC-IR-01/3D
	2.0	IPD/DC-IR-03/3D
	3.0	IPD/DC-IR-05/3D
Cutting guide KIT		IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*


*Check availability

Indication	Material	Diameter (mm)	RB/WB
TYPE IPD System (Compatible with NT/IPD Holders)			
	Ti	12	IPD/DC-XR-00
Mill Analog			IPD/DC-AR-00/X
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/DC-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			RB/WB
IPD and OEM compatible	For straight channels	Torque value	30 Ncm
Screwdriver	Coating	Seat	
Torx	-	Conical	IPD/DC-TR-00
Torx	TiN	Conical	IPD/DC-TR-00/TiN
Torx	BLC	Conical	IPD/DC-TR-00/BLC
Removing tool			IPD/DC-TR-01



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	RB/WB 
0°		1.5	IPD/DC-MR-01
		2.5	IPD/DC-MR-02
		3.5	IPD/DC-MR-03
17°		3.5	IPD/DC-MR-13
30°		4.5	IPD/DC-MR-34
Replacement Screw for Angled MUA			IPD/KA-MT-05

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT*

*Check availability

Angulation	Indication	Gingival Height (mm)	RB/WB 
17°		2.5	IPD/DC-MR-12/AP
		3.5	IPD/DC-MR-13/AP
30°		3.5	IPD/DC-MR-33/AP
		4.5	IPD/DC-MR-34/AP
Replacement Screw for Angled MUA AP			IPD/KA-MT-05/BLC

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type	RB/WB 	
Standard	IPD/DC-AR-00	
Digital	Full set	IPD/DC-AR-90/3D
	Analog	
	Bottom Screw	
	Side Screw	

Co-Cr BASE ABUTMENT

		RB/WB 
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/DC-BR-00
	0°	IPD/DC-BR-01
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight	IPD/DC-BR-00/3D
	Straight	IPD/DC-BR-01/3D
Scan Body		IPD/SC-AN-B1



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RB/WB 
	2.0	IPD/DC-LR-02
	3.0	IPD/DC-LR-03
	4.0	IPD/DC-LR-04
	5.0	IPD/DC-LR-05

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RB/WB 
	1.5	IPD/DC-PR-06
	1.5	IPD/DC-PR-07
Long coping screw		IPD/DC-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	RB/WB 
	Head Diameter (mm) ø4.5
1.5	IPD/DC-DR-01
3.0	IPD/DC-DR-03
5.0	IPD/DC-DR-05



SCREWDRIVERS

Type	Length (mm)	RB/WB 
Implant system Screwdriver		
Torx	18	IPD/PT-00-18
	25	IPD/PT-00-25
	32	IPD/PT-00-32
IPD Scan Body and extra Screwdriver		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	RB/WB 
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01

Please see page 210 for more information.





STRAUMANN®

DD SRA®

Prosthetic platform [ø3.5 / ø4.6]

SCAN BODY/ SCAN DATA MARKER*

**Check availability*

	Indication	Height (mm)	ø3.5	ø4.6
Scan Body		8.0	IPD/DD-SN-01	IPD/DD-SR-01
One Shot IQ		6	IPD/DD-SN-03	IPD/DD-SR-03
Reverse IQ			IPD/DD-SN-00/RS	IPD/DD-SR-00/RS

Captive screw included except on Reverse Marker IQ. 1.20 Hex Screwdriver.



SCANLOGIQ® FULL ARCH SYSTEM*

**Check availability*

		ø3.5	ø4.6
ScanlogIQ® KIT	ScanLogIQ®Box	1 Scan Flag IQ Set 6 One Shot IQ 6 Reverse IQ 1 Control Plate IQ 1 Screwdriver 1 Clinical Handle	IPD/DD-KN-00/FS IPD/DD-KR-00/FS
Scan Flag IQ SET		3 Short 3 Medium 4 Large 0° 2 Large +20° 2 Large -20°	IPD/DD-KN-01/FS IPD/DD-KR-01/FS
Control Plate IQ			IPD/KT-FS-00 IPD/KT-FS-00

Captive screw IPD/AB-TR-00/FS included on all Scan Flag IQ. 1.25 Hex Screwdriver.



Ti-BASE

Indication	Post height (mm)	Gingival Height (mm)	ø3.5	ø4.6
	4.3	0.2	IPD/DD-IN-01/3D	IPD/DD-IR-01/3D



RETURN TO INDEX

STRAUMANN® DD SRA®

SCREWS

		ø3.5		ø4.6
IPD and OEM compatible	For straight channels	Torque value	15 Ncm	15 Ncm
Screwdriver	Coating	Seat		
Torx	-	Conical	IPD/DD-TR-00	IPD/DD-TR-00
Torx	TiN	Conical	IPD/DD-TR-00/TiN	IPD/DD-TR-00/TiN
Torx	BLC	Conical	IPD/DD-TR-00/BLC	IPD/DD-TR-00/BLC
		For ASC options	15 Ncm	15 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/DD-TR-50	IPD/DD-TR-50



ANALOGS

Type	ø3.5		ø4.6
Standard		IPD/DD-AN-00	IPD/DD-AR-00
	Full set	IPD/DD-AN-90/3D	IPD/DD-AR-90/3D
Digital		Analog Bottom Screw Side Screw	



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.5	ø4.6
	1.5	IPD/DD-PN-06	IPD/DD-PR-06
	1.5	IPD/DD-PN-07	IPD/DD-PR-07
Long coping screw		IPD/DD-TR-00/C	IPD/DD-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	ø3.5		ø4.6
	Head Diameter (mm)	ø4.1	ø5.1
4.5		IPD/DD-DN-04	IPD/DD-DR-04
	Screw	IPD/DD-TR-00	IPD/DD-TR-00

Screw not included



SCREWDRIVERS

Type	Length (mm)	ø3.5	ø4.6
Implant system Screwdriver			
Torx	18	IPD/PT-00-18	IPD/PT-00-18
	25	IPD/PT-00-25	IPD/PT-00-25
	32	IPD/PT-00-32	IPD/PT-00-32
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver			
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32



ACCESSORIES


Indication	Length (mm)	ø3.5	ø4.6
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90

Please see page 210 for more information.



STRAUMANN®

DE TLX®
Prosthetic platform [NT / RT / WT]



SCAN BODY

	Indication	Height (mm)	NT	RT	WT
Scan Body		10	IPD/DE-SN-00	IPD/DE-SR-00	IPD/DE-SW-00
		15	IPD/DE-SN-02	IPD/DE-SR-02	-
		10	IPD/DE-SN-01	IPD/DE-SR-01	IPD/DE-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NT	RT	WT
	0.4	IPD/DE-IN-00/3D	IPD/DE-IR-00/3D	IPD/DE-IW-00/3D
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.4	IPD/DE-IN-01/3D	IPD/DE-IR-01/3D	IPD/DE-IW-01/3D
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	NT	RT	WT
IPD Blank System (Compatible with NT/IPD Holders)					
	Ti	12	IPD/DE-XN-00	IPD/DE-XR-00	IPD/DE-XW-00
Mill Analog			IPD/DE-AN-00/X	IPD/DE-AR-00/X	IPD/DE-AW-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/DE-XN-15/A	PR/DE-XR-15/A	PR/DE-XW-15/A

All premilled abutments include 2 titanium screws.



SCREWS

			NT	RT	WT
IPD and OEM compatible	For straight channels	Torque value	30 Ncm	30 Ncm	30 Ncm
Screwdriver	Coating	Seat			
	Torx	-	Conical	IPD/DE-TR-00	IPD/DE-TR-00
	Torx	TiN	Conical	IPD/DE-TR-00/TiN	IPD/DE-TR-00/TiN
	Torx	BLC	Conical	IPD/DE-TR-00/BLC	IPD/DE-TR-00/BLC
	For ASC options	Torque value	20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat			
	TPA	TiN	Conical	IPD/DE-TR-50	IPD/DE-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NT	RT	WT
0°		0.9	IPD/DE-MN-01	IPD/DE-MR-01	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT*NEW

**Check availability*

Angulation	Indication	Gingival Height (mm)	NT	RT	WT
17°		2.5	IPD/DE-MN-12/AP	-	-
		3.5	IPD/DE-MN-13/AP	-	-
30°		3.5	IPD/DE-MN-33/AP	-	-
		4.5	IPD/DE-MN-34/AP	-	-
Replacement Screw for Angled MUA AP			IPD/KA-MT-05/BLC	-	-

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type			NT	RT	WT
Standard	Full set		IPD/DE-AN-00	IPD/DE-AR-00	IPD/DE-AW-00
			IPD/DE-AN-90/3D	IPD/DE-AR-90/3D	IPD/DE-AW-90/3D
Digital		Analog			
		Bottom Screw			
		Side Screw			

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NT	RT	WT
	1.0	IPD/DE-LN-01	IPD/DE-LR-01	IPD/DE-LW-01
	2.0	IPD/DE-LN-02	IPD/DE-LR-02	IPD/DE-LW-02
	3.0	IPD/DE-LN-03	IPD/DE-LR-03	IPD/DE-LW-03

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NT	RT	WT
	0.4	IPD/DE-PN-06	IPD/DE-PR-06	IPD/DE-PW-06
	0.4	IPD/DE-PN-07	IPD/DE-PR-07	IPD/DE-PW-07
Long coping screw		IPD/DE-TN-00/C	IPD/DE-TR-00/C	IPD/DE-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	NT	RT	WT
Head Diameter (mm)	Ø4.0	Ø5.5	Ø7.0
1.5	IPD/DE-DN-01	IPD/DE-DR-01	IPD/DE-DW-01
3.0	IPD/DE-DN-03	IPD/DE-DR-03	IPD/DE-DW-03
4.5	IPD/DE-DN-04	IPD/DE-DR-04	IPD/DE-DW-04



SCREWDRIVERS

Type	Length (mm)	NT	RT	WT
Implant system Screwdriver				
Torx	18	IPD/PT-00-18	IPD/PT-00-18	IPD/PT-00-18
	25	IPD/PT-00-25	IPD/PT-00-25	IPD/PT-00-25
	32	IPD/PT-00-32	IPD/PT-00-32	IPD/PT-00-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	NT	RT	WT
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.





ASTRA®

EA OSSEOSPEED™

Prosthetic platform [Uniabutment 20°/40° / Yellow ø3.0
Aqua ø3.5-4.0 / Lilac ø4.5-5.0]

SCAN BODY

	Indication	Height (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
Scan Body		10	-	IPD/EA-SN-00	IPD/EA-SR-00	IPD/EA-SW-00
		15	-	IPD/EA-SN-02	IPD/EA-SR-02	IPD/EA-SW-02
		10	-	IPD/EA-SN-01	IPD/EA-SR-01	IPD/EA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
	0.5	-	-	IPD/EA-IR-00/3D	IPD/EA-IW-00/3D
	0.8	-	IPD/EA-IN-00/3D	-	-
	1.5	-	IPD/EA-IN-02/3D	IPD/EA-IR-02/3D	IPD/EA-IW-02/3D
	2.5	-	IPD/EA-IN-04/3D	IPD/EA-IR-04/3D	IPD/EA-IW-04/3D
	3.5	-	-	IPD/EA-IR-06/3D	-
Cutting guide KIT			IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IR-00
	0.5	-	-	IPD/EA-IR-01/3D	IPD/EA-IW-01/3D
	0.8	-	IPD/EA-IN-01/3D	-	-
	1.5	-	IPD/EA-IN-03/3D	IPD/EA-IR-03/3D	IPD/EA-IW-03/3D
	2.5	-	IPD/EA-IN-05/3D	IPD/EA-IR-05/3D	IPD/EA-IW-05/3D
	3.5	-	-	IPD/EA-IR-07/3D	-
Cutting guide KIT			IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.



CEREC® TI-BASE SYSTEM

Indication	Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
	0.5	-	-	IPD/EA-IR-00/SI	-
	1.5	-	-	IPD/EA-IR-02/SI	-
	2.5	-	-	IPD/EA-IR-04/SI	-
Cerec Block (S/L)				S	
Cerec Library Code				FX 3.8	

TiN screw included.



RETURN TO INDEX

IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
IPD Blank System (Compatible with NT/IPD Holders)						
	Ti	12	-	-	IPD/EA-XR-00	IPD/EA-XW-00
Mill Analog			-	-	IPD/EA-AR-00/X	IPD/EA-AW-00/X
TYPE A System (Compatible with DESS® Holders)						
	Ti	15	-	-	PR/EA-XR-15/A	PR/EA-XW-15/A

All premilled abutments include 2 titanium screws.




SCREWS

			Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
IPD and OEM compatible For straight channels			Torque value	15 Ncm	15 Ncm	20 Ncm
Screwdriver	Coating	Seat				
1.27 Hex	-	Flat	IPD/EA-TR-01	-	IPD/EA-TR-00	IPD/EA-TW-00
1.27 Hex	TiN	Flat	IPD/EA-TR-01/TiN	-	IPD/EA-TR-00/TiN	IPD/EA-TW-00/TiN
1.27 Hex	BLC	Flat	IPD/EA-TR-01/BLC	-	IPD/EA-TR-00/BLC	IPD/EA-TW-00/BLC
1.27 Hex	-	Conical	-	IPD/EA-TN-00	-	-
1.27 Hex	TiN	Conical	-	IPD/EA-TN-00/TiN	-	-
1.27 Hex	BLC	Conical	-	IPD/EA-TN-00/BLC	-	-

	For ASC options	Torque value	15 Ncm	15 Ncm	20 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Flat	IPD/EA-TR-51	-	IPD/EA-TR-50	IPD/AC-TR-50
TPA	TiN	Conical	-	IPD/EA-TN-50	-	-

	For ASC on CrCo abutments	Torque value		15 Ncm	20 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Flat	-	-	IPD/EA-TR-50	IPD/AC-TR-51
TPA	TiN	Conical	-	IPD/EA-TN-50	-	-

IPD Cerec Ti-base System			Torque value			
Screwdriver	Coating	Seat				
Unigrip	TiN	Conical	-	-	IPD/EA-TR-02/TiN	-



MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0 	Aqua ø3.5-4.0 	Lilac ø4.5-5.0 
0°	 	1.5	-	-	IPD/EA-MR-01	IPD/EA-MW-01
		2.5	-	-	IPD/EA-MR-02	IPD/EA-MW-02
		3.5	-	-	IPD/EA-MR-03	IPD/EA-MW-03
		4.5	-	-	IPD/EA-MR-04	IPD/EA-MW-04
17°		2.5	-	-	IPD/EA-MR-12	IPD/EA-MW-12
		3.5	-	-	IPD/EA-MR-13	-
30°		3.5	-	-	IPD/EA-MR-33	IPD/EA-MW-33
		4.5	-	-	IPD/EA-MR-34	-
Replacement Screw for Angled MUA					IPD/KA-MT-05	IPD/KA-MT-06

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



MULTI-UNIT AP ABUTMENT*
*Check availability

Angulation	Indication	Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0 	Aqua ø3.5-4.0 	Lilac ø4.5-5.0 
17°		2.5	-	-	IPD/EA-MR-12/AP	IPD/EA-MW-12/AP
		3.5	-	-	IPD/EA-MR-13/AP	IPD/EA-MW-13/AP
30°		3.5	-	-	IPD/EA-MR-33/AP	IPD/EA-MW-33/AP
		4.5	-	-	IPD/EA-MR-34/AP	IPD/EA-MW-34/AP
Replacement Screw for Angled MUA AP					IPD/KA-MT-05/BLC	IPD/KA-MT-06/BLC

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
Standard	IPD/EA-AR-01	IPD/EA-AN-00	IPD/EA-AR-00	IPD/EA-AW-00
Digital	Full set	-	IPD/EA-AN-90/3D	IPD/EA-AR-90/3D
	Analog			
	Bottom Screw			
	Side Screw			

Additional options	Type
	Single hexed*

*Compatible with single hexed implant systems. i.e: Galimplant® IPX, Euroteknika® Naturactis



Co-Cr BASE ABUTMENT

	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	-	IPD/EA-BN-00	IPD/EA-BR-00
	15°	-	IPD/EA-BN-10	IPD/EA-BR-10
	25°	-	IPD/EA-BN-20	IPD/EA-BR-20
	0°	-	IPD/EA-BN-01	IPD/EA-BR-01
	15°	-	IPD/EA-BN-11	IPD/EA-BR-11
	25°	-	IPD/EA-BN-21	IPD/EA-BR-21

Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	-	IPD/EA-BN-00/3D	IPD/EA-BR-00/3D
	Straight/ASC	-	IPD/EA-BN-01/3D	IPD/EA-BR-01/3D
Scan Body		-	IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
	-	-	IPD/EA-HR-00	IPD/EA-HW-00
	IPD/EA-RR-01	-	IPD/EA-RR-00	IPD/EA-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
	1.0	-	-	IPD/EA-LR-01	IPD/EA-LW-01
	2.0	-	-	IPD/EA-LR-02	IPD/EA-LW-02
	3.0	-	-	IPD/EA-LR-03	IPD/EA-LW-03
	4.0	-	-	IPD/EA-LR-04	IPD/EA-LW-04
	5.0	-	-	IPD/EA-LR-05	IPD/EA-LW-05

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
Open tray	-	IPD/EA-CN-00	-	-

Classic Design



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
	1.5	-	IPD/EA-PN-06	IPD/EA-PR-06	IPD/EA-PW-06
	1.5	-	IPD/EA-PN-07	IPD/EA-PR-07	IPD/EA-PW-07
Long coping screw		-	IPD/EA-TN-00/C	IPD/EA-TR-00/C	IPD/EA-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
Head Diameter (mm)			Ø3.6	Ø4.6
2.0	-	-	IPD/EA-DR-02	IPD/EA-DW-02
4.0	-	-	IPD/EA-DR-04	IPD/EA-DW-04
6.0	-	-	IPD/EA-DR-06	IPD/EA-DW-06
8.0	-	-	IPD/EA-DR-08	IPD/EA-DW-08
10.0	-	-	IPD/EA-DR-10	-



Ti CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height (mm)	Uniabutment 20°/40°	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
	0°	2.0	-	-	IPD/EA-PR-00	IPD/EA-PW-00



SCREWDRIVERS

Type	Length (mm)	Uniabutment 20º/40º	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
Implant system Screwdriver					
1.27 Hex	18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18
	25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25
	32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32
IPD Scan Body and extra Screwdrivers					
1.20 Hex	18	-	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	-	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	-	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver					
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver					
PSD	25	-	-	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	Uniabutment 20º/40º	Yellow ø3.0	Aqua ø3.5-4.0	Lilac ø4.5-5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		-	-	IPD/LL-PS-01	IPD/LL-PS-01


Please see page 210 for more information.



ASTRA®

EB EVOLUTION®

Prosthetic platform [XS ø3.0 / S ø3.6 / M ø4.2 / L ø4.8 / XL ø5.4]



SCAN BODY



*Check availability

	Indication	Height (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
Scan Body		10	IPD/EB-ST-00	IPD/EB-SN-00	IPD/EB-SR-00	IPD/EB-SW-00	IPD/EB-SX-00
		15	IPD/EB-ST-02	IPD/EB-SN-02	IPD/EB-SR-02	IPD/EB-SW-02	-
		10	IPD/EB-ST-01	IPD/EB-SN-01	IPD/EB-SR-01	IPD/EB-SW-01	-

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
	0.5	IPD/EB-IT-00/3D	IPD/EB-IN-00/3D	IPD/EB-IR-00/3D	IPD/EB-IW-00/3D	-
	1.5	IPD/EB-IT-02/3D	IPD/EB-IN-02/3D	IPD/EB-IR-02/3D	IPD/EB-IW-02/3D	-
	2.5	IPD/EB-IT-04/3D	IPD/EB-IN-04/3D	IPD/EB-IR-04/3D	IPD/EB-IW-04/3D	-
	3.5	-	IPD/EB-IN-06/3D	IPD/EB-IR-06/3D	-	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00	-
	0.5	IPD/EB-IT-01/3D	IPD/EB-IN-01/3D	IPD/EB-IR-01/3D	IPD/EB-IW-01/3D	-
	1.5	IPD/EB-IT-03/3D	IPD/EB-IN-03/3D	IPD/EB-IR-03/3D	IPD/EB-IW-03/3D	-
	2.5	IPD/EB-IT-05/3D	IPD/EB-IN-05/3D	IPD/EB-IR-05/3D	IPD/EB-IW-05/3D	-
	3.5	-	IPD/EB-IN-07/3D	IPD/EB-IR-07/3D	-	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01	-

Please see page 204 for the IPD Custom Interface System accesories.



CEREC® TI-BASE SYSTEM

Indication	Gingival Height (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
	0.5	-	IPD/EB-IN-00/SI	IPD/EB-IR-00/SI	-	-
	1.5	-	IPD/EB-IN-02/SI	IPD/EB-IR-02/SI	-	-
	2.5	-	IPD/EB-IN-04/SI	IPD/EB-IR-04/SI	-	-
Cerec Block (S/L)		-	S	L	-	-
Cerec Library Code		-	B C 3.4	B C 4.1	-	-

TiN screw included.



RETURN TO INDEX

IPDMILLED SYSTEM*

NEW

*Check availability

Indication	Material	Diameter (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
IPD Blank System (Compatible with NT/IPD Holders)							
	Ti	12	IPD/EB-XT-00	IPD/EB-XN-00	IPD/EB-XR-00	IPD/EB-XW-00	IPD/EB-XX-00
Mill Analog			IPD/EB-AT-00/X	IPD/EB-AN-00/X	IPD/EB-AR-00/X	IPD/EB-AW-00/X	IPD/EB-AX-00/X
TYPE A System (Compatible with DESS® Holders)							
	Ti	15	PR/EB-XT-15/A	PR/EB-XN-15/A	PR/EB-XR-15/A	PR/EB-XW-15/A	-

All premilled abutments include 2 titanium screws.

SCREWS

			XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
IPD and OEM compatible For straight channels			Torque value	25 Ncm	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat					
1.27 Hex	-	Conical	IPD/EB-TT-00	IPD/EB-TN-00	IPD/EB-TR-00	IPD/EB-TW-00	IPD/EB-TW-00
1.27 Hex	TiN	Conical	IPD/EB-TT-00/TiN	IPD/EB-TN-00/TiN	IPD/EB-TR-00/TiN	IPD/EB-TW-00/TiN	IPD/EB-TW-00/TiN
1.27 Hex	BLC	Conical	IPD/EB-TT-00/BLC	IPD/EB-TN-00/BLC	IPD/EB-TR-00/BLC	IPD/EB-TW-00/BLC	IPD/EB-TW-00/BLC
For ASC options			Torque value	15 Ncm	20 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat					
TPA	TiN	Conical	IPD/EB-TT-50	IPD/EB-TN-50	IPD/EB-TR-50	IPD/EB-TW-50	-
IPDmilled compatible			Torque value	25 Ncm	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat					
1.27 Hex	-	Conical	IPD/EB-TT-00	IPD/EB-TN-00	IPD/EB-TR-00/X	IPD/EB-TW-00	IPD/EB-TW-00

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
0°		1.5	IPD/EB-MT-01	IPD/EB-MN-01	IPD/EB-MR-01	IPD/EB-MW-01	-
		2.5	IPD/EB-MT-02	IPD/EB-MN-02	IPD/EB-MR-02	IPD/EB-MW-02	-
		3.5	IPD/EB-MT-03	IPD/EB-MN-03	IPD/EB-MR-03	IPD/EB-MW-03	-
17°		2.5	-	IPD/EB-MN-12	IPD/EB-MR-12	-	-
		3.5	-	-	IPD/EB-MR-13	-	-
30°		3.5	-	IPD/EB-MN-33	IPD/EB-MR-33	-	-
Replacement Screw for Angled MUA				IPD/KA-MT-04	IPD/KA-MT-08	-	-

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.


MULTI-UNIT AP ABUTMENT*

NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
17°		2.5	IPD/EB-MT-12/AP	IPD/EB-MN-12/AP	IPD/EB-MR-12/AP	IPD/EB-MW-12/AP	-
		3.5	IPD/EB-MT-13/AP	IPD/EB-MN-13/AP	IPD/EB-MR-13/AP	IPD/EB-MW-13/AP	-
30°		3.5	IPD/EB-MT-33/AP	IPD/EB-MN-33/AP	IPD/EB-MR-33/AP	IPD/EB-MW-33/AP	-
		4.5	IPD/EB-MT-34/AP	IPD/EB-MN-34/AP	IPD/EB-MR-34/AP	IPD/EB-MW-34/AP	-
Replacement Screw for Angled MUA AP			IPD/KA-MT-13/BLC	IPD/KA-MT-04/BLC	IPD/KA-MT-08/BLC	IPD/KA-MT-08/BLC	-

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
Standard		IPD/EB-AT-00	IPD/EB-AN-00	IPD/EB-AR-00	IPD/EB-AW-00	-
	Full set	IPD/EB-AT-90/3D	IPD/EB-AN-90/3D	IPD/EB-AR-90/3D	IPD/EB-AW-90/3D	-
Digital	Analogue					
	Bottom Screw					
	Side Screw					



Co-Cr BASE ABUTMENT

		XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
Co-Cr Base for analogic workflow						
Indication	Angulation					
	0°	-	IPD/EB-BN-00	IPD/EB-BR-00	-	-
	15°	-	IPD/EB-BN-10	IPD/EB-BR-10	-	-
	25°	-	IPD/EB-BN-20	-	-	-
	0°	-	IPD/EB-BN-01	IPD/EB-BR-01	-	-
	15°	-	IPD/EB-BN-11	IPD/EB-BR-11	-	-
	25°	-	IPD/EB-BN-21	-	-	-
Co-Cr Base for digital workflow						
Indication	Angulation					
	Straight/ASC	-	IPD/EB-BN-00/3D	IPD/EB-BR-00/3D	-	-
	Straight/ASC		IPD/EB-BN-01/3D	IPD/EB-BR-01/3D	-	-
Scan Body			IPD/SC-AN-B1	IPD/SC-AN-B1	-	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
	1.0	IPD/EB-LT-01	IPD/EB-LN-01	IPD/EB-LR-01	IPD/EB-LW-01	-
	3.0	IPD/EB-LT-03	IPD/EB-LN-03	IPD/EB-LR-03	IPD/EB-LW-03	-
	5.0	IPD/EB-LT-05	IPD/EB-LN-05	IPD/EB-LR-05	IPD/EB-LW-05	-

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
	1.5	IPD/EB-PT-06	IPD/EB-PN-06	IPD/EB-PR-06	IPD/EB-PW-06	-
	1.5	IPD/EB-PT-07	IPD/EB-PN-07	IPD/EB-PR-07	IPD/EB-PW-07	-
Long coping screw		IPD/EB-TT-00/C	IPD/EB-TN-00/C	IPD/EB-TR-00/C	IPD/EB-TW-00/C	-

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
	Head Diameter (mm)	ø3.8	ø4.0	ø5.0	ø5.5	
3.5		IPD/EB-DT-03	IPD/EB-DN-03	IPD/EB-DR-03	IPD/EB-DW-03	-
4.5		IPD/EB-DT-04	IPD/EB-DN-04	IPD/EB-DR-04	IPD/EB-DW-04	-
5.5		IPD/EB-DT-05	IPD/EB-DN-05	IPD/EB-DR-05	IPD/EB-DW-05	-



SCREWDRIVERS

Type	Length (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
Implant system Screwdriver						
1.27 Hex	18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18
	25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25
	32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32
IPD Scan Body and extra Screwdrivers						
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver						
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18	-
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25	-
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32	-
PSD Screwdriver						
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00	-



ACCESSORIES


Type	Length (mm)	XS ø3.0	S ø3.6	M ø4.2	L ø4.8	XL ø5.4
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01	-

Please see page 210 for more information.



ZIMMER®

FA SCREW VENT®
Prosthetic platform [ø3.5 / ø4.5 / ø5.7]



SCAN BODY

	Indication	Height (mm)	ø3.5	ø4.5	ø5.7
Scan Body		10	IPD/FA-SN-00	IPD/FA-SR-00	IPD/FA-SW-00
		15	IPD/FA-SN-02	IPD/FA-SR-02	IPD/FA-SW-02
		10	IPD/FA-SN-01	IPD/FA-SR-01	IPD/FA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.5	ø4.5	ø5.7
	0.5	IPD/FA-IN-00/3D	IPD/FA-IR-00/3D	IPD/FA-IW-00/3D
	1.5	IPD/FA-IN-02/3D	IPD/FA-IR-02/3D	-
	2.5	IPD/FA-IN-04/3D	IPD/FA-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	IPD/FA-IN-01/3D	IPD/FA-IR-01/3D	IPD/FA-IW-01/3D
	1.5	IPD/FA-IN-03/3D	IPD/FA-IR-03/3D	-
	2.5	IPD/FA-IN-05/3D	IPD/FA-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.



CEREC® TI-BASE SYSTEM

Indication	Gingival Height (mm)	ø3.5	ø4.5	ø5.7
	0.5	IPD/FA-IN-00/SI	IPD/FA-IR-00/SI	-
	1.5	IPD/FA-IN-02/SI	IPD/FA-IR-02/SI	-
	2.5	IPD/FA-IN-04/SI	IPD/FA-IR-04/SI	-
	Cerec Block (S/L)	S	L	-
	Cerec Library Code	B C 3.4	NB B 4.1	-

TiN screw included.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	ø3.5	ø4.5	ø5.7
IPD Blank System (Compatible with NT/IPD Holders)					
	Ti	12	IPD/FA-XN-00	IPD/FA-XR-00	IPD/FA-XW-00
Mill Analog			IPD/FA-AN-00/X	IPD/FA-AR-00/X	IPD/FA-AW-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/FA-XN-15/A	PR/FA-XR-15/A	-

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			ø3.5	ø4.5	ø5.7
IPD and OEM compatible	For straight channels	Torque value	30 Ncm	30 Ncm	30 Ncm
Screwdriver	Coating	Seat			
1.25 Hex	-	Conical	IPD/FA-TR-00	IPD/FA-TR-00	IPD/FA-TR-00
1.25 Hex	TiN	Conical	IPD/FA-TR-00/TiN	IPD/FA-TR-00/TiN	IPD/FA-TR-00/TiN
1.25 Hex	BLC	Conical	IPD/FA-TR-00/BLC	IPD/FA-TR-00/BLC	IPD/FA-TR-00/BLC
For ASC options			25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/FA-TR-50	IPD/FA-TR-50	IPD/FA-TR-50

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø3.5	ø4.5	ø5.7
0°		0.9	IPD/FA-MN-00	-	-
		1.5	IPD/FA-MN-01	IPD/FA-MR-01	-
		2.5	IPD/FA-MN-02	IPD/FA-MR-02	-
		3.5	IPD/FA-MN-03	IPD/FA-MR-03	-
		4.5	IPD/FA-MN-04	IPD/FA-MR-04	-
17°		2.5	IPD/FA-MN-12	-	-
		3.0	-	IPD/FA-MR-13	-
		3.5	IPD/FA-MN-13	-	-
		4.0	-	IPD/FA-MR-14	-
30°		3.5	IPD/FA-MN-33	IPD/FA-MR-33	-
		4.5	IPD/FA-MN-34	IPD/FA-MR-34	-
		Replacement Screw for Angled MUA	IPD/KA-MT-08	IPD/KA-MT-08	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT* NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	ø3.5	ø4.5	ø5.7
17°		2.5	IPD/FA-MN-12/AP	IPD/FA-MR-12/AP	-
		3.5	IPD/FA-MN-13/AP	IPD/FA-MR-13/AP	-
		3.5	IPD/FA-MN-33/AP	IPD/FA-MR-33/AP	-
30°		4.5	IPD/FA-MN-34/AP	IPD/FA-MR-34/AP	-
		Replacement Screw for Angled MUA AP	IPD/KA-MT-08/BLC	IPD/KA-MT-08/BLC	-

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type			ø3.5	ø4.5	ø5.7
Standard			IPD/FA-AN-00	IPD/FA-AR-00	IPD/FA-AW-00
	Full set		IPD/FA-AN-90/3D	IPD/FA-AR-90/3D	IPD/FA-AW-90/3D
Digital	Analog				
	Bottom Screw				
	Side Screw				



Co-Cr BASE ABUTMENT

		ø3.5	ø4.5	ø5.7
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/FA-BN-00	IPD/FA-BR-00	-
	15°	IPD/FA-BN-10	IPD/FA-BR-10	-
	25°	IPD/FA-BN-20	IPD/FA-BR-20	-
	0°	IPD/FA-BN-01	IPD/FA-BR-01	-
	15°	IPD/FA-BN-11	IPD/FA-BR-11	-
	25°	IPD/FA-BN-21	IPD/FA-BR-21	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	IPD/FA-BN-00/3D	-	-
	Straight	-	IPD/FA-BR-00/3D	-
	ASC	-	IPD/FA-BR-A0/3D	-
	Straight / ASC	IPD/FA-BN-01/3D	-	-
	Straight	-	IPD/FA-BR-01/3D	-
	ASC	-	IPD/FA-BR-A1/3D	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

CASTABLE ABUTMENT

Indication	ø3.5	ø4.5	ø5.7
	IPD/FA-HN-00	IPD/FA-HR-00	IPD/FA-HW-00
	IPD/FA-RN-00	IPD/FA-RR-00	IPD/FA-RW-00

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.5	ø4.5	ø5.7
	1.0	IPD/FA-LN-01	IPD/FA-LR-01	-
	2.0	IPD/FA-LN-02	IPD/FA-LR-02	-
	3.0	IPD/FA-LN-03	IPD/FA-LR-03	-
	4.0	IPD/FA-LN-04	IPD/FA-LR-04	-
	5.0	IPD/FA-LN-05	IPD/FA-LR-05	-

Please see page 205 for the PSD system accessories.


COPING ABUTMENT

Type	ø3.5	ø4.5	ø5.7
Open tray	IPD/FA-CN-00	-	IPD/FA-CW-00
Classic Design			

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.5	ø4.5	ø5.7
	1.5	IPD/FA-PN-06	IPD/FA-PR-06	IPD/FA-PW-06
	1.5	IPD/FA-PN-07	IPD/FA-PR-07	IPD/FA-PW-07
Long coping screw		IPD/FA-TR-00/C	IPD/FA-TR-00/C	IPD/FA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	ø3.5	ø4.5	ø5.7
Head Diameter (mm)	Ø4.0	Ø4.5	Ø6.5
1.5	IPD/FA-DN-01	IPD/FA-DR-01	-
3.0	IPD/FA-DN-03	IPD/FA-DR-03	IPD/FA-DW-03
5.0	IPD/FA-DN-05	IPD/FA-DR-05	IPD/FA-DW-05

TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	ø3.5	ø4.5	ø5.7
	0°	1.0	IPD/FA-PN-00	-	-
		2.0	IPD/FA-PN-01	-	-
	15°	1.0	IPD/FA-PN-02	-	-
		2.0	IPD/FA-PN-03	-	-
	25°	1.0	IPD/FA-PN-04	-	-
		2.0	IPD/FA-PN-05	-	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended

SCREWDRIVERS

Type	Length (mm)	ø3.5	ø4.5	ø5.7
Implant system Screwdriver				
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	-

ACCESSORIES

Indication	Length (mm)	ø3.5	ø4.5	ø5.7
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	-

Please see page 210 for more information.



ZIMMER®

FB SWISSPLUS®

Prosthetic platform [SynOcta RN ø4.8 / ø4.8]

SCAN BODY

	Indication	Height (mm)	SynOcta RN ø4.8	ø4.8
Scan Body		10	-	IPD/DA-SR-00
		15	-	IPD/DA-SR-02
		10	-	IPD/DA-SR-01

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	SynOcta RN ø4.8	ø4.8
	0.4	-	IPD/DA-IR-00/3D
	Cutting guide KIT		IPD/KT-IR-00
	0.4	-	IPD/DA-IR-01/3D
	Cutting guide KIT		IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accesories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	SynOcta RN ø4.8	ø4.8
IPD Blank System (Compatible with NT/IPD Holders)				
	Ti	12	-	IPD/DA-XR-00
Mill Analog			-	IPD/DA-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	15	-	PR/DA-XR-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			SynOcta RN ø4.8	ø4.8
IPD compatible	For straight channels	Torque value	35 Ncm	35 Ncm
Screwdriver	Coating	Seat		
1.25 Hex	-	Conical	-	IPD/FB-TR-01
1.25 Hex	TiN	Conical	-	IPD/FB-TR-01/TiN
1.25 Hex	BLC	Conical	-	IPD/FB-TR-01/BLC
Torx	-	Conical	IPD/DA-TR-00	-
Torx	TiN	Conical	IPD/DA-TR-00/TiN	-
Torx	BLC	Conical	IPD/DA-TR-00/BLC	-
			For ASC options	
			Torque value	25 Ncm
			25 Ncm	25 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/DA-TR-50	IPD/DA-TR-51
OEM compatible	For ASC options	Torque value	35 Ncm	35 Ncm
Screwdriver	Coating	Seat		
1.25 Hex	-	Conical	-	IPD/FB-TR-00
1.25 Hex	TiN	Conical	-	IPD/FB-TR-00/TiN
1.25 Hex	BLC	Conical	-	IPD/FB-TR-00/BLC
Torx	-	Conical	IPD/DA-TR-00	-
Torx	TiN	Conical	IPD/DA-TR-00/TiN	-
Torx	BLC	Conical	IPD/DA-TR-00/BLC	-
IPDmilled compatible		Torque value		35 Ncm
Screwdriver	Coating	Seat		
Torx	-	Conical	-	IPD/DA-TR-01/X

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	SynOcta RN ø4.8	ø4.8
0°	 	0.9	-	IPD/DA-MR-01

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type	SynOcta RN ø4.8		ø4.8
Standard	IPD/DA-AR-01		IPD/DA-AR-00
	Full set	-	IPD/DA-AR-90/3D
Digital	Analog		
	Bottom Screw		
	Side Screw		



Co-Cr BASE ABUTMENT

			SynOcta RN ø4.8	ø4.8
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°		IPD/DA-BR-03	IPD/DA-BR-00
	15°		IPD/DA-BR-13	IPD/DA-BR-10
	25°		-	IPD/DA-BR-20
	0°		IPD/DA-BR-02	IPD/DA-BR-01
	15°		IPD/DA-BR-12	IPD/DA-BR-11
	25°		-	IPD/DA-BR-21
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC		IPD/DA-BR-03/3D	IPD/DA-BR-00/3D
	Straight/ASC		IPD/DA-BR-02/3D	IPD/DA-BR-01/3D
			Scan Body	
			IPD/SC-AN-B2	IPD/SC-AN-B2

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

CASTABLE ABUTMENT

Indication	SynOcta RN ø4.8	ø4.8
	IPD/DA-HR-00	IPD/DA-HR-01
	IPD/DA-RR-00	IPD/DA-RR-01

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	SynOcta RN ø4.8	ø4.8
	1.0	-	IPD/DA-LR-01
	2.0	-	IPD/DA-LR-02
	3.0	-	IPD/DA-LR-03

Please see page 205 for the PSD system accessories.


TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	SynOcta RN ø4.8	ø4.8
	1.5	IPD/DA-PR-09	IPD/DA-PR-06
	1.5	IPD/DA-PR-08	IPD/DA-PR-07
		Long coping screw	
		IPD/DA-TR-00/C	IPD/DA-TR-01/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	SynOcta RN ø4.8	ø4.8
Head Diameter (mm)		
ø5.5		
Sealing cap	-	IPD/DA-DR-00
1.5	-	IPD/DA-DR-01
3.0	-	IPD/DA-DR-03
4.5	-	IPD/DA-DR-04



Ti CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	SynOcta RN ø4.8	ø4.8
	0°	2.0	-	IPD / DA-PR-01

SYNOCTA ABUTMENT

Indication	Angulation	SynOcta RN ø4.8	ø4.8
	0°	-	IPD / DA-PR-00

SCREWDRIVERS

Type	Length (mm)	SynOcta RN ø4.8	ø4.8
Implant system Screwdriver			
1.25 Hex	18	IPD / PH-25-18	IPD / PH-25-18
	25	IPD / PH-25-25	IPD / PH-25-25
	32	IPD / PH-25-32	IPD / PH-25-32
Torx	18	IPD / PT-00-18	IPD / PT-00-18
	25	IPD / PT-00-25	IPD / PT-00-25
	32	IPD / PT-00-32	IPD / PT-00-32
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD / PH-20-18	IPD / PH-20-18
	25	IPD / PH-20-25	IPD / PH-20-25
	32	IPD / PH-20-32	IPD / PH-20-32
ASC Screwdriver			
TPA	18	IPD / KA-CT-18	IPD / KA-CT-18
	25	IPD / KA-CT-25	IPD / KA-CT-25
	32	IPD / KA-CT-32	IPD / KA-CT-32
PSD Screwdriver			
PSD	25	-	IPD / LL-PS-00

ACCESSORIES

Indication	Length (mm)	SynOcta RN ø4.8	ø4.8
Clinical RA Shank Handle	16	IPD / MC-00-16	IPD / MC-00-16
Laboratory RA Shank Handle	70	IPD / ML-00-70	IPD / ML-00-70
RA Shank Ratchet	90	IPD / DI-00-90	IPD / DI-00-90
Ratchet adapter		IPD / DI-KA-90	IPD / DI-KA-90
PSD and insert extractor tool		-	IPD / LL-PS-01

Please see page 210 for more information.



ZIMMER®

FC EZTETIC®

Prosthetic platform [NP ø3.1]

SCAN BODY

	Indication	Height (mm)	NP ø3.1
Scan Body		10	IPD / FC-ST-00
		15	IPD / FC-ST-02
		10	IPD / FC-ST-01

Captive screw included. H 1,20 Screwdriver.


Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NP ø3.1
	1.0	IPD / FC-IT-00/3D
	2.0	IPD / FC-IT-02/3D
	3.0	IPD / FC-IT-04/3D
	Cutting guide KIT	IPD / KT-IN-00
	1.0	IPD / FC-IT-01/3D
	2.0	IPD / FC-IT-03/3D
	3.0	IPD / FC-IT-05/3D
	Cutting guide KIT	IPD / KT-IN-01

Please see page 204 for the IPD Custom Interface System accesories.

SCREWS

			NP ø3.1
IPD and OEM compatible	For straight channels	Torque value	30 Ncm
Screwdriver	Coating	Seat	
1.25 Hex	-	Conical	IPD / FC-TT-00
1.25 Hex	TiN	Conical	IPD / FC-TT-00/TiN
1.25 Hex	BLC	Conical	IPD / FC-TT-00/BLC
	For ASC options	Torque value	20 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD / FC-TT-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NP ø3.1
0°		1.5	IPD/FC-MT-01
		2.5	IPD/FC-MT-02
		3.5	IPD/FC-MT-03
17°		2.5	IPD/FC-MT-12
30°		3.5	IPD/FC-MT-33
Replacement Screw for Angled MUA			IPD/KA-MT-05

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type	NP ø3.1	
Standard	IPD/FC-AT-00	
	Full set	IPD/FC-AT-90/3D
Digital	Analog	
	Bottom Screw	
	Side Screw	

Co-Cr BASE ABUTMENT

NP ø3.1		
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/FC-BT-00
	15°	IPD/FC-BT-10
	0°	IPD/FC-BT-01
	15°	IPD/FC-BT-11
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/FC-BT-00/3D
	Straight/ASC	IPD/FC-BT-01/3D
Scan Body		IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NP ø3.1
	2.0	IPD/FC-LT-02
	3.0	IPD/FC-LT-03
	4.0	IPD/FC-LT-04
	5.0	IPD/FC-LT-05

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NP ø3.1
	1.5	IPD/FC-PT-06
	1.5	IPD/FC-PT-07
Long coping screw		IPD/FC-TT-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	NP ø3.1
	ø3.8
1.0	IPD/FC-DT-01
2.5	IPD/FC-DT-02
4.0	IPD/FC-DT-04



SCREWDRIVERS

Type	Length (mm)	NP ø3.1
Implant system Screwdriver		
1.25 Hex	18	IPD/PH-25-18
	25	IPD/PH-25-25
	32	IPD/PH-25-32
IPD Data markers and extras Screwdriver		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	NP ø3.1
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01

Please see page 210 for more information.





BTI®

GA EXTERNAL

Prosthetic platform [Estrecha® ø3.5 / Universal ø4.1 / Ancha ø5.5]

SCAN BODY

	Indication	Height (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
Scan Body		10	IPD/GA-SN-00	IPD/AA-SR-00	-
		15	IPD/GA-SN-02	IPD/AA-SR-02	-
		10	IPD/GA-SN-01	IPD/AA-SR-01	-

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
	0.5	-	IPD/AA-IR-00/3D	-
	1.5	IPD/GA-IN-02/3D	IPD/AA-IR-02/3D	-
	2.5	-	IPD/AA-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	-
	0.5	-	IPD/AA-IR-01/3D	-
	1.5	IPD/GA-IN-03/3D	IPD/AA-IR-03/3D	-
	2.5	-	IPD/AA-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	-

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/AA-XR-15/A	-

All premilled abutments include 2 titanium screws.



SCREWS

		Estrecha® ø3.5		Universal ø4.1	Ancha ø5.5
IPD and OEM compatible	For straight channels	Torque value	20 Ncm	25 Ncm	20 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Flat	IPD/GA-TN-00	-	IPD/GA-TW-00
1.20 Hex	TiN	Flat	IPD/GA-TN-00/TiN	-	IPD/GA-TW-00/TiN
1.20 Hex	BLC	Flat	IPD/GA-TN-00/BLC	-	IPD/GA-TW-00/BLC
1.20 Hex	-	Conical	-	IPD/BA-TR-00	-
1.20 Hex	TiN	Conical	-	IPD/BA-TR-00/TiN	-
1.20 Hex	BLC	Conical	-	IPD/BA-TR-00/BLC	-
		Torque value	25 Ncm	25 Ncm	
Screwdriver	Coating	Seat			
TPA	TiN	Flat	IPD/GA-TN-50	-	IPD/AA-TR-52
TPA	TiN	Conical	-	IPD/AA-TR-50	-
		Torque value		25 Ncm	25Ncm
Screwdriver	Coating	Seat			
TPA	TiN	For implant level flat seat	-	IPD/AA-TR-52	IPD/AA-TR-52



MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
0°		1.0	-	IPD/AB-MR-01	-
		2.0	-	IPD/AB-MR-02	-
		3.0	-	IPD/AB-MR-03	-
		4.0	-	IPD/AB-MR-04	-
		5.0	-	IPD/AB-MR-05	-
17°		2.0	-	IPD/AB-MR-12	-
		3.0	-	IPD/AB-MR-13	-
		4.0	-	IPD/AB-MR-14	-
30°		3.0	-	IPD/AB-MR-33	-
		4.0	-	IPD/AB-MR-34	-
		5.0	-	IPD/AB-MR-35	-
		Replacement Screw for Angled MUA	-	IPD/KA-MT-00	-

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type	Estrecha® ø3.5		Universal ø4.1	Ancha ø5.5
Standard	IPD/GA-AN-00		IPD/AA-AR-00	IPD/GA-AW-00
	Full set	IPD/GA-AN-90/3D	IPD/AA-AR-90/3D	-
Digital	Analog			
	Bottom Screw			
	Side Screw			



Co-Cr BASE ABUTMENT

		Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/GA-BN-00	IPD/AA-BR-00	-
	15°	IPD/GA-BN-10	IPD/AA-BR-10	-
	25°	IPD/GA-BN-20	IPD/AA-BR-20	-
	0°	IPD/GA-BN-01	IPD/AA-BR-01	-
	15°	IPD/GA-BN-11	IPD/AA-BR-11	-
	25°	IPD/GA-BN-21	IPD/AA-BR-21	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	IPD/GA-BN-00/3D	IPD/AA-BR-00/3D	-
	Straight/ASC	IPD/GA-BN-01/3D	IPD/AA-BR-01/3D	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	-
All ASC CoCr analogic workflow abutments include the relevant TPA screw.				



CASTABLE ABUTMENT

Indication	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
	-	IPD/AA-HR-00	IPD/GA-HW-00
	-	IPD/AA-RR-00	IPD/GA-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
	1.0	IPD/GA-LN-01	IPD/AA-LR-01	-
	2.0	-	IPD/AA-LR-02	-
	3.0	IPD/GA-LN-03	IPD/AA-LR-03	-
	4.0	-	IPD/AA-LR-04	-
	5.0	IPD/GA-LN-05	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
Open tray	IPD/GA-CN-00	IPD/AA-CR-00	-
Closed tray	-	IPD/AA-CR-01	-
Classic Design			



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
	1.5	IPD/GA-PN-06	IPD/AA-PR-06	-
	1.5	IPD/GA-PN-07	IPD/AA-PR-07	-
Long coping screw		IPD/GA-TN-00/C	IPD/AA-TR-00/C	-

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
Head Diameter (mm)	ø3.8	ø4.7	
2.0	-	IPD/AA-DR-02	-
3.0	-	IPD/AA-DR-03	-
4.0	IPD/GA-DN-04	IPD/AA-DR-04	-
5.0	-	IPD/AA-DR-05	-



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
	0°	2.0	IPD/GA-PN-00	IPD/AA-PR-00	IPD/GA-PW-00
		2.0 Wide shoulder	-	-	IPD/GA-PW-01
	15°	1.0	-	IPD/AA-PR-02	-
		2.0	-	IPD/AA-PR-04	-
	25°	1.0	-	IPD/AA-PR-03	-
		2.0	-	IPD/AA-PR-05	-
	0°	2.0	-	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended



SCREWDRIVERS


Type	Length (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
Implant system Screwdriver				
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	-
	25	IPD/KA-CT-25	IPD/KA-CT-25	-
	32	IPD/KA-CT-32	IPD/KA-CT-32	-
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	-



ACCESSORIES

Indication	Length (mm)	Estrecha® ø3.5	Universal ø4.1	Ancha ø5.5
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	-
Please see page 210 for more information.				





BTI®

GB INTERNAL

Prosthetic platform [Estrecha ø3.5 / Universal ø4.1 / Ancha ø5.5]

SCAN BODY

	Indication	Height (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
Scan Body		10	IPD/GD-SN-00	IPD/GB-SR-00	-
		15	IPD/GD-SN-02	IPD/GB-SR-02	-
		10	IPD/GD-SN-01	IPD/GB-SR-01	-


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
	0.5	IPD/GD-IN-00/3D	IPD/GB-IR-00/3D	-
	1.5	IPD/GD-IN-02/3D	IPD/GB-IR-02/3D	-
	2.5	IPD/GD-IN-04/3D	IPD/GB-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	
	0.5	IPD/GD-IN-01/3D	IPD/GB-IR-01/3D	-
	1.5	IPD/GD-IN-03/3D	IPD/GB-IR-03/3D	-
	2.5	IPD/GD-IN-05/3D	IPD/GB-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/GB-XR-15/A	-

All premilled abutments include 2 titanium screws.



SCREWS

			Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
IPD and OEM compatible					
For straight channels			Torque value	35 Ncm	35 Ncm
			35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Flat	IPD/GD-TN-00	IPD/GB-TR-00	IPD/GB-TR-00
1.20 Hex	TiN	Flat	IPD/GD-TN-00/TiN	IPD/GB-TR-00/TiN	IPD/GB-TR-00/TiN
1.20 Hex	BLC	Flat	IPD/GD-TN-00/BLC	IPD/GB-TR-00/BLC	IPD/GB-TR-00/BLC
For ASC options			Torque value	25 Ncm	25 Ncm
			25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Flat	IPD/GB-TR-50	IPD/GB-TR-50	IPD/GB-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
0°		1.0	IPD/GD-MN-01	IPD/GB-MR-01	-
		2.0	IPD/GD-MN-02	IPD/GB-MR-02	-
		3.0	IPD/GD-MN-03	IPD/GB-MR-03	-
		4.0	IPD/GD-MN-04	IPD/GB-MR-04	-
		5.0	-	IPD/GB-MR-05	-
17°		3.0	-	IPD/GB-MR-13	-
		4.0	-	IPD/GB-MR-14	-
30°		4.0	-	IPD/GB-MR-34	-
		5.0	-	IPD/GB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-07	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



MULTI-UNIT AP ABUTMENT*

*Check availability

Angulation		Gingival Height (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
17°		2.5	IPD/GD-MN-12/AP	IPD/GB-MR-12/AP	-
		3.5	IPD/GD-MN-13/AP	IPD/GB-MR-13/AP	-
30°		3.5	IPD/GD-MN-33/AP	IPD/GB-MR-33/AP	-
		4.5	IPD/GD-MN-34/AP	IPD/GB-MR-34/AP	-
Replacement Screw for Angled MUA AP			IPD/KA-MT-07/BLC	IPD/KA-MT-07/BLC	-

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
Standard		IPD/GD-AN-00	IPD/GB-AR-00	IPD/GB-AW-00
	Full set	IPD/GD-AN-90/3D	IPD/GB-AR-90/3D	-
Digital	Analog			
	Bottom Screw			
	Side Screw			



Co-Cr BASE ABUTMENT

		Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	-	IPD/GB-BR-00	-
	15°	-	IPD/GB-BR-10	-
	25°	-	IPD/GB-BR-20	-
	0°	-	IPD/GB-BR-01	-
	15°	-	IPD/GB-BR-11	-
	25°	-	IPD/GB-BR-21	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	-	IPD/GB-BR-00/3D	-
	Straight/ASC	-	IPD/GB-BR-01/3D	-
Scan Body		-	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
	-	IPD/GB-HR-00	-
	-	IPD/GB-RR-00	IPD/GB-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
	1.0	-	IPD/GB-LR-01	-
	2.0	IPD/GD-LN-02	-	-
	3.0	IPD/GD-LN-03	IPD/GB-LR-03	-
	4.0	IPD/GD-LN-04	-	-
	5.0	-	IPD/GB-LR-05	-

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
	1.5	IPD/GD-PN-06	IPD/GB-PR-06	-
	1.5	IPD/GD-PN-07	IPD/GB-PR-07	-
Long coping screw		IPD/GD-TN-00/C	IPD/GB-TR-00/C	-

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
Head Diameter (mm)	ø4.0	ø4.1	
1.0	IPD/GD-DN-01	IPD/GB-DR-01	-
2.0	IPD/GD-DN-02	-	-
3.0	IPD/GD-DN-03	IPD/GB-DR-03	-
5.0	-	IPD/GB-DR-05	-



SCREWDRIVERS

Type	Length (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
Implant system Screwdriver				
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	-




ACCESSORIES

Indication	Length (mm)	Estrecha ø3.5	Universal ø4.1	Ancha ø5.5
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	-

Please see page 210 for more information.





BTI®

GC MULTI-IM®

Prosthetic platform [Ø4.1]

SCAN BODY / SCAN DATA MARKER

	Indication	Height (mm)	Ø4.1
Scan Body		10	IPD/GC-SR-01
Captive screw included except on Reverse Scan Data Marker. 1.20 Hex Screwdriver			

Ti-BASE Custom Ti-Base System®

Indication	Post height (mm)	Gingival Height (mm)	Ø4.1
	3.5	0.3	IPD/GC-IR-01/3D

SCREWS

			Ø4.1
IPD and OEM compatible	For straight channels	Torque value	20 Ncm
Screwdriver	Coating	Seat	
1.20 Hex	-	Flat	IPD/GC-TR-01
1.20 Hex	TiN	Flat	IPD/GC-TR-01/TiN
1.20 Hex	BLC	Flat	IPD/GC-TR-01/BLC
			15 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Flat	IPD/AB-TR-50

ANALOGS

Type				Ø4.1
Standard				IPD/GC-AR-00
	Full set			IPD/GC-AR-90/3D
Digital				Analog
				Bottom Screw
				Side Screw



RETURN TO INDEX

Co-Cr BASE ABUTMENT

			Ø4.1
Co-Cr Base for analogic workflow			
Indication	Angulation		
	0°		IPD/GC-BR-01
	15°		IPD/GC-BR-11
	25°		IPD/GC-BR-21
Co-Cr Base for digital workflow			
Indication	Angulation		
	Straight/ASC		IPD/GC-BR-01/3D
Scan Body			IPD/SC-AN-B2
All ASC CoCr analogic workflow abutments include the relevant TPA screw.			



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Ø4.1
	1.5	IPD/GC-PR-07
Long coping screw		IPD/GC-TR-01/C
The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.		



HEALING ABUTMENT

Gingival Height (mm)	Ø4.1
Head Diameter (mm)	ø4.1
4.0	IPD/GC-DR-04
One piece healing abutment, no need to order screw.	



SCREWDRIVERS


Type	Length (mm)	Ø4.1
Implant system Screwdriver		
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32



ACCESSORIES

Indication	Length (mm)	Ø4.1
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
Please see page 210 for more information.		





BTI®

GD CORE®

Prosthetic platform [CORE ø3.5]

*Not compatible with 4.5mm implant length

SCAN BODY

	Indication	Height (mm)	CORE ø3.5
Scan Body		10	IPD/GD-SN-00
		15	IPD/GD-SN-02
		10	IPD/GD-SN-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	CORE ø3.5
	0.5	IPD/GD-IN-00/3D
	1.5	IPD/GD-IN-02/3D
	2.5	IPD/GD-IN-04/3D
	Cutting guide KIT	IPD/KT-IN-00
	0.5	IPD/GD-IN-01/3D
	1.5	IPD/GD-IN-03/3D
	2.5	IPD/GD-IN-05/3D
	Cutting guide KIT	IPD/KT-IN-01

Please see page 204 for the IPD Custom Interface System accessories.

SCREWS

			CORE ø3.5
IPD and OEM compatible	For straight channels	Torque value	35 Ncm
Screwdriver	Coating	Seat	
1.20 Hex	-	Flat	IPD/GD-TN-00
1.20 Hex	TiN	Flat	IPD/GD-TN-00/TiN
1.20 Hex	BLC	Flat	IPD/GD-TN-00/BLC
For ASC options		Torque value	25 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Flat	IPD/GB-TR-50

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	CORE ø3.5
0°		1.0	IPD/GD-MN-01
		2.0	IPD/GD-MN-02
		3.0	IPD/GD-MN-03
		4.0	IPD/GD-MN-04

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



RETURN TO INDEX

MULTI-UNIT AP ABUTMENT*

*Check availability

Angulation	Indication	Gingival Height (mm)	CORE ø3.5
17°		2.5	IPD/GD-MN-12/AP
		3.5	IPD/GD-MN-13/AP
30°		3.5	IPD/GD-MN-33/AP
		4.5	IPD/GD-MN-34/AP
Replacement Screw for Angled MUA AP			IPD/KA-MT-07/BLC

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type	CORE ø3.5 	
Standard	IPD/GD-AN-00	
Digital	Full set	IPD/GD-AN-90/3D
	Analog	
	Bottom Screw	
	Side Screw	



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	CORE ø3.5
	2.0	IPD/GD-LN-02
	3.0	IPD/GD-LN-03
	4.0	IPD/GD-LN-04

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	CORE ø3.5
	1.5	IPD/GD-PN-06
	1.5	IPD/GD-PN-07
Long coping screw		IPD/GD-TN-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	CORE ø3.5 	
	Head Diameter (mm)	ø4.0
1.0		IPD/GD-DN-01
2.0		IPD/GD-DN-02
3.0		IPD/GD-DN-03



SCREWDRIVERS

Type	Length (mm)	CORE ø3.5
Implant system Screwdriver		
IPD Data markers and extras Screwdriver		
1.20 Hex	18	IPD / PH-20-18
	25	IPD / PH-20-25
	32	IPD / PH-20-32
ASC Screwdriver		
TPA	18	IPD / KA-CT-18
	25	IPD / KA-CT-25
	32	IPD / KA-CT-32
PSD Screwdriver		
PSD	25	IPD / LL-PS-00

ACCESSORIES

Indication	Length (mm)	CORE ø3.5
Clinical RA Shank Handle	16	IPD / MC-00-16
Laboratory RA Shank Handle	70	IPD / ML-00-70
RA Shank Ratchet	90	IPD / DI-00-90
Ratchet adapter		IPD / DI-KA-90
PSD and insert extractor		IPD / LL-PS-01


Please see page 210 for more information.



MICRODENT®

HA MICRODENT® SYSTEM

Prosthetic platform [ø3.5 / ø4.2 / ø5.1]



SCAN BODY

	Indication	Height (mm)	ø3.5	ø4.2	ø5.1
Scan Body		10	-	-	IPD / NA-SW-00
		10	-	-	IPD / NA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.5	ø4.2	ø5.1
	1.3	-	-	IPD / NA-IW-02/3D
	Cutting guide KIT	-	-	IPD / KT-IW-00
	1.3	-	-	IPD / NA-IW-03/3D
	Cutting guide KIT	-	-	IPD / KT-IW-01

Please see page 204 for the IPD Custom Interface System accesories.



SCREWS

			ø3.5	ø4.2	ø5.1
IPD and OEM compatible	For straight channels	Torque value	20 Ncm	30 Ncm	30 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Conical	IPD / HA-TN-00	-	-
1.20 Hex	TiN	Conical	IPD / HA-TN-00/TiN	-	-
1.20 Hex	BLC	Conical	IPD / HA-TN-00/BLC	-	-
1.75 Hex	-	Conical	-	IPD / HA-TR-00	IPD / HA-TR-00
1.75 Hex	TiN	Conical	-	IPD / HA-TR-00/TiN	IPD / HA-TR-00/TiN
1.75 Hex	BLC	Conical	-	IPD / HA-TR-00/BLC	IPD / HA-TR-00/BLC
	For ASC options	Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD / HA-TN-50	IPD / HA-TR-50	IPD / HA-TR-50

IPD Custom Ti-base compatible	For straight channels	Torque value			35 Ncm
Screwdriver	Coating	Seat			
1.25 Hex	-	Conical	-	-	IPD / NA-TW-00
	For ASC options	Torque value			25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	-	-	IPD / MB-TR-50



RETURN TO INDEX

ANALOGS

Type		ø3.5	ø4.2	ø5.1
Standard		IPD/HA-AN-00	IPD/HA-AR-00	IPD/HA-AW-00
	Full set	-	-	IPD/NA-AW-90/3D
Digital				
	Analog			
	Bottom Screw			
	Side Screw			



CASTABLE ABUTMENT

Indication	ø3.5	ø4.2	ø5.1
	IPD/HA-HN-00	IPD/HA-HR-00	IPD/HA-HW-00
	IPD/HA-RN-00	IPD/HA-RR-00	IPD/HA-RW-00



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.5	ø4.2	ø5.1
	1.5	-	-	IPD/NA-PW-06
	1.5	-	-	IPD/NA-PW-07
Long coping screw		-	-	IPD/NA-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	ø3.5 	ø4.2 	ø5.1 
Head Diameter (mm)			
3.0	-	-	IPD/NA-DW-03
5.0	-	-	IPD/NA-DW-05



SCREWDRIVERS

Type	Length (mm)	ø3.5	ø4.2	ø5.1
Implant system Screwdriver				
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
Extra optional Screddrivers				
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32




ACCESSORIES

Indication	Length (mm)	ø3.5	ø4.2	ø5.1
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		-	-	IPD/LL-PS-01

Please see page 210 for more information.





MICRODENT®

HB MICRODENT® UNIVERSAL™

Prosthetic platform [Ø4.1 / Ø5.1]

SCAN BODY

	Indication	Height (mm)	Ø4.1	Ø5.1
Scan Body		10	IPD/AA-SR-00	IPD/BA-SW-00
		15	IPD/AA-SR-02	IPD/BA-SW-02
		10	IPD/AA-SR-01	IPD/BA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Ø4.1	Ø5.1
	0.5	IPD/AA-IR-00/3D	IPD/BA-IW-00/3D
	1.5	IPD/AA-IR-02/3D	IPD/BA-IW-02/3D
	2.5	IPD/AA-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	IPD/AA-IR-01/3D	IPD/BA-IW-01/3D
	1.5	IPD/AA-IR-03/3D	IPD/BA-IW-03/3D
	2.5	IPD/AA-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	Ø4.1	Ø5.1
TYPE A System (Compatible with DESS® Holders)				
	Ti	15	PR/AA-XR-15/A	PR/BA-XW-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			Ø4.1	Ø5.1
IPD and OEM compatible	For straight channels	Torque value	25 Ncm	25 Ncm
Screwdriver	Coating	Seat		
1.20 Hex	-	Conical	IPD/BA-TR-00	IPD/BA-TR-00
1.20 Hex	TiN	Conical	IPD/BA-TR-00/TiN	IPD/BA-TR-00/TiN
1.20 Hex	BLC	Conical	IPD/BA-TR-00/BLC	IPD/BA-TR-00/BLC

For ASC options			25 Ncm	25 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/AA-TR-50	IPD/AA-TR-50

Additional options			20 Ncm	20 Ncm
Screwdriver	Coating	Seat		
1.20 Hex	-	Low profile head - conical seat	IPD/AA-TR-01	IPD/AA-TR-01
1.20 Hex	TiN	Low profile head - conical seat	IPD/AA-TR-01/TiN	IPD/AA-TR-01/TiN
1.20 Hex	BLC	Low profile head - conical seat	IPD/AA-TR-01/BLC	IPD/AA-TR-01/BLC

For ASC options			25 Ncm	25 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	For implant level flat seat	IPD/AA-TR-52	IPD/AA-TR-52

Removing tool



MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø4.1 	ø5.1 
0°	 	1.0	IPD/AB-MR-01	-
		2.0	IPD/AB-MR-02	-
		3.0	IPD/AB-MR-03	-
		4.0	IPD/AB-MR-04	-
		5.0	IPD/AB-MR-05	-
17°		2.0	IPD/AB-MR-12	-
		3.0	IPD/AB-MR-13	-
		4.0	IPD/AB-MR-14	-
30°		3.0	IPD/AB-MR-33	-
		4.0	IPD/AB-MR-34	-
		5.0	IPD/AB-MR-35	-
Replacement Screw for Angled MUA			IPD/KA-MT-00	-



ANALOGS

Type		ø4.1 	ø5.1 
Standard		IPD/AA-AR-00	IPD/BA-AW-00
	Full set	IPD/AA-AR-90/3D	IPD/BA-AW-90/3D
Digital		Analog	
		Bottom Screw	
		Side Screw	



Co-Cr BASE ABUTMENT

		ø4.1	ø5.1
Co-Cr Base for analogic workflow			
Indication	Angulation		
	0°	IPD/AA-BR-00	IPD/BA-BW-00
	15°	IPD/AA-BR-10	IPD/BA-BW-10
	25°	IPD/AA-BR-20	IPD/BA-BW-20
	0°	IPD/AA-BR-01	IPD/BA-BW-01
	15°	IPD/AA-BR-11	IPD/BA-BW-11
	25°	IPD/AA-BR-21	IPD/BA-BW-21
Co-Cr Base for digital workflow			
Indication	Angulation		
	Straight/ASC	IPD/AA-BR-00/3D	IPD/BA-BW-00/3D
	Straight/ASC	IPD/AA-BR-01/3D	IPD/BA-BW-01/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	ø4.1	ø5.1
	IPD/AA-HR-00	IPD/BA-HW-00
	IPD/AA-RR-00	IPD/BA-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø4.1	ø5.1
	1.0	IPD/AA-LR-01	-
	2.0	IPD/AA-LR-02	-
	3.0	IPD/AA-LR-03	-
	4.0	IPD/AA-LR-04	-
	5.0	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	ø4.1	ø5.1
Open tray	IPD/AA-CR-00	IPD/BA-CW-00
Closed tray	IPD/AA-CR-01	-
Classic Design		



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø4.1	ø5.1
	1.5	IPD/AA-PR-06	IPD/BA-PW-06
	1.5	IPD/AA-PR-07	IPD/BA-PW-07
Long coping screw		IPD/AA-TR-00/C	IPD/AA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	ø4.1	ø5.1
Head Diameter (mm)		
2.0	IPD/AA-DR-02	IPD/BA-DW-02
3.0	IPD/AA-DR-03	IPD/BA-DW-03
4.0	IPD/AA-DR-04	IPD/BA-DW-04
5.0	IPD/AA-DR-05	-



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	ø4.1	ø5.1
	0°	2.0	IPD/AA-PR-00	-
	15°	1.0	IPD/AA-PR-02	-
	25°	1.0	IPD/AA-PR-03	-
	25°	2.0	IPD/AA-PR-05	-
	0°	2.0	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended



SCREWDRIVERS

Type	Length (mm)	ø4.1	ø5.1
Implant system Screwdriver			
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver			
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver			
PSD	25	IPD/LL-PS-00	-




ACCESSORIES

Indication	Length (mm)	ø4.1	ø5.1
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	-

Please see page 210 for more information.





DENTSPLY®

IA XIVE® FRIADENT®

Prosthetic platform [ø3.4 / ø3.8 / ø4.5 / ø5.5]

SCAN BODY*

*Check availability

	Indication	Height (mm)	ø3.4	ø3.8	ø4.5	ø5.5
Scan Body		10	IPD/IA-SN-00	IPD/IA-SR-00	IPD/IA-SW-00	IPD/IA-SW-00
		15	IPD/IA-SN-02	IPD/IA-SR-02	-	-
		10	IPD/IA-SN-01	IPD/IA-SR-01	-	-

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.4 	ø3.8 	ø4.5 	ø5.5 
	0.5	-	IPD/IA-IR-00/3D	-	-
	1.5	IPD/IA-IN-02/3D	IPD/IA-IR-02/3D	-	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	-	-
	0.5	-	IPD/IA-IR-01/3D	-	-
	1.5	IPD/IA-IN-03/3D	IPD/IA-IR-03/3D	-	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	-	-

Please see page 204 for the IPD Custom Interface System accesories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	ø3.4	ø3.8	ø4.5	ø5.5
IPD Blank System (Compatible with NT/IPD Holders)						
	Ti	12	-	IPD/IA-XR-00	IPD/IA-XW-00	IPD/IA-XX-00
Mill Analog						
			-	IPD/IA-AR-00/X	IPD/IA-AW-00/X	IPD/IA-AX-00/X
TYPE A System (Compatible with DESS® Holders)						
	Ti	15	PR/IA-XN-15/A	PR/IA-XR-15/A	PR/IA-XW-15/A	-

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			ø3.4	ø3.8	ø4.5	ø5.5
IPD and OEM compatible For straight channels			24 Ncm	24 Ncm	24 Ncm	24 Ncm
Screwdriver	Coating	Seat				
1.20 Hex	-	Conical	IPD/IA-TR-00	IPD/IA-TR-00	IPD/IA-TR-00	IPD/IA-TR-00
1.20 Hex	TiN	Conical	IPD/IA-TR-00/TiN	IPD/IA-TR-00/TiN	IPD/IA-TR-00/TiN	IPD/IA-TR-00/TiN
1.20 Hex	BLC	Conical	IPD/IA-TR-00/BLC	IPD/IA-TR-00/BLC	IPD/IA-TR-00/BLC	IPD/IA-TR-00/BLC

			For ASC options	Torque value	20 Ncm	20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat						
TPA	TiN	Conical	IPD/IA-TR-50	IPD/IA-TR-50	IPD/IA-TR-50	IPD/IA-TR-50	IPD/IA-TR-50	

IPDmilled compatible			Torque value	24 Ncm	24 Ncm	24 Ncm	24 Ncm
Screwdriver	Coating	Seat					
1.20 Hex	-	Conical	IPD/IA-TR-00/X	IPD/IA-TR-00/X	IPD/IA-TR-00/X	IPD/IA-TR-00/X	IPD/IA-TR-00/X



ANALOGS

Type	ø3.4	ø3.8	ø4.5	ø5.5
Standard	IPD/IA-AN-00	IPD/IA-AR-00	IPD/IA-AW-00	-
	Full set	IPD/IA-AN-90/3D	IPD/IA-AR-90/3D	-
Digital	Analog Bottom Screw Side Screw			



Co-Cr BASE ABUTMENT

		ø3.4	ø3.8	ø4.5	ø5.5
Co-Cr Base for analogic workflow					
Indication	Angulation				
	0°	IPD/IA-BN-00	IPD/IA-BR-00	-	-
	15°	-	IPD/IA-BR-10	-	-
	25°	-	IPD/IA-BR-20	-	-
	0°	IPD/IA-BN-01	IPD/IA-BR-01	-	-
	15°	-	IPD/IA-BR-11	-	-
	25°	-	IPD/IA-BR-21	-	-
Co-Cr Base for digital workflow					
Indication	Angulation				
	Straight/ASC	IPD/IA-BN-00/3D	IPD/IA-BR-00/3D	-	-
	Straight/ASC	IPD/IA-BN-01/3D	IPD/IA-BR-01/3D	-	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	-	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	ø3.4	ø3.8	ø4.5	ø5.5
	-	IPD/IA-HR-00	IPD/IA-HW-00	-
	-	IPD/IA-RR-00	IPD/IA-RW-00	-



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.4	ø3.8	ø4.5	ø5.5
	1.5	IPD/IA-PN-06	IPD/IA-PR-06	IPD/IA-PW-06	-
	1.5	IPD/IA-PN-07	IPD/IA-PR-07	IPD/IA-PW-07	-
Long coping screw		IPD/IA-TR-00/C	IPD/IA-TR-00/C	IPD/IA-TR-00/C	-

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)		ø3.4	ø3.8	ø4.5	ø5.5
	Head Diameter (mm)	ø3.5	ø3.8	ø4.6	
2.0		IPD/IA-DN-02	IPD/IA-DR-02	IPD/IA-DW-02	-
3.5		IPD/IA-DN-03	IPD/IA-DR-03	IPD/IA-DW-03	-
5.0		IPD/IA-DN-05	IPD/IA-DR-05	IPD/IA-DW-05	-


SCREWDRIVERS

Type	Length (mm)	ø3.4	ø3.8	ø4.5	ø5.5
Implant system Screwdriver					
IPD Scan Body and extra Screwdrivers					
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver					
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32

ACCESSORIES

Indication	Length (mm)	ø3.4	ø3.8	ø4.5	ø5.5
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90

Please see page 210 for more information.



DENTSPLY®

IB ANKYLOS®

Prosthetic platform [Balance Base / C/X]

SCAN BODY

	Indication	Height (mm)	Balance Base	C/X
Scan Body		10	-	IPD/IB-SR-00
		15	-	IPD/IB-SR-02
		10	-	IPD/IB-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Balance Base	C/X
	1.5	-	IPD/IB-IR-02/3D
	2.5	-	IPD/IB-IR-04/3D
	Cutting guide KIT	-	IPD/KT-IR-00
	1.5	-	IPD/IB-IR-03/3D
	2.5	-	IPD/IB-IR-05/3D
	Cutting guide KIT	-	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*



*Check availability

Indication	Material	Diameter (mm)	Balance Base	C/X
IPD Blank System (Compatible with NT/IPD Holders)				
	Ti	12	-	IPD/IB-XR-00
Mill Analog			-	IPD/IB-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	10	-	PR/IB-XR-10/A
	Ti	15	-	PR/IB-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			Balance Base	C/X
Non-Engaging IPD and OEM compatible		For straight channels	Torque value	20Ncm
Screwdriver		Coating	Seat	15Ncm
1.00 Hex	-	Conical	IPD/IB-TR-00	IPD/IB-TR-01
IPDmilled compatible			Torque value	15Ncm
Screwdriver		Coating	Seat	
1.00 Hex	-	Conical	-	IPD/IB-TR-01/X



RETURN TO INDEX

ANALOGS

Type		Balance Base	C/X
Standard		-	IPD/IB-AR-00
	Full set	-	IPD/IB-AR-90/3D
Digital		Analog	
		Bottom Screw	
		Side Screw	

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Balance Base	C/X
	1.5	-	IPD/IB-LR-01
	3.0	-	IPD/IB-LR-03
	5.0	-	IPD/IB-LR-05

Please see page 205 for the PSD system accesories.

COPING ABUTMENT

Type		Balance Base	C/X
Open tray		-	IPD/IB-CR-00
Classic Design			

HEALING ABUTMENT

Gingival Height (mm)		Balance Base	C/X
	Head Diameter (mm)		ø6.0
3.0		-	IPD/IB-DR-03

SCREWDRIVERS

Type		Length (mm)	Balance Base	C/X
1.00 Hex	Implant system Screwdriver	18	-	IPD/PH-00-18
		25	-	IPD/PH-00-25
		32		IPD/PH-00-32
	IPD Scan Body and extra Screwdrivers	18	-	IPD/PH-20-18
1.20 Hex		25	-	IPD/PH-20-25
		32	-	IPD/PH-20-32
TPA	ASC Screwdriver	18	-	IPD/KA-CT-18
		25	-	IPD/KA-CT-25
		32	-	IPD/KA-CT-32
	PSD Screwdriver	25	-	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	Balance Base	C/X
Clinical RA Shank Handle	16	-	IPD/MC-00-16
Laboratory RA Shank Handle	70	-	IPD/ML-00-70
RA Shank Ratchet	90	-	IPD/DI-00-90
Ratchet adapter		-	IPD/DI-KA-90
PSD and insert extractor tool		-	IPD/LL-PS-01

Please see page 210 for more information.



CAMLOG®

JA CAMLOG® IMPLANT SYSTEM

Prosthetic platform [ø3.3 / ø3.8 / ø4.3 / ø5.0]

SCAN BODY

	Indication	Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
Scan Body		10	IPD/JA-SN-00	IPD/JA-SR-00	IPD/JA-SW-00	IPD/JA-SX-00
		15	IPD/JA-SN-02	IPD/JA-SR-02	IPD/JA-SW-02	IPD/JA-SX-02
		10	IPD/JA-SN-01	IPD/JA-SR-01	IPD/JA-SW-01	IPD/JA-SX-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
	0.5	IPD/JA-IN-00/3D	IPD/JA-IR-00/3D	IPD/JA-IW-00/3D	IPD/JA-IX-00/3D
	1.5	IPD/JA-IN-02/3D	IPD/JA-IR-02/3D	IPD/JA-IW-02/3D	IPD/JA-IX-02/3D
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	IPD/JA-IN-01/3D	IPD/JA-IR-01/3D	IPD/JA-IW-01/3D	IPD/JA-IX-01/3D
	1.5	IPD/JA-IN-03/3D	IPD/JA-IR-03/3D	IPD/JA-IW-03/3D	IPD/JA-IX-03/3D
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IR-01	IPD/KT-IW-01



Please see page 204 for the IPD Custom Interface System accesories.

IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	ø3.3	ø3.8	ø4.3	ø5.0
IPD Blank System (Compatible with NT/IPD Holders)						
	Ti	12	IPD/JA-XN-00	IPD/JA-XR-00	IPD/JA-XW-00	IPD/JA-XX-00
Mill Analog			IPD/JA-AN-00/X	IPD/JA-AR-00/X	IPD/JA-AW-00/X	IPD/JA-AX-00/X
TYPE A System (Compatible with DESS® Holders)						
	Ti	15	PR/JA-XN-15/A	PR/JA-XR-15/A	PR/JA-XW-15/A	PR/JA-XX-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			ø3.3	ø3.8	ø4.3	ø5.0
IPD and OEM compatible	For straight channels	Torque value	20 Ncm	20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat				
1.25 Hex	-	Conical	IPD/JA-TR-00	IPD/JA-TR-00	IPD/JA-TR-00	IPD/JA-TX-00
1.25 Hex	TiN	Conical	IPD/JA-TR-00/TiN	IPD/JA-TR-00/TiN	IPD/JA-TR-00/TiN	IPD/JA-TX-00/TiN
1.25 Hex	BLC	Conical	IPD/JA-TR-00/BLC	IPD/JA-TR-00/BLC	IPD/JA-TR-00/BLC	IPD/JA-TX-00/BLC

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
0°		1.0	-	IPD/JA-MR-01	IPD/JA-MW-01	IPD/JA-MX-01
		2.0	-	IPD/JA-MR-02	IPD/JA-MW-02	IPD/JA-MX-02

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT*
*Check availability

Angulation	Indication	Gingival Height (mm)	ø3.3 	ø3.8 	ø4.3 	ø5.0 
17°		2.5	-	IPD/JA-MR-12/AP	IPD/JA-MW-12/AP	IPD/JA-MX-12/AP
		3.5	-	IPD/JA-MR-13/AP	IPD/JA-MW-13/AP	IPD/JA-MX-13/AP
30°		3.5	-	IPD/JA-MR-33/AP	IPD/JA-MW-33/AP	IPD/JA-MX-33/AP
		4.5	-	IPD/JA-MR-34/AP	IPD/JA-MW-34/AP	IPD/JA-MX-34/AP
Replacement Screw for Angled MUA AP			-	IPD/KA-MT-16/BLC	IPD/KA-MT-16/BLC	IPD/KA-MT-06/BLC

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type		ø3.3	ø3.8	ø4.3	ø5.0
Standard		IPD/JA-AN-00	IPD/JA-AR-00	IPD/JA-AW-00	IPD/JA-AX-00
	Full set	IPD/JA-AN-90/3D	IPD/JA-AR-90/3D	IPD/JA-AW-90/3D	IPD/JA-AX-90/3D
Digital					
	Analogue				
	Bottom Screw				
	Side Screw				

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
	1.0	-	IPD/JA-LR-01	IPD/JA-LW-01	IPD/JA-LX-01
	2.0	-	-	-	IPD/JA-LX-02
	3.0	-	IPD/JA-LR-03	IPD/JA-LW-03	IPD/JA-LX-03
	4.0	-	-	-	IPD/JA-LX-04
	5.0	-	IPD/JA-LR-05	IPD/JA-LW-05	-

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
	1.5	IPD/JA-PN-06	IPD/JA-PR-06	IPD/JA-PW-06	IPD/JA-PX-06
	1.5	IPD/JA-PN-07	IPD/JA-PR-07	IPD/JA-PW-07	IPD/JA-PX-07
Long coping screw		IPD/JA-TR-00/C	IPD/JA-TR-00/C	IPD/JA-TR-00/C	IPD/JA-TX-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
Head Diameter (mm)	ø3.3	ø3.8	ø4.3	ø5.0
2.0	IPD/JA-DN-02	IPD/JA-DR-02	IPD/JA-DW-02	IPD/JA-DX-02
4.0	IPD/JA-DN-04	IPD/JA-DR-04	IPD/JA-DW-04	IPD/JA-DX-04
6.0	IPD/JA-DN-06	IPD/JA-DR-06	IPD/JA-DW-06	IPD/JA-DX-06


SCREWDRIVERS

Type	Length (mm)	ø3.3	ø3.8	ø4.3	ø5.0
Implant system Screwdriver					
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers					
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
PSD Screwdriver					
PSD	25	-	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	ø3.3	ø3.8	ø4.3	ø5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		-	IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.



CAMLOG®

JB CONELOG®

Prosthetic platform [ø3.3 / ø3.8 / ø4.3 / ø5.0]

SCAN BODY

	Indication	Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
Scan Body		10	IPD/JB-ST-00	IPD/JB-SN-00	IPD/JB-SR-00	IPD/JB-SW-00
		15	IPD/JB-ST-02	IPD/JB-SN-02	IPD/JB-SR-02	IPD/JB-SW-02
		10	IPD/JB-ST-01	IPD/JB-SN-01	IPD/JB-SR-01	IPD/JB-SW-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
	0.5	IPD/JB-IT-00/3D	IPD/JB-IN-00/3D	IPD/JB-IR-00/3D	IPD/JB-IW-00/3D
	1.5	IPD/JB-IT-02/3D	IPD/JB-IN-02/3D	IPD/JB-IR-02/3D	IPD/JB-IW-02/3D
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	IPD/JB-IT-01/3D	IPD/JB-IN-01/3D	IPD/JB-IR-01/3D	IPD/JB-IW-01/3D
	1.5	IPD/JB-IT-03/3D	IPD/JB-IN-03/3D	IPD/JB-IR-03/3D	IPD/JB-IW-03/3D
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	ø3.3	ø3.8	ø4.3	ø5.0
IPD Blank System (Compatible with NT/IPD Holders)						
	Ti	12	IPD/JB-XT-00	IPD/JB-XR-00	IPD/JB-XR-00	IPD/JB-XW-00
Mill Analog			IPD/JB-AT-00/X	IPD/JB-AR-00/X	IPD/JB-AR-00/X	IPD/JB-AW-00/X
TYPE A System (Compatible with DESS® Holders)						
	Ti	15	-	PR/JB-XN-15/A	PR/JB-XR-15/A	-

All premilled abutments include 2 titanium screws.

SCREWS

			ø3.3	ø3.8	ø4.3	ø5.0
IPD and OEM compatible For straight channels						
Torque value			20 Ncm	20 Ncm	20 Ncm	20 Ncm
Screwdriver	Coating	Seat				
1.25 Hex	-	Conical	IPD/JB-TR-00	IPD/JB-TR-00	IPD/JB-TR-00	IPD/JB-TW-00
1.25 Hex	TiN	Conical	IPD/JB-TR-00/TiN	IPD/JB-TR-00/TiN	IPD/JB-TR-00/TiN	IPD/JB-TW-00/TiN
1.25 Hex	BLC	Conical	IPD/JB-TR-00/BLC	IPD/JB-TR-00/BLC	IPD/JB-TR-00/BLC	IPD/JB-TW-00/BLC
Removing tool		Conical	IPD/JB-TR-01	IPD/JB-TR-01	IPD/JB-TR-01	IPD/JB-TW-01



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
0°		1.5	-	IPD/JB-MN-01	IPD/JB-MR-01	IPD/JB-MW-01
		2.5	-	IPD/JB-MN-02	IPD/JB-MR-02	IPD/JB-MW-02

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT

*Check availability

Angulation	Indication	Gingival Height (mm)	ø3.3 	ø3.8 	ø4.3 	ø5.0 
17°		2.5	-	IPD/JB-MN-12/AP	IPD/JB-MR-12/AP	IPD/JB-MW-12/AP
		3.5	-	IPD/JB-MN-13/AP	IPD/JB-MR-13/AP	IPD/JB-MW-13/AP
30°		3.5	-	IPD/JB-MN-33/AP	IPD/JB-MR-33/AP	IPD/JB-MW-33/AP
		4.5	-	IPD/JB-MN-34/AP	IPD/JB-MR-34/AP	IPD/JB-MW-34/AP
Replacement Screw for Angled MUA AP			-	IPD/KA-MT-05/BLC	IPD/KA-MT-05/BLC	IPD/KA-MT-13/BLC

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type		ø3.3	ø3.8	ø4.3	ø5.0
Standard		IPD/JB-AT-00	IPD/JB-AN-00	IPD/JB-AR-00	IPD/JB-AW-00
	Full set	IPD/JB-AT-90/3D	IPD/JB-AN-90/3D	IPD/JB-AR-90/3D	IPD/JB-AW-90/3D
Digital					
	Analog				
	Bottom Screw				
	Side Screw				

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
	2.0	-	IPD/JB-LN-02	IPD/JB-LR-02	IPD/JB-LW-02
	3.0	-	IPD/JB-LN-03	IPD/JB-LR-03	IPD/JB-LW-03
	4.0	-	IPD/JB-LN-04	IPD/JB-LR-04	IPD/JB-LW-04

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.3	ø5.0
	1.5	IPD/JB-PT-06	IPD/JB-PN-06	IPD/JB-PR-06	IPD/JB-PW-06
	1.5	IPD/JB-PT-07	IPD/JB-PN-07	IPD/JB-PR-07	IPD/JB-PW-07
Long coping screw		IPD/JB-TR-00/C	IPD/JB-TR-00/C	IPD/JB-TR-00/C	IPD/JB-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)		ø3.3	ø3.8	ø4.3	5.0
Head Diameter (mm)		ø 3.5	ø 4.0	ø 4.5	ø 5.2
2.0		IPD/JB-DT-02	IPD/JB-DN-02	IPD/JB-DR-02	IPD/JB-DW-02
4.0		IPD/JB-DT-04	IPD/JB-DN-04	IPD/JB-DR-04	IPD/JB-DW-04
6.0		IPD/JB-DT-06	IPD/JB-DN-06	IPD/JB-DR-06	IPD/JB-DW-06



SCREWDRIVERS

Type	Length (mm)	ø3.3	ø3.8	ø4.3	5.0
Implant system Screwdriver					
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers					
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
PSD Screwdriver					
PSD	25	-	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00



ACCESSORIES

Indication	Length (mm)	ø3.3	ø3.8	ø4.3	5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		-	IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01


Please see page 210 for more information.



BIOHORIZONS®

LB TAPERED INTERNAL

Prosthetic platform [ø3.0 / ø3.5 / ø4.5 / ø5.7]



SCAN BODY

	Indication	Height (mm)	ø3.0	ø3.5	ø4.5	ø5.7
Scan Body		10	IPD/LB-ST-00	IPD/LB-SN-00	IPD/LB-SR-00	IPD/LB-SW-00
		15	IPD/LB-ST-02	IPD/LB-SN-02	IPD/LB-SR-02	IPD/LB-SW-02
		10	IPD/LB-ST-01	IPD/LB-SN-01	IPD/LB-SR-01	IPD/LB-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.0	ø3.5	ø4.5	ø5.7
	0.5	IPD/LB-IT-00/3D	IPD/LB-IN-00/3D	IPD/LB-IR-00/3D	IPD/LB-IW-00/3D
	1.5	IPD/LB-IT-02/3D	IPD/LB-IN-02/3D	IPD/LB-IR-02/3D	-
	2.5	IPD/LB-IT-04/3D	IPD/LB-IN-04/3D	IPD/LB-IR-04/3D	-
Cutting guide KIT		IPD/KT-IN-00	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	IPD/LB-IT-01/3D	IPD/LB-IN-01/3D	IPD/LB-IR-01/3D	IPD/LB-IW-01/3D
	1.5	IPD/LB-IT-03/3D	IPD/LB-IN-03/3D	IPD/LB-IR-03/3D	-
	2.5	IPD/LB-IT-05/3D	IPD/LB-IN-05/3D	IPD/LB-IR-05/3D	-
Cutting guide KIT		IPD/KT-IN-01	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accesories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	ø3.0	ø3.5	ø4.5	ø5.7
IPD Blank System (Compatible with NT/IPD Holders)						
	Ti	12	IPD/LB-XT-00	IPD/LB-XN-00	IPD/LB-XR-00	IPD/LB-XW-00
Mill Analog			IPD/LB-AT-00/X	IPD/LB-AN-00/X	IPD/LB-AR-00/X	IPD/LB-AW-00/X
TYPE A System (Compatible with DESS® Holders)						
	Ti	15	PR/LB-XT-15/A	PR/LB-XN-15/A	PR/LB-XR-15/A	-

All premilled abutments include 2 titanium screws.



SCREWS

			ø3.0	ø3.5	ø4.5	ø5.7
IPD and OEM compatible For straight channels			Torque value	35 Ncm	35 Ncm	35 Ncm
Screwdriver	Coating	Seat				
1.25 Hex	-	Conical	IPD/LB-TR-00	IPD/LB-TR-00	IPD/LB-TR-00	IPD/LB-TR-00
1.25 Hex	TiN	Conical	IPD/LB-TR-00/TiN	IPD/LB-TR-00/TiN	IPD/LB-TR-00/TiN	IPD/LB-TR-00/TiN
1.25 Hex	BLC	Conical	IPD/LB-TR-00/BLC	IPD/LB-TR-00/BLC	IPD/LB-TR-00/BLC	IPD/LB-TR-00/BLC
For ASC options			Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Conical	IPD/LB-TR-50	IPD/LB-TR-50	IPD/LB-TR-50	IPD/LB-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø3.0 	ø3.5 	ø4.5 	ø5.7 
0°		0.9	-	IPD/FA-MN-00	-	-
		1.0	IPD/LB-MT-01	-	-	-
		1.5	-	IPD/FA-MN-01	IPD/FA-MR-01	-
		2.0	IPD/LB-MT-02	-	-	-
		2.5	-	IPD/FA-MN-02	IPD/FA-MR-02	-
		3.0	IPD/LB-MT-03	-	-	-
		3.5	-	IPD/FA-MN-03	IPD/FA-MR-03	-
17°		4.5	-	IPD/FA-MN-04	IPD/FA-MR-04	-
		2.5	-	IPD/LB-MN-12	-	-
		3.5	-	IPD/LB-MN-13	-	-
30°		3.5	-	IPD/LB-MN-33	-	-
		4.5	-	IPD/LB-MN-34	-	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-08	-	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT*NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	ø3.0 	ø3.5 	ø4.5 	ø5.7 
17°		2.5	-	IPD/LB-MN-12/AP	-	-
		3.5	-	IPD/LB-MN-13/AP	-	-
30°		3.5	-	IPD/LB-MN-33/AP	-	-
		4.5	-	IPD/LB-MN-34/AP	-	-
Replacement Screw for Angled MUA AP				IPD/KA-MT-08/BLC		

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type		ø3.0	ø3.5	ø4.5	ø5.7
Standard		IPD/LB-AT-00	IPD/LB-AN-00	IPD/LB-AR-00	IPD/LB-AW-00
	Full set	IPD/LB-AT-90/3D	IPD/LB-AN-90/3D	IPD/LB-AR-90/3D	IPD/LB-AW-90/3D
Digital	Analog				
	Bottom Screw				
	Side Screw				

Co-Cr BASE ABUTMENT

		ø3.0	ø3.5	ø4.5	ø5.7
Co-Cr Base for analogic workflow					
Indication	Angulation				
	0°	IPD/LB-BT-00	IPD/LB-BN-00	IPD/LB-BR-00	-
	15°	IPD/LB-BT-10	IPD/LB-BN-10	IPD/LB-BR-10	-
	25°	IPD/LB-BT-20	IPD/LB-BN-20	IPD/LB-BR-20	-
	0°	IPD/LB-BT-01	IPD/LB-BN-01	IPD/LB-BR-01	-
	15°	IPD/LB-BT-11	IPD/LB-BN-11	IPD/LB-BR-11	-
	25°	IPD/LB-BT-21	IPD/LB-BN-21	IPD/LB-BR-21	-
Co-Cr Base for digital workflow					
Indication	Angulation				
	Straight/ASC	IPD/LB-BT-00/3D	IPD/LB-BN-00/3D	IPD/LB-BR-00/3D	-
	Straight/ASC	IPD/LB-BT-01/3D	IPD/LB-BN-01/3D	IPD/LB-BR-01/3D	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	ø3.0	ø3.5	ø4.5	ø5.7
	-	IPD/LB-HN-00	IPD/LB-HR-00	IPD/LB-HW-00
	-	IPD/LB-RN-00	IPD/LB-RR-00	IPD/LB-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.0	ø3.5	ø4.5	ø5.7
	1.0	-	IPD/FA-LN-01	IPD/FA-LR-01	-
	2.0	IPD/LB-LT-02	IPD/FA-LN-02	IPD/FA-LR-02	-
	3.0	IPD/LB-LT-03	IPD/FA-LN-03	IPD/FA-LR-03	-
	4.0	IPD/LB-LT-04	IPD/FA-LN-04	IPD/FA-LR-04	-
	5.0	IPD/LB-LT-05	IPD/FA-LN-05	IPD/FA-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	ø3.0	ø3.5	ø4.5	ø5.7
Open tray	-	-	-	IPD/LB-CW-00
Classic Design				



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.0	ø3.5	ø4.5	ø5.7
	1.5	IPD/LB-PT-06	IPD/LB-PN-06	IPD/LB-PR-06	IPD/LB-PW-06
	1.5	IPD/LB-PT-07	IPD/LB-PN-07	IPD/LB-PR-07	IPD/LB-PW-07
Long coping screw		IPD/LB-TR-00/C	IPD/LB-TR-00/C	IPD/LB-TR-00/C	IPD/LB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	ø3.0 	ø3.5 	ø4.5 	ø5.7 
Head Diameter (mm)	ø3.5	ø4.0	ø4.5	ø6.5
1.5	-	IPD/FA-DN-01	IPD/FA-DR-01	-
2.0	IPD/LB-DT-02	-	-	-
3.0	IPD/LB-DT-03	IPD/FA-DN-03	IPD/FA-DR-03	IPD/FA-DW-03
5.0	IPD/LB-DT-05	IPD/FA-DN-05	IPD/FA-DR-05	IPD/FA-DW-05



SCREWDRIVERS

Type	Length (mm)	ø3.0	ø3.5	ø4.5	ø5.7
Implant system Screwdriver					
1.27 Hex	18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18
	25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25
	32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32
IPD Scan Body and extra Screwdrivers					
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver					
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver					
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00	-



ACCESSORIES

Indication	Length (mm)	ø3.0	ø3.5	ø4.5	ø5.7
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01	-


Please see page 210 for more information.



BIOHORIZONS®

LC TAPERED PRO CONICAL

Prosthetic platform [Narrow ø3.3 / Regular ø3.8]



SCAN BODY

	Indication	Height (mm)	Narrow ø3.3	Regular ø3.8	
				For Slim Restorative	For Regular Restorative
Scan Body		10	IPD/JB-ST-00	IPD/JB-SN-00	IPD/JB-SR-00
		15	IPD/JB-ST-02	IPD/JB-SN-02	IPD/JB-SR-02
		10	IPD/JB-ST-01	IPD/JB-SN-01	IPD/JB-SR-01

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Narrow ø3.3	Regular ø3.8	
			For Slim Restorative	For Regular Restorative
	0.5	IPD/JB-IT-00/3D	IPD/JB-IN-00/3D	IPD/JB-IR-00/3D
	1.5	IPD/JB-IT-02/3D	IPD/JB-IN-02/3D	IPD/JB-IR-02/3D
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IR-00
	0.5	IPD/JB-IT-01/3D	IPD/JB-IN-01/3D	IPD/JB-IR-01/3D
	1.5	IPD/JB-IT-03/3D	IPD/JB-IN-03/3D	IPD/JB-IR-03/3D
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	Narrow ø3.3	Regular ø3.8
IPD Blank System (Compatible with NT/IPD Holders)				
	Ti	12	IPD/JB-XT-00	IPD/JB-XR-00
Mill Analog			IPD/JB-AT-00/X	IPD/JB-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	15	-	PR/JB-XR-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			Narrow ø3.3	Regular ø3.8
IPD and OEM compatible	For straight channels	Torque value	20 Ncm	20 Ncm
Screwdriver	Coating	Seat		
1. 25 Hex	-	Conical	IPD/JB-TR-00	IPD/JB-TR-00
1.25 Hex	TiN	Conical	IPD/JB-TR-00/TiN	IPD/JB-TR-00/TiN
1.25 Hex	BLC	Conical	IPD/JB-TR-00/BLC	IPD/JB-TR-00/BLC
Screwdriver			Type	
Removing tool			Conical	IPD/JB-TR-01



MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Narrow ø3.3	Regular ø3.8
0°		1.5	-	IPD/JB-MN-01
		2.5	-	IPD/JB-MN-02

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



MULTI-UNIT AP ABUTMENT*
*Check availability

Angulation	Indication	Gingival Height (mm)	Narrow ø3.3 	Regular ø3.8 
17°		2.5	-	IPD/JB-MN-12/AP
				IPD/JB-MN-13/AP
30°		3.5	-	IPD/JB-MN-33/AP
				IPD/JB-MN-34/AP
Replacement Screw for Angled MUA AP				IPD/KA-MT-05/BLC

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		Narrow ø3.3	Regular ø3.8
		For Slim Restorative	For Regular Restorative
Standard		IPD/JB-AT-00	IPD/JB-AN-00
	Full set	IPD/JB-AT-90/3D	IPD/JB-AN-90/3D
Digital	Components	Analog	-
		Bottom Screw	-
		Side Screw	-



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Narrow ø3.3	Regular ø3.8
	2.0	-	IPD/JB-LN-02
	3.0	-	IPD/JB-LN-03
	4.0	-	IPD/JB-LN-04

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Narrow ø3.3	Regular ø3.8	
			For Slim Restorative	For Regular Restorative
	1.5	IPD/JB-PT-06	IPD/JB-PN-06	IPD/JB-PR-06
	1.5	IPD/JB-PT-07	IPD/JB-PN-07	IPD/JB-PR-07
Long coping screw		IPD/JB-TR-00/C	IPD/JB-TR-00/C	IPD/JB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	Narrow ø3.3	Regular ø3.8	
		For Slim Restorative	For Regular Restorative
Head Diameter (mm)		ø3.5	ø4.0
2.0	IPD/JB-DT-02	IPD/JB-DN-02	IPD/JB-DR-02
4.0	IPD/JB-DT-04	IPD/JB-DN-04	IPD/JB-DR-04
6.0	IPD/JB-DT-06	IPD/JB-DN-06	IPD/JB-DR-06



SCREWDRIVERS

Type	Length (mm)	Narrow ø3.3	Regular ø3.8
Implant system Screwdriver			
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
PSD Screwdriver			
PSD	25	-	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	Narrow ø3.3	Regular ø3.8
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		-	IPD/LL-PS-01

Please see page 210 for more information.





SWEDEN & MARTINA

MA OUTLINK®

Prosthetic platform [ø3.3 / ø4.1 / ø5.0]

SCAN BODY

	Indication	Height (mm)	ø3.3	ø4.1	ø5.0
Scan Body		10	IPD/MA-SN-00	IPD/AA-SR-00	IPD/BA-SW-00
		15	IPD/MA-SN-02	IPD/AA-SR-02	IPD/BA-SW-02
		10	IPD/MA-SN-01	IPD/AA-SR-01	IPD/BA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.3	ø4.1	ø5.0
	0.5	-	IPD/AA-IR-00/3D	IPD/BA-IW-00/3D
	1.5	IPD/MA-IN-02/3D	IPD/AA-IR-02/3D	IPD/BA-IW-02/3D
	2.5	IPD/MA-IN-04/3D	IPD/AA-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	-	IPD/AA-IR-01/3D	IPD/BA-IW-01/3D
	1.5	IPD/MA-IN-03/3D	IPD/AA-IR-03/3D	IPD/BA-IW-03/3D
	2.5	IPD/MA-IN-05/3D	IPD/AA-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	ø3.3	ø4.1	ø5.0
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	PR/MA-XN-15/A	PR/MA-XR-15/A	PR/MA-XW-15/A

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			ø3.3	ø4.1	ø5.0
IPD and OEM compatible	For straight channels	Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
1.25 Hex	-	Conical	IPD/MA-TN-00	IPD/BA-TR-01	IPD/BA-TR-01
1.25 Hex	TiN	Conical	IPD/MA-TN-00/TiN	IPD/BA-TR-01/TiN	IPD/BA-TR-01/TiN
1.25 Hex	BLC	Conical	IPD/MA-TN-00/BLC	IPD/BA-TR-01/BLC	IPD/BA-TR-01/BLC

	For ASC options	Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/MA-TN-50	IPD/AA-TR-50	IPD/AA-TR-50

Additional options	For straight channels	Torque value		20 Ncm	20 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Low profile head - conical seat	-	IPD/AA-TR-01	IPD/AA-TR-01
1.20 Hex	TiN	Low profile head - conical seat	-	IPD/AA-TR-01/TiN	IPD/AA-TR-01/TiN
1.20 Hex	BLC	Low profile head - conical seat	-	IPD/AA-TR-01/BLC	IPD/AA-TR-01/BLC
TPA	TiN	For implant level flat seat	-	IPD/AA-TR-52	IPD/AA-TR-52



MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø3.3 	ø4.1 	ø5.0 
0°	 	1.0	-	IPD/AB-MR-01	-
		2.0	-	IPD/AB-MR-02	-
		3.0	-	IPD/AB-MR-03	-
		4.0	-	IPD/AB-MR-04	-
		5.0	-	IPD/AB-MR-05	-
17°		2.0	-	IPD/AB-MR-12	-
		3.0	-	IPD/AB-MR-13	-
		4.0	-	IPD/AB-MR-14	-
30°		3.0	-	IPD/AB-MR-33	-
		4.0	-	IPD/AB-MR-34	-
		5.0	-	IPD/AB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-00	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		ø3.3	ø4.1	ø5.0
Standard		IPD/MA-AN-00	IPD/AA-AR-00	IPD/BA-AW-00
	Full set	IPD/MA-AN-90/3D	IPD/AA-AR-90/3D	IPD/BA-AW-90/3D
Digital		Analogue		
		Bottom Screw		
		Side Screw		



Co-Cr BASE ABUTMENT

		ø3.3	ø4.1	ø5.0
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/MA-BN-00	IPD/AA-BR-00	IPD/BA-BW-00
	15°	IPD/MA-BN-10	IPD/AA-BR-10	IPD/BA-BW-10
	25°	-	IPD/AA-BR-20	IPD/BA-BW-20
	0°	IPD/MA-BN-01	IPD/AA-BR-01	IPD/BA-BW-01
	15°	IPD/MA-BN-11	IPD/AA-BR-11	IPD/BA-BW-11
	25°	-	IPD/AA-BR-21	IPD/BA-BW-21
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	IPD/MA-BN-00/3D	IPD/AA-BR-00/3D	IPD/BA-BW-00/3D
	Straight/ASC	IPD/MA-BN-01/3D	IPD/AA-BR-01/3D	IPD/BA-BW-01/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1
All ASC CoCr analogic workflow abutments include the relevant TPA screw.				



CASTABLE ABUTMENT


Indication	ø3.3	ø4.1	ø5.0
	-	IPD/AA-HR-00	IPD/BA-HW-00
	-	IPD/AA-RR-00	IPD/BA-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.3	ø4.1	ø5.0
	1.0	-	IPD/AA-LR-01	-
	2.0	IPD/MA-LN-02	IPD/AA-LR-02	-
	3.0	IPD/MA-LN-03	IPD/AA-LR-03	-
	4.0	IPD/MA-LN-04	IPD/AA-LR-04	-
	5.0	IPD/MA-LN-05	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	ø3.3	ø4.1	ø5.0
Open tray	-	IPD/AA-CR-00	IPD/BA-CW-00
Closed tray	-	IPD/AA-CR-01	-
Classic Design			



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.3	ø4.1	ø5.0
	1.5	IPD/MA-PN-06	IPD/AA-PR-06	IPD/BB-PW-06
	1.5	IPD/MA-PN-07	IPD/AA-PR-07	IPD/BB-PW-07
Long coping screw		IPD/MA-TN-00/C	IPD/AA-TR-00/C	IPD/BB-TR-01/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	ø3.3 	ø4.1 	ø5.0 
Head Diameter (mm)	ø3.75	ø4.7	ø5.0
2.0	-	IPD/AA-DR-02	IPD/BA-DW-02
3.0	IPD/MA-DN-03	IPD/AA-DR-03	IPD/BA-DW-03
4.0	IPD/MA-DN-04	IPD/AA-DR-04	IPD/BA-DW-04
5.0	IPD/MA-DN-05	IPD/AA-DR-05	-



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	ø3.3	ø4.1	ø5.0
	0°	2.0	-	IPD/AA-PR-00	-
	15°	1.0	-	IPD/AA-PR-02	-
		2.0	-	IPD/AA-PR-04	-
	25°	1.0	-	IPD/AA-PR-03	-
		2.0	-	IPD/AA-PR-05	-
	0°	2.0	-	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended



SCREWDRIVERS

Type	Length (mm)	ø3.3	ø4.1	ø5.0
Implant system Screwdriver				
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	-




ACCESSORIES

Indication	Length (mm)	ø3.3	ø4.1	ø5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	-

Please see page 210 for more information.





SWEDEN & MARTINA

MB PREMIUM™ KOHNO®
Prosthetic platform [ø3.3 / ø3.8 / ø4.25/ ø5.0]

SCAN BODY

	Indication	Height (mm)	ø3.3	ø3.8	ø4.25	ø5.0
Scan Body		10	IPD/MB-ST-00	IPD/MB-SN-00	IPD/MB-SR-00	IPD/MB-SW-00
		15	IPD/MB-ST-02	IPD/MB-SN-02	IPD/MB-SR-02	IPD/MB-SW-02
		10	IPD/MB-ST-01	IPD/MB-SN-01	IPD/MB-SR-01	IPD/MB-SW-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.25	ø5.0
	0.5	IPD/MB-IT-00/3D	-	-	-
	0.7	-	IPD/MB-IN-00/3D	IPD/MB-IR-00/3D	-
	1.5	IPD/MB-IT-02/3D	IPD/MB-IN-02/3D	IPD/MB-IR-02/3D	-
		Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IN-00	IPD/KT-IR-00
	0.5	IPD/MB-IT-01/3D	-	-	-
	0.7	-	IPD/MB-IN-01/3D	IPD/MB-IR-01/3D	-
	1.5	IPD/MB-IT-03/3D	IPD/MB-IN-03/3D	IPD/MB-IR-03/3D	-
		Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IN-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	ø3.3	ø3.8	ø4.25	ø5.0
TYPE A System (Compatible with DESS® Holders)						
	Ti	15	PR/MB-XT-15/A	PR/MB-XN-15/A	PR/MB-XR-15/A	PR/MB-XW-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			ø3.3	ø3.8	ø4.25	ø5.0
IPD and OEM compatible For straight channels			25 Ncm	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
1.27 Hex	-	Conical	IPD/MB-TN-00	IPD/MB-TN-00	IPD/MB-TR-00	IPD/MB-TR-00
1.27 Hex	TiN	Conical	IPD/MB-TN-00/TiN	IPD/MB-TN-00/TiN	IPD/MB-TR-00/TiN	IPD/MB-TR-00/TiN
1.27 Hex	BLC	Conical	IPD/MB-TN-00/BLC	IPD/MB-TN-00/BLC	IPD/MB-TR-00/BLC	IPD/MB-TR-00/BLC
For ASC options			25 Ncm	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Conical	IPD/MB-TN-50	IPD/MB-TN-50	IPD/MB-TR-50	IPD/MB-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.25	ø5.0
0°		1.5	-	IPD/MB-MN-01	-	-
		3.0	-	IPD/MB-MN-03	-	-
		4.0	-	IPD/MB-MN-04	-	-

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.



ANALOGS


Type		ø3.3	ø3.8	ø4.25	ø5.0
Standard		IPD/MB-AT-00	IPD/MB-AN-00	IPD/MB-AR-00	IPD/MB-AW-00
	Full set	IPD/MB-AT-90/3D	IPD/MB-AN-90/3D	IPD/MB-AR-90/3D	-
Digital					
	Analog				
	Bottom Screw				
	Side Screw				



Co-Cr BASE ABUTMENT

		ø3.3	ø3.8	ø4.25	ø5.0
Co-Cr Base for analogic workflow					
Indication	Angulation				
	0°	IPD/MB-BT-00	IPD/MB-BN-00	IPD/MB-BR-00	-
	15°	IPD/MB-BT-10	IPD/MB-BN-10	IPD/MB-BR-10	-
	25°	-	IPD/MB-BN-20	IPD/MB-BR-20	-
	0°	IPD/MB-BT-01	IPD/MB-BN-01	IPD/MB-BR-01	-
	15°	IPD/MB-BT-11	IPD/MB-BN-11	IPD/MB-BR-11	-
	25°	-	IPD/MB-BN-21	IPD/MB-BR-21	-
Co-Cr Base for digital workflow					
Indication	Angulation				
	Straight/ASC	IPD/MB-BT-00/3D	IPD/MB-BN-00/3D	IPD/MB-BR-00/3D	-
	Straight/ASC	IPD/MB-BT-01/3D	IPD/MB-BN-01/3D	IPD/MB-BR-01/3D	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication		ø3.3	ø3.8	ø4.25	ø5.0
		-	IPD/MB-HN-00	IPD/MB-HR-00	IPD/MB-HW-00
		-	IPD/MB-RN-00	IPD/MB-RR-00	IPD/MB-RW-00



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.25	ø5.0
	1.0	IPD/MB-LT-01	IPD/MB-LN-01	IPD/MB-LR-01	-
	3.0	IPD/MB-LT-03	IPD/MB-LN-03	IPD/MB-LR-03	-
	5.0	-	IPD/MB-LN-05	IPD/MB-LR-05	-

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.3	ø3.8	ø4.25	ø5.0
	1.5	IPD/MB-PT-06	IPD/MB-PN-06	IPD/MB-PR-06	-
	1.5	IPD/MB-PT-07	IPD/MB-PN-07	IPD/MB-PR-07	-
Long coping screw		IPD/MB-TN-00/C	IPD/MB-TN-00/C	IPD/MB-TR-00/C	-

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	ø3.3	ø3.8	ø4.25	ø5.0
Head Diameter (mm)		ø4.5	ø5.0	
2.0	-	IPD/MB-DN-02	IPD/MB-DR-02	-
3.0	-	IPD/MB-DN-03	IPD/MB-DR-03	-
4.0	-	IPD/MB-DN-04	IPD/MB-DR-04	-
6.0	-	IPD/MB-DN-06	IPD/MB-DR-06	-

SCREWDRIVERS

Type	Length (mm)	ø3.3	ø3.8	ø4.25	ø5.0
Implant system Screwdriver					
1.27 Hex	18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18	IPD/PH-27-18
	25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25	IPD/PH-27-25
	32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32	IPD/PH-27-32
IPD Scan Body and extra Screwdrivers					
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver					
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver					
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00	-

ACCESSORIES

Indication	Length (mm)	ø3.3	ø3.8	ø4.25	ø5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01	-

Please see page 210 for more information.




PHIBO®

NA TSH®
Prosthetic platform [S2 / S3-S4 / S5]

SCAN BODY

	Indication	Height (mm)	S2	S3-S4	S5
Scan Body		10	IPD/NA-SN-00	IPD/AA-SR-00	IPD/NA-SW-00
		15	IPD/NA-SN-02	IPD/AA-SR-02	-
		10	IPD/NA-SN-01	IPD/AA-SR-01	IPD/NA-SW-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE

Indication	Gingival Height (mm)	S2	S3-S4	S5
	0.5	-	IPD/AA-IR-00/3D	-
	1.3	-	-	IPD/NA-IW-02/3D
	1.5	IPD/NA-IN-02/3D	IPD/AA-IR-02/3D	-
	2.5	-	IPD/AA-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	-	IPD/AA-IR-01/3D	-
	1.3	-	-	IPD/NA-IW-03/3D
	1.5	IPD/NA-IN-03/3D	IPD/AA-IR-03/3D	-
	2.5	-	IPD/AA-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accessories.



IPDMILLED SYSTEM

*Check availability

Indication	Material	Diameter (mm)	S2	S3-S4	S5
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/AA-XR-15/A	-

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			S2	S3-S4	S5
IPD and OEM compatible	For straight channels	Torque value	35 Ncm	25 Ncm	35 Ncm
Screwdriver	Coating	Seat			
1.25 Hex	-	Conical	IPD/NA-TN-00	IPD/BA-TR-01	IPD/NA-TW-00
1.25 Hex	TiN	Conical	IPD/NA-TN-00/TiN	IPD/BA-TR-01/TiN	-
1.25 Hex	BLC	Conical	IPD/NA-TN-00/BLC	IPD/BA-TR-01/BLC	-

For ASC options			Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Conical	IPD/MB-TN-50	IPD/AA-TR-50	IPD/MB-TN-50	

Additional options	For straight channels	Torque value		20 Ncm	20 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Low profile head - conical seat	-	IPD/AA-TR-01	IPD/AA-TR-01
1.20 Hex	TiN	Low profile head - conical seat	-	IPD/AA-TR-01/TiN	IPD/AA-TR-01/TiN
1.20 Hex	BLC	Low profile head - conical seat	-	IPD/AA-TR-01/BLC	IPD/AA-TR-01/BLC

For ASC options			Torque value	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	For implant level flat seat	-	IPD/AA-TR-52	IPD/AA-TR-52

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	S2	S3-S4	S5
0°		1.0	-	IPD/AB-MR-01	-
		2.0	-	IPD/AB-MR-02	-
		3.0	-	IPD/AB-MR-03	-
		4.0	-	IPD/AB-MR-04	-
		5.0	-	IPD/AB-MR-05	-
17°		2.0	-	IPD/AB-MR-12	-
		3.0	-	IPD/AB-MR-13	-
		4.0	-	IPD/AB-MR-14	-
30°		3.0	-	IPD/AB-MR-33	-
		4.0	-	IPD/AB-MR-34	-
		5.0	-	IPD/AB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-00	-

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page ____ for the MMulti-unit system accessories.

ANALOGS

Type	S2	S3-S4	S5
Standard	IPD/NA-AN-00	IPD/AA-AR-00	IPD/HA-AW-00
Digital	Full set	IPD/NA-AN-90/3D	IPD/AA-AR-90/3D
	Analog		
	Bottom Screw		
	Side Screw		



Co-Cr BASE ABUTMENT

		S2	S3-S4	S5
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	-	IPD/AA-BR-00	-
	15°	-	IPD/AA-BR-10	-
	25°	-	IPD/AA-BR-20	-
	0°	-	IPD/AA-BR-01	-
	15°	-	IPD/AA-BR-11	-
	25°	-	IPD/AA-BR-21	-

Co-Cr Base for digital workflow					
Indication		Angulation			
	Straight/ASC	-	IPD/AA-BR-00/3D	-	
	Straight/ASC	-	IPD/AA-BR-01/3D	-	
Scan Body		-	IPD/SC-AN-B1	-	

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

CASTABLE ABUTMENT

Indication	S2	S3-S4	S5
	IPD/NA-HN-00	IPD/AA-HR-00	IPD/HA-HW-00
	IPD/NA-RN-00	IPD/AA-RR-00	IPD/HA-RW-00

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	S2	S3-S4	S5
	1.0	IPD/NA-LN-01	IPD/AA-LR-01	-
	2.0	-	IPD/AA-LR-02	-
	3.0	IPD/NA-LN-03	IPD/AA-LR-03	-
	4.0	-	IPD/AA-LR-04	-
	5.0	IPD/NA-LN-05	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.

COPING ABUTMENT

Type	S2	S3-S4	S5
Open tray	-	IPD/AA-CR-00	-
Closed tray	-	IPD/AA-CR-01	-
Classic Design			

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	S2	S3-S4	S5
	1.5	IPD/NA-PN-06	IPD/AA-PR-06	IPD/NA-PW-06
	1.5	IPD/NA-PN-07	IPD/AA-PR-07	IPD/NA-PW-07
Long coping screw		IPD/NA-TN-00/C	IPD/AA-TR-00/C	IPD/NA-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT


Gingival Height (mm)	S2	S3-S4	S5
Head Diameter (mm)	ø3.8	ø4.7	ø5.5
2.0	-	IPD/AA-DR-02	-
3.0	IPD/NA-DN-03	IPD/AA-DR-03	IPD/NA-DW-03
4.0	IPD/NA-DN-04	IPD/AA-DR-04	-
5.0	IPD/NA-DN-05	IPD/AA-DR-05	IPD/NA-DW-05



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	S2	S3-S4	S5
	0°	2.0	-	IPD/AA-PR-00	-
	15°	1.0	-	IPD/AA-PR-02	-
		2.0	-	IPD/AA-PR-04	-
	25°	1.0	-	IPD/AA-PR-03	-
	0°	2.0	-	IPD/AA-PR-05	-
		2.0	-	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended



SCREWDRIVERS

Type	Length (mm)	S2	S3-S4	S5
Implant system Screwdriver				
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	-



ACCESSORIES


Indication	Length (mm)	S2	S3-S4	S5
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	-

Please see page 210 for more information.



OSSTEM IMPLANT®

OB TSIII
Prosthetic platform [M ø3.5 / R ø4.0]



SCAN BODY

	Indication	Height (mm)	M ø3.5	R ø4.0
Scan Body		10	IPD/OB-SN-00	IPD/OB-SR-00
		15	IPD/OB-SN-02	IPD/OB-SR-02
		10	IPD/OB-SN-01	IPD/OB-SR-01

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	M ø3.5 	R ø4.0 
	1.0	IPD/OB-IN-00/3D	IPD/OB-IR-00/3D
	2.0	IPD/OB-IN-02/3D	IPD/OB-IR-02/3D
	3.0	IPD/OB-IN-04/3D	IPD/OB-IR-04/3D
	Cutting guide KIT		IPD/KT-IN-00
	1.0	IPD/OB-IN-01/3D	IPD/OB-IR-01/3D
	2.0	IPD/OB-IN-03/3D	IPD/OB-IR-03/3D
	3.0	IPD/OB-IN-05/3D	IPD/OB-IR-05/3D
	Cutting guide KIT		IPD/KT-IN-01

Please see page 204 for the IPD Custom Interface System accesories.



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	M ø3.5	R ø4.0
IPD Blank System (Compatible with NT/IPD Holders)				
	Ti	12	IPD/OB-XN-00	IPD/OB-XR-00
Mill Analog			IPD/OB-AN-00/X	IPD/OB-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	10	PR/OB-XN-10/A	PR/OB-XR-10/A
	Ti	15	PR/OB-XN-15/A	PR/OB-XR-15/A

All premilled abutments include 2 titanium screws.



SCREWS

			M $\varnothing$ 3.5 	R $\varnothing$ 4.0 
IPD compatible	For straight channels	Torque value	20 Ncm	30 Ncm
Screwdriver	Coating	Seat		
1.20 Hex	-	Conical	IPD/OB-TN-00	IPD/OB-TR-00
1.20 Hex	TiN	Conical	IPD/OB-TN-00/TIN	IPD/OB-TR-00/TIN
1.20 Hex	BLC	Conical	IPD/OB-TN-00/BLC	IPD/OB-TR-00/BLC
	For ASC options	Torque value	20 Ncm	25 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/OB-TN-50	IPD/OB-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	M ø3.5 	R ø4.0 
0°		1.5	IPD/OB-MN-01	IPD/OB-MR-01
		2.5	IPD/OB-MN-02	IPD/OB-MR-02
		3.5	IPD/OB-MN-03	IPD/OB-MR-03
		4.5	IPD/OB-MN-04	IPD/OB-MR-04
		5.5	IPD/OB-MN-05	IPD/OB-MR-05
17°		2.5	IPD/OB-MN-12	IPD/OB-MR-12
		3.5	IPD/OB-MN-13	IPD/OB-MR-13
30°		3.5	IPD/OB-MN-33	IPD/OB-MR-33
		4.5	IPD/OB-MN-34	IPD/OB-MR-34
Replacement Screw for Angled MUA			IPD/KA-MT-09	IPD/KA-MT-03

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



MULTI-UNIT AP ABUTMENT* NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	M ø3.5 	R ø4.0 
17°		2.5	IPD/OB-MN-12/AP	IPD/OB-MR-12/AP
		3.5	IPD/OB-MN-13/AP	IPD/OB-MR-13/AP
30°		3.5	IPD/OB-MN-33/AP	IPD/OB-MR-33/AP
		4.5	IPD/OB-MN-34/AP	IPD/OB-MR-34/AP
Replacement Screw for Angled MUA AP			IPD/KA-MT-09/BLC	IPD/KA-MT-03/BLC

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type	M ø3.5	R ø4.0
Standard	IPD/OB-AN-00	IPD/OB-AR-00
Digital	Full set	IPD/OB-AN-90/3D
	Analog	
	Bottom Screw	
		Side Screw



Co-Cr BASE ABUTMENT

	M ø3.5	R ø4.0
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/OB-BN-00
	15°	IPD/OB-BN-10
	0°	IPD/OB-BN-01
	15°	IPD/OB-BN-11
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/OB-BN-00/3D
	Straight/ASC	IPD/OB-BN-01/3D
Scan Body		IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	M ø3.5	R ø4.0
	1.0	IPD/OB-LN-01	IPD/OB-LR-01
	2.0	IPD/OB-LN-02	IPD/OB-LR-02
	3.0	IPD/OB-LN-03	IPD/OB-LR-03
	4.0	IPD/OB-LN-04	IPD/OB-LR-04
	5.0	IPD/OB-LN-05	IPD/OB-LR-05

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	M ø3.5	R ø4.0
	1.5	IPD/OB-PN-06	IPD/OB-PR-06
	1.5	IPD/OB-PN-07	IPD/OB-PR-07
Long coping screw		IPD/OB-TN-00/C	IPD/OB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	M ø3.5	R ø4.0
Head Diameter (mm)		
	ø4.0	ø4.5
3.0	IPD/OB-DN-03	IPD/OB-DR-03
5.0	IPD/OB-DN-05	IPD/OB-DR-05
7.0	IPD/OB-DN-07	IPD/OB-DR-07



SCREWDRIVERS

Type	Length (mm)	M ø3.5	R ø4.0
Implant system Screwdriver			
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver			
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver			
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	M ø3.5	R ø4.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.





BIOTECH® DENTAL

QB KONTACT® Prosthetic platform [RP]

*Biotech® Dental is the exclusive distributor of this product in France.

SCAN BODY

	Indication	Height (mm)	RP
Scan Body		10	IPD/QB-SR-00
		15	IPD/QB-SR-02
		10	IPD/QB-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RP
	1.0	IPD/QB-IR-00/3D
	2.0	IPD/QB-IR-02/3D
	3.0	IPD/QB-IR-04/3D
	Cutting guide KIT	IPD/KT-IR-00
	1.0	IPD/QB-IR-01/3D
	2.0	IPD/QB-IR-03/3D
	3.0	IPD/QB-IR-05/3D
	Cutting guide KIT	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*


*Check availability

Indication	Material	Diameter (mm)	RP
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/QB-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			RP
IPD and OEM compatible	For straight channels	Torque value	20 Ncm
Screwdriver	Coating	Seat	
1.20 Hex	-	Conical	IPD/QB-TR-00
1.20 Hex	TiN	Conical	IPD/QB-TR-00/TiN
1.20 Hex	BLC	Conical	IPD/QB-TR-00/BLC
	For ASC options	Torque value	15 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/QB-TR-50
Removing tool		Conical	IPD/QB-TR-01



RETURN TO INDEX

BIOTECH® DENTAL QB KONTACT®

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	RP
0°		1.5	IPD/QB-MR-01
		2.5	IPD/QB-MR-02
		3.5	IPD/QB-MR-03
17°		3.5	IPD/QB-MR-13
30°		4.5	IPD/QB-MR-34
Replacement Screw for Angled MUA			IPD/KA-MT-12

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type	RP	
Standard	IPD/QB-AR-00	
	Full set	IPD/QB-AR-90/3D
Digital	Analog	
	Bottom Screw	
	Side Screw	



Co-Cr BASE ABUTMENT

		RP
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/QB-BR-00
	15°	IPD/QB-BR-10
	0°	IPD/QB-BR-01
	15°	IPD/QB-BR-11
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/QB-BR-00/3D
	Straight/ASC	IPD/QB-BR-01/3D
	Scan Body	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP
	2.0	IPD/QB-LR-02
	3.0	IPD/QB-LR-03
	4.0	IPD/QB-LR-04

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP
	1.5	IPD/QB-PR-06
	1.5	IPD/QB-PR-07
Long coping screw		IPD/QB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		RP 
	Head Diameter (mm)	Ø4.5
1.5		IPD/QB-DR-01
3.0		IPD/QB-DR-03
5.0		IPD/QB-DR-05

SCREWDRIVERS

Type	Length (mm)	RP 
Implant system Screwdriver		
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	RP 
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90
PSD and insert extractor	-	IPD/LL-PS-01


Please see page 210 for more information.



NEODENT®

RA HELIX® HE

Prosthetic platform [Ø3.3 / Ø4.1 / Ø5.0]



SCAN BODY

	Indication	Height (mm)	Ø3.3	Ø4.1	Ø5.0
Scan Body		10	IPD/RA-SN-00	IPD/AA-SR-00	IPD/RA-SW-00
		15	IPD/RA-SN-02	IPD/AA-SR-02	IPD/RA-SW-02
		10	IPD/RA-SN-01	IPD/AA-SR-01	IPD/RA-SW-01

Captive screw included. 1.20 Hex Screwdriver.




Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Ø3.3	Ø4.1	Ø5.0
	0.5	-	IPD/AA-IR-00/3D	-
	1.3	IPD/RA-IN-02/3D	-	-
	1.4	-	-	IPD/RA-IW-02/3D
	1.5	-	IPD/AA-IR-02/3D	-
	2.5	IPD/RA-IN-04/3D	IPD/AA-IR-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	-	IPD/AA-IR-01/3D	-
	1.3	IPD/RA-IN-03/3D		IPD/RA-IW-03/3D*
	1.5	-	IPD/AA-IR-03/3D	-
	2.5	IPD/RA-IN-05/3D	IPD/AA-IR-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	-

Please see page 204 for the IPD Custom Interface System accessories.

*Only available Post Height 3.5 mm version



IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	Ø3.3	Ø4.1	Ø5.0
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/AA-XR-15/A	-

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			Ø3.3	Ø4.1	Ø5.0
IPD and OEM compatible	For straight channels	Torque value	32 Ncm	25 Ncm	32 Ncm
Screwdriver	Coating	Seat			
1.20 Hex	-	Flat	IPD/RA-TN-00	-	IPD/RA-TW-00
1.20 Hex	TiN	Flat	IPD/RA-TN-00/TiN	-	IPD/RA-TW-00/TiN
1.20 Hex	BLC	Flat	IPD/RA-TN-00/BLC	-	IPD/RA-TW-00/BLC
1.20 Hex	-	Conical	-	IPD/BA-TR-00	-
1.20 Hex	TiN	Conical	-	IPD/BA-TR-00/TiN	-
1.20 Hex	BLC	Conical	-	IPD/BA-TR-00/BLC	-
			For ASC options	Torque value	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/RA-TN-50	IPD/AA-TR-50	IPD/RA-TW-50
Additional options			Torque value	20 Ncm	
Screwdriver	Seat				
1.20 Hex	-	Low profile head - conical seat	-	IPD/AA-TR-01	-
1.20 Hex	TiN	Low profile head - conical seat	-	IPD/AA-TR-01/TiN	-
1.20 Hex	BLC	Low profile head - conical seat	-	IPD/AA-TR-01/BLC	-
			Torque value	35 Ncm	
Screwdriver	Seat				
Unigrip	-	Conical	-	IPD/AA-TR-00	-
Unigrip	TiN	Conical	-	IPD/AA-TR-00/TiN	-
Unigrip	BLC	Conical	-	IPD/AA-TR-00/BLC	-
			Torque value	35 Ncm	
Screwdriver	Seat				
Unigrip	-	For implant level flat seat	-	IPD/AA-TR-02	-
Unigrip	TiN	For implant level flat seat	-	IPD/AA-TR-02/TiN	-
Unigrip	BLC	For implant level flat seat	-	IPD/AA-TR-02/BLC	-
			For ASC options	Torque value	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	For implant level flat seat	-	IPD/AA-TR-52	-

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Ø3.3	Ø4.1	Ø5.0
0°		1.0	-	IPD/AB-MR-01	-
		1.5	IPD/RA-MN-01	-	IPD/RA-MW-01
		2.0	-	IPD/AB-MR-02	-
		2.5	IPD/RA-MN-02	-	IPD/RA-MW-02
		3.0	-	IPD/AB-MR-03	-
		3.5	IPD/RA-MN-03	-	IPD/RA-MW-03
		4.0	-	IPD/AB-MR-04	-
		5.0	-	IPD/AB-MR-05	-
17°		2.0	-	IPD/AB-MR-12	-
		3.0	-	IPD/AB-MR-13	-
		4.0	-	IPD/AB-MR-14	-
30°		3.0	-	IPD/AB-MR-33	-
		4.0	-	IPD/AB-MR-34	-
		5.0	-	IPD/AB-MR-35	-
Replacement Screw for Angled MUA			-	IPD/KA-MT-00	-

Straight Multi-unit abutments can be used for single and multiple restorations
Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		Ø3.3	Ø4.1	Ø5.0
Standard		IPD/RA-AN-00	IPD/AA-AR-00	IPD/RA-AW-00
	Full set	IPD/RA-AN-90/3D	IPD/AA-AR-90/3D	IPD/RA-AW-90/3D
Digital			Analog	
			Bottom Screw	
			Side Screw	



Co-Cr BASE ABUTMENT

		Ø3.3	Ø4.1	Ø5.0
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/RA-BN-00	IPD/AA-BR-00	IPD/RA-BW-00
	15°	IPD/RA-BN-10	IPD/AA-BR-10	-
	25°	-	IPD/AA-BR-20	-
	0°	IPD/RA-BN-01	IPD/AA-BR-01	IPD/RA-BW-01
	15°	IPD/RA-BN-11	IPD/AA-BR-11	-
	25°	-	IPD/AA-BR-21	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight/ASC	IPD/RA-BN-00/3D	IPD/AA-BR-00/3D	IPD/RA-BW-00/3D
	Straight/ASC	IPD/RA-BN-01/3D	IPD/AA-BR-01/3D	IPD/RA-BW-01/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



CASTABLE ABUTMENT

Indication	Ø3.3	Ø4.1	Ø5.0
	-	IPD/AA-HR-00	-
	-	IPD/AA-RR-00	-



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Ø3.3	Ø4.1	Ø5.0
	1.0	-	IPD/AA-LR-01	-
	2.0	IPD/RA-LN-02	IPD/AA-LR-02	IPD/RA-LW-02
	3.0	IPD/RA-LN-03	IPD/AA-LR-03	IPD/RA-LW-03
	4.0	IPD/RA-LN-04	IPD/AA-LR-04	IPD/RA-LW-04
	5.0	-	IPD/AA-LR-05	-

Please see page 205 for the PSD system accessories.



COPING ABUTMENT

Type	Ø3.3	Ø4.1	Ø5.0
Open tray	-	IPD/AA-CR-00	-
Closed tray	-	IPD/AA-CR-01	-
Classic Design			



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Ø3.3	Ø4.1	Ø5.0
	1.5	IPD/RA-PN-06	IPD/AA-PR-06	IPD/RA-PW-06
	1.5	IPD/RA-PN-07	IPD/AA-PR-07	IPD/RA-PW-07
Long coping screw		IPD/RA-TN-00/C	IPD/AA-TR-00/C	IPD/RA-TW-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	Ø3.3	Ø4.1	Ø5.0
Head Diameter (mm)	ø3.8	ø4.7	ø5.5
2.0	IPD/RA-DN-02	IPD/AA-DR-02	IPD/RA-DW-02
3.0	IPD/RA-DN-03	IPD/AA-DR-03	IPD/RA-DW-03
4.0	IPD/RA-DN-04	IPD/AA-DR-04	IPD/RA-DW-04
5.0	-	IPD/AA-DR-05	-

TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	Ø3.3	Ø4.1	Ø5.0
	0°	2.0	-	IPD/AA-PR-00	-
	15°	1.0	-	IPD/AA-PR-02	-
		2.0	-	IPD/AA-PR-04	-
	25°	1.0	-	IPD/AA-PR-03	-
	0°	2.0	-	IPD/AA-PR-05	-
		2.0	-	IPD/AA-PR-01	-

Using the Low profile IPD/AA-TR-01 screw for IPD/AA-PR-04 is recommended

SCREWDRIVERS

Type	Length (mm)	Ø3.3	Ø4.1	Ø5.0
Implant system Screwdriver				
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	Ø3.3	Ø4.1	Ø5.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.



NEODENT®

RB GRAND MORSE™ GM

Prosthetic platform [GM]

SCAN BODY

	Indication	Height (mm)	GM
Scan Body		10	IPD/RB-SR-00
		15	IPD/RB-SR-02
		10	IPD/RB-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	GM	
	1.0	IPD/RB-IR-00/3D	
	2.0	IPD/RB-IR-02/3D	
	3.0	IPD/RB-IR-04/3D	
	4.0	IPD/RB-IR-06/3D	
	Cutting guide KIT		IPD/KT-IR-00
	1.0	IPD/RB-IR-01/3D	
	2.0	IPD/RB-IR-03/3D	
	3.0	IPD/RB-IR-05/3D	
	4.0	IPD/RB-IR-07/3D	
	Cutting guide KIT		IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*



*Check availability

Indication	Material	Diameter (mm)	GM
IPD Blank System (Compatible with NT/IPD Holders)			
Mill Analog	Ti	12	IPD/RB-XR-00
			IPD/RB-AR-00/X
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/RB-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			GM
IPD and OEM compatible	For straight channels	Torque value	20 Ncm
Screwdriver	Coating	Seat	
Neo GM	-	Conical	IPD/RB-TR-00
Neo GM	TiN	Conical	IPD/RB-TR-00/TiN
Neo GM	BLC	Conical	IPD/RB-TR-00/BLC
	For ASC options	Torque value	20 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/RB-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	GM
0°		1.5	IPD/RB-MR-01
		2.5	IPD/RB-MR-02
		3.5	IPD/RB-MR-03
		4.5	IPD/RB-MR-04
17°		2.5	IPD/RB-MR-12
30°		3.5	IPD/RB-MR-33
Replacement Screw for Angled MUA			IPD/KA-MT-02

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT* NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	GM
17°		2.5	IPD/RB-MR-12/AP
		3.5	IPD/RB-MR-13/AP
30°		3.5	IPD/RB-MR-33/AP
		4.5	IPD/RB-MR-34/AP
Replacement Screw for Angled MUA AP			IPD/KA-MT-02/BLC

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type	GM
Standard	IPD/RB-AR-00
	Full set IPD/RB-AR-90/3D
Digital	Analog
	Bottom Screw
	Side Screw

Co-Cr BASE ABUTMENT

		GM
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/RB-BR-00
		IPD/RB-BR-01
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/RB-BR-00/3D
		IPD/RB-BR-01/3D
Scan Body		IPD/SC-AN-B1



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	GM
	2.0	IPD/RB-LR-02
	3.0	IPD/RB-LR-03
	4.0	IPD/RB-LR-04
	5.0	IPD/RB-LR-05

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	GM
	1.5	IPD/RB-PR-06
	1.5	IPD/RB-PR-07
Long coping screw		IPD/RB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	GM
	Head Diameter (mm) ø4.5
1.5	IPD/RB-DR-01
3.0	IPD/RB-DR-03
5.0	IPD/RB-DR-05
7.0	IPD/RB-DR-07

SCREWDRIVERS


Type	Length (mm)	GM
Implant system Screwdriver		
Neo GM	18	IPD/PU-01-18
	25	IPD/PU-01-25
	32	IPD/PU-01-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	GM
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90
PSD and insert extractor	-	IPD/LL-PS-01

Please see page 210 for more information.





NEODENT®

RC GM ABUTMENT

Prosthetic platform [RP ø4.8]

SCAN BODY

	Indication	Height (mm)	RP ø4.8
Scan Body		10	IPD/RC-SR-00

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Post Height (mm)	Gingival Height (mm)	RP ø4.8
	8.0	0.5	IPD/RC-IR-00/3D
		Cutting guide KIT	IPD/KT-IR-00

Please see page 204 for the IPD Custom Interface System accessories.



SCREWS

			RP ø4.8
IPD and OEM compatible	For straight channels	Torque value	10 Ncm
Screwdriver	Coating	Seat	
Neo GM	-	Conical	IPD/RC-TR-00
Neo GM	TiN	Conical	IPD/RC-TR-00/TiN
Neo GM	BLC	Conical	IPD/RC-TR-00/BLC

	For ASC options	Torque value	10 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/RC-TR-50



ANALOGS

Type		RP ø4.8
Standard		IPD/RC-AR-00
	Full set	IPD/RC-AR-90/3D
Digital	Analog	
	Bottom Screw	
	Side Screw	



RETURN TO INDEX

NEODENT® RC GM ABUTMENT

Co-Cr BASE ABUTMENT

		RP ø4.8
Cr-Co Base for analogic workflow		
Indication	Angulation	
	0°	IPD/RC-BR-00
	15°	IPD/RC-BR-10
	25°	IPD/RC-BR-20

Cr-Co Base for digital workflow		
Indication	Angulation	
	Straight/ASC	IPD/RC-BR-00/3D
	Scan Body	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP ø4.8
	0.2	IPD/RC-PR-06
	Long coping screw	IPD/RC-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		RP ø4.8
	Head Diameter (mm)	ø4.05
4.75		IPD/RC-DR-03
	Screw	IPD/RC-TR-00

Screw not included



SCREWDRIVERS

Type	Length (mm)	RP ø4.8
Implant system Screwdriver		
	18	IPD/PU-01-18
Neo GM	25	IPD/PU-01-25
	32	IPD/PU-01-32
IPD Scan Body and extra Screwdrivers		
	18	IPD/PH-20-18
1.20 Hex	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
	18	IPD/KA-CT-18
TPA	25	IPD/KA-CT-25
	32	IPD/KA-CT-32




ACCESSORIES

Indication	Length (mm)	RP ø4.8
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90

Please see page 210 for more information.





NEODENT®

RD GM MICRO ABUTMENT

Prosthetic platform [ø3.5]

SCAN BODY / SCAN DATA MARKER

	Indication	Height (mm)	ø3.5
Scan Body		10	IPD/RD-SN-00
		10	IPD/RD-SN-01
One Shot iQ		6	IPD/RD-SN-03
Reverse iQ			IPD/RD-SN-00/RS

Captive screw included except on Reverse Marker IQ. H1.20 Screwdriver

Ti-BASE Custom Ti-Base System®

Indication	Post Height (mm)	Gingival Height (mm)	RP ø4.8
	4.0	0.5	IPD/RD-IN-00/3D
	Cutting guide KIT		-
	6.5	0.3	IPD/RD-IN-01/3D
	Cutting guide KIT		IPD/KT-IN-01

Please see page 204 for the IPD Custom Interface System accessories.

SCREWS

			ø3.5
IPD and OEM compatible		For straight channels	Torque value 10 Ncm
Screwdriver	Coating	Seat	
Neo GM	-	Flat	IPD/RD-TN-00
Neo GM	TiN	Flat	IPD/RD-TN-00/TiN
Neo GM	BLC	Flat	IPD/RD-TN-00/BLC
		For ASC options	Torque value 10 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Flat	IPD/RD-TN-50

ANALOGS

Type		ø3.5
Standard		IPD/RD-AN-00
	Full set	IPD/RD-AN-90/3D
Digital		Analog
		Bottom Screw
		Side Screw



RETURN TO INDEX

Co-Cr BASE ABUTMENT

		ø3.5
Co-Cr Base for analogic workflow		
	Angulation 0°	IPD/RD-BN-00
	15°	IPD/RD-BN-10
	25°	IPD/RD-BN-20
	0°	IPD/RD-BN-01
	15°	IPD/RD-BN-11
	25°	IPD/RD-BN-21
Co-Cr Base for digital workflow		
	Angulation Straight/ASC	IPD/RD-BN-00/3D
	Straight/ASC	IPD/RD-BN-01/3D
Scan Body		IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.5
	1.5	IPD/RD-PN-06
	1.5	IPD/RD-PN-07
Long coping screw		IPD/RD-TN-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)		ø3.5
		Head Diameter (mm)
		ø3.5
3.25		IPD/RD-DN-03
		Screw
		IPD/RD-TN-00

Screw not included.

SCREWDRIVERS


Type	Length (mm)	ø3.5
Implant system Screwdriver		
Neo GM	18	IPD/PU-01-18
	25	IPD/PU-01-25
	32	IPD/PU-01-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32

ACCESSORIES

Indication	Length (mm)	ø3.5
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90

Please see page 210 for more information.





BEGO® SEMADOS®

SB SC/RS

Prosthetic platform [ø3.25-ø3.75 / ø4.1 / ø4.5 / ø5.5]

SCAN BODY*

**Check availability*

	Indication	Height (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
Scan Body		10	IPD/SB-SN-00	IPD/SB-SR-00	IPD/SB-SW-00	IPD/SB-SX-00
		15	IPD/SB-SN-02	IPD/SB-SR-02	IPD/SB-SW-02	-
		10	IPD/SB-SN-01	IPD/SB-SR-01	IPD/SB-SW-01	-

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
	0.5	IPD/SB-IN-00/3D	IPD/SB-IR-00/3D	IPD/SB-IW-00/3D	-
	1.5	IPD/SB-IN-02/3D	IPD/SB-IR-02/3D	IPD/SB-IW-02/3D	-
	2.5	IPD/SB-IN-04/3D	IPD/SB-IR-04/3D	IPD/SB-IW-04/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IR-00	-
	0.5	IPD/SB-IN-01/3D	IPD/SB-IR-01/3D	IPD/SB-IW-01/3D	-
	1.5	IPD/SB-IN-03/3D	IPD/SB-IR-03/3D	IPD/SB-IW-03/3D	-
	2.5	IPD/SB-IN-05/3D	IPD/SB-IR-05/3D	IPD/SB-IW-05/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IR-01	-

Please see page 204 for the IPD Custom Ti-Base System accessories.

IPDMILLED SYSTEM*


**Check availability*

Indication	Material	Diameter (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
IPD Blank System (Compatible with NT/IPD Holders)						
	Ti	12	IPD/SB-XN-00	IPD/SB-XR-00	IPD/SB-XW-00	IPD/SB-XX-00
Mill Analog			IPD/SB-AN-00/X	IPD/SB-AR-00/X	IPD/SB-AW-00/X	IPD/SB-AX-00/X
TYPE A System (Compatible with DESS® Holders)						
	Ti	15	PR/SB-XN-15/A	-	-	-

All premilled abutments include 2 titanium screws.

SCREWS

			ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
IPD and OEM compatible For straight channels			Torque value	30 Ncm	30 Ncm	30 Ncm
Screwdriver	Coating	Seat				
1.25 Hex	-	Conical	IPD/SB-TR-00	IPD/SB-TR-00	IPD/SB-TR-00	IPD/SB-TR-00
1.25 Hex	TiN	Conical	IPD/SB-TR-00/TiN	IPD/SB-TR-00/TiN	IPD/SB-TR-00/TiN	IPD/SB-TR-00/TiN
1.25 Hex	BLC	Conical	IPD/SB-TR-00/BLC	IPD/SB-TR-00/BLC	IPD/SB-TR-00/BLC	IPD/SB-TR-00/BLC
For ASC options			Torque value	25 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat				
TPA	TiN	Conical	IPD/SB-TR-50	IPD/SB-TR-50	IPD/SB-TR-50	IPD/SB-TR-50



RETURN TO INDEX

BEGO® SEMADOS® SB SC/RS

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
0°		1.5	IPD/SB-MN-01	IPD/SB-MR-01	IPD/SB-MW-01	-
		2.5	IPD/SB-MN-02	IPD/SB-MR-02	IPD/SB-MW-02	-
		3.5	IPD/SB-MN-03	IPD/SB-MR-03	-	-
		4.5	IPD/SB-MN-04	IPD/SB-MR-04	-	-
		5.5	IPD/SB-MN-05	-	-	-
17°		2.5	IPD/SB-MN-12	IPD/SB-MR-12	IPD/SB-MW-12	-
		3.5	IPD/SB-MN-13	-	-	-
30°		3.5	IPD/SB-MN-33	IPD/SB-MR-33	IPD/SB-MW-33	-
		4.5	IPD/SB-MN-34	-	-	-
Replacement Screw for Angled MUA			IPD/KA-MT-10	IPD/KA-MT-10	IPD/KA-MT-10	

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
Standard	IPD/SB-AN-00	IPD/SB-AR-00	IPD/SB-AW-00	-
	Full set	IPD/SB-AN-90/3D	IPD/SB-AR-90/3D	IPD/SB-AW-90/3D
Digital		Analog		
		Bottom Screw		
		Side Screw		



Co-Cr BASE ABUTMENT

		ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
Co-Cr Base for analogic workflow					
Indication	Angulation				
	0°	IPD/SB-BN-00	IPD/SB-BR-00	IPD/SB-BW-00	-
	15°	IPD/SB-BN-10	IPD/SB-BR-10	IPD/SB-BW-10	-
	25°	IPD/SB-BN-20	IPD/SB-BR-20	IPD/SB-BW-20	-
	0°	IPD/SB-BN-01	IPD/SB-BR-01	IPD/SB-BW-01	-
	15°	IPD/SB-BN-11	IPD/SB-BR-11	IPD/SB-BW-11	-
	25°	IPD/SB-BN-21	IPD/SB-BR-21	IPD/SB-BW-21	-
Co-Cr Base for digital workflow					
Indication	Angulation				
	Straight/ASC	IPD/SB-BN-00/3D	IPD/SB-BR-00/3D	IPD/SB-BW-00/3D	-
	Straight/ASC	IPD/SB-BN-01/3D	IPD/SB-BR-01/3D	IPD/SB-BW-01/3D	-
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
	1.0	IPD/SB-LN-01	IPD/SB-LR-01	IPD/SB-LW-01	-
	2.0	IPD/SB-LN-02	IPD/SB-LR-02	IPD/SB-LW-02	-
	3.0	IPD/SB-LN-03	IPD/SB-LR-03	IPD/SB-LW-03	-
	4.0	IPD/SB-LN-04	IPD/SB-LR-04	IPD/SB-LW-04	-
	5.0	IPD/SB-LN-05	IPD/SB-LR-05	IPD/SB-LW-05	-

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
	1.5	IPD/SB-PN-06	IPD/SB-PR-06	IPD/SB-PW-06	-
	1.5	IPD/SB-PN-07	IPD/SB-PR-07	IPD/SB-PW-07	-
Long coping screw		IPD/SB-TN-00/C	IPD/SB-TR-00/C	IPD/SB-TR-00/C	-

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
Head Diameter (mm)	ø4.5	ø5.0	ø5.5	
3.0	IPD/SB-DN-03	IPD/SB-DR-03	IPD/SB-DW-03	-
5.0	IPD/SB-DN-05	IPD/SB-DR-05	IPD/SB-DW-05	-
7.0	IPD/SB-DN-07	IPD/SB-DR-07	IPD/SB-DW-07	-

SCREWDRIVERS

Type	Length (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
Implant system Screwdriver					
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers					
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver					
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver					
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00	-

ACCESSORIES

Indication	Length (mm)	ø3.25-ø3.75	ø4.1	ø4.5	ø5.5
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01	-

Please see page 210 for more information.



MIS®

TA SEVEN®

Prosthetic platform [Narrow NP ø3.3 / Standard SP / Wide WP]

SCAN BODY

	Indication	Height (mm)	Narrow NP ø3.3	Standard SP	Wide WP
Scan Body		10	IPD/TA-ST-00	IPD/FA-SN-00	IPD/FA-SR-00
		15	IPD/TA-ST-02	IPD/FA-SN-02	IPD/FA-SR-02
		10	IPD/TA-ST-01	IPD/FA-SN-01	IPD/FA-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Narrow NP ø3.3	Standard SP	Wide WP
	0.5	IPD/TA-IT-00/3D	IPD/FA-IN-00/3D	IPD/FA-IR-00/3D
	1.5	IPD/TA-IT-02/3D	IPD/FA-IN-02/3D	IPD/FA-IR-02/3D
	2.5	IPD/TA-IT-04/3D	IPD/FA-IN-04/3D	IPD/FA-IR-04/3D
Cutting guide KIT		IPD/KT-IN-00	IPD/KT-IN-00	IPD/KT-IR-00
	0.5	IPD/TA-IT-01/3D	IPD/FA-IN-01/3D	IPD/FA-IR-01/3D
	1.5	IPD/TA-IT-03/3D	IPD/FA-IN-03/3D	IPD/FA-IR-03/3D
	2.5	IPD/TA-IT-05/3D	IPD/FA-IN-05/3D	IPD/FA-IR-05/3D
Cutting guide KIT		IPD/KT-IN-01	IPD/KT-IN-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

CEREC® TI-BASE SYSTEM

Indication	Gingival Height (mm)	Narrow NP ø3.3	Standard SP	Wide WP
	0.5	-	IPD/FA-IN-00/SI	IPD/FA-IR-00/SI
	1.5	-	IPD/FA-IN-02/SI	IPD/FA-IR-02/SI
	2.5	-	IPD/FA-IN-04/SI	IPD/FA-IR-04/SI
Cerec Block (S/L)		-	S	L
Cerec Library Code		-	B C 3.4	NB B 4.1


TiN screw included.

IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	Narrow NP ø3.3	Standard SP	Wide WP
IPD Blank System (Compatible with NT/IPD Holders)					
	Ti	12	IPD/TA-XN-00	IPD/TA-XR-00	IPD/TA-XW-00
Mill Analog			IPD/TA-AN-00/X	IPD/TA-AR-00/X	IPD/TA-AW-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/TA-XR-15/A	-

All premilled abutments include 2 titanium screws.



RETURN TO INDEX

SCREWS

			Narrow NP ø3.3	Standard SP	Wide WP
IPD and OEM compatible	For straight channels	Torque value	30 Ncm	30 Ncm	30 Ncm
Screwdriver	Coating	Seat			
1.25 Hex	-	Conical	IPD/TA-TT-00	IPD/FA-TR-00	IPD/FA-TR-00
1.25 Hex	TiN	Conical	IPD/TA-TT-00/TiN	IPD/FA-TR-00/TiN	IPD/FA-TR-00/TiN
1.25 Hex	BLC	Conical	IPD/TA-TT-00/BLC	IPD/FA-TR-00/BLC	IPD/FA-TR-00/BLC
			25 Ncm	25 Ncm	25 Ncm
For ASC options	Torque value				
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/TA-TT-50	IPD/FA-TR-50	IPD/FA-TR-50
			30 Ncm	30 Ncm	30 Ncm
IPDmilled compatible	Torque value				
Screwdriver	Coating	Seat			
1.25 Hex	-	Conical	IPD/TA-TT-00	IPD/TA-TR-00/X	IPD/TA-TR-00/X

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Narrow NP ø3.3 	Standard SP 	Wide WP 
0°		0.9	-	IPD/FA-MN-00	-
		1.0	IPD/TA-MT-01	-	-
		1.5	-	IPD/FA-MN-01	IPD/FA-MR-01
		2.0	IPD/TA-MT-02	-	-
		2.5	-	IPD/FA-MN-02	IPD/FA-MR-02
		3.0	IPD/TA-MT-03	-	-
		3.5	-	IPD/FA-MN-03	IPD/FA-MR-03
		4.5	-	IPD/FA-MN-04	IPD/FA-MR-04
17°		2.5	-	IPD/FA-MN-12	-
		3.0	-	-	IPD/FA-MR-12
		3.5	-	IPD/FA-MN-13	-
		4.0	-	-	IPD/FA-MR-13
30°		3.5	-	IPD/FA-MN-33	IPD/FA-MR-33
		4.5	-	IPD/FA-MN-34	IPD/FA-MR-34
Replacement Screw for Angled MUA			-	IPD/KA-MT-08	IPD/KA-MT-08

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accesories.

MULTI-UNIT AP ABUTMENT*^{NEW}

*Check availability

Angulation	Indication	Gingival Height (mm)	Narrow NP ø3.3 	Standard SP 	Wide WP 
17°		2.5	-	IPD/FA-MN-12/AP	IPD/FA-MR-12/AP
		3.5	-	IPD/FA-MN-13/AP	IPD/FA-MR-13/AP
30°		3.5	-	IPD/FA-MN-33/AP	IPD/FA-MR-33/AP
		4.5	-	IPD/FA-MN-34/AP	IPD/FA-MR-34/AP
Replacement Screw for Angled MUA AP			-	IPD/KA-MT-08/BLC	IPD/KA-MT-08/BLC

Please see page 206 for the Multi-unit system accesories.

ANALOGS

Type			Narrow NP ø3.3	Standard SP	Wide WP
Standard	Full set		IPD/TA-AT-00	IPD/FA-AN-00	IPD/FA-AR-00
			IPD/TA-AT-90/3D	IPD/FA-AN-90/3D	IPD/FA-AR-90/3D
Digital		Analog			
		Bottom Screw			
		Side Screw			



Co-Cr BASE ABUTMENT

		Narrow NP ø3.3 	Standard SP 	Wide WP 
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	IPD/TA-BT-00	IPD/FA-BN-00	IPD/FA-BR-00
	15°	IPD/TA-BT-10	IPD/FA-BN-10	IPD/FA-BR-10
	25°	IPD/TA-BT-20	IPD/FA-BN-20	IPD/FA-BR-20
	0°	IPD/TA-BT-01	IPD/FA-BN-01	IPD/FA-BR-01
	15°	IPD/TA-BT-11	IPD/FA-BN-11	IPD/FA-BR-11
	25°	IPD/TA-BT-21	IPD/FA-BN-21	IPD/FA-BR-21
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight / ASC	IPD/TA-BT-00/3D	IPD/FA-BN-00/3D	-
	Straight	-	-	IPD/FA-BR-00/3D
	ASC	-	-	IPD/FA-BR-A0/3D
	Straight / ASC	IPD/TA-BT-01/3D	IPD/FA-BN-01/3D	-
	Straight	-	-	IPD/FA-BR-01/3D
	ASC	-	-	IPD/FA-BR-A1/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

CASTABLE ABUTMENT

Indication	Narrow NP ø3.3	Standard SP	Wide WP
	-	IPD/FA-HN-00	IPD/FA-HR-00
	-	IPD/FA-RN-00	IPD/FA-RR-00

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Narrow NP ø3.3	Standard SP	Wide WP
	1.0	IPD/TA-LT-01	IPD/FA-LN-01	IPD/FA-LR-01
	2.0	IPD/TA-LT-02	IPD/FA-LN-02	IPD/FA-LR-02
	3.0	IPD/TA-LT-03	IPD/FA-LN-03	IPD/FA-LR-03
	4.0	IPD/TA-LT-04	IPD/FA-LN-04	IPD/FA-LR-04
	5.0	IPD/TA-LT-05	IPD/FA-LN-05	IPD/FA-LR-05

Please see page 205 for the PSD system accesories.

COPING ABUTMENT

Type	Narrow NP ø3.3	Standard SP	Wide WP
Open tray	-	IPD/FA-CN-00	-
Classic Design			

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Narrow NP ø3.3	Standard SP	Wide WP
	1.5	IPD/TA-PT-06	IPD/FA-PN-06	IPD/FA-PR-06
	1.5	IPD/TA-PT-07	IPD/FA-PN-07	IPD/FA-PR-07
Long coping screw		IPD/TA-TT-00/C	IPD/FA-TR-00/C	IPD/FA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		Narrow NP ø3.3	Standard SP	Wide WP
	Head Diameter (mm)	ø4.0	ø4.0	ø4.5
1.5		-	IPD/FA-DN-01	IPD/FA-DR-01
2.0		IPD/TA-DT-02	-	-
3.0		IPD/TA-DT-03	IPD/FA-DN-03	IPD/FA-DR-03
4.0		IPD/TA-DT-04	-	-
5.0		IPD/TA-DT-05	IPD/FA-DN-05	IPD/FA-DR-05



TI CEMENT-RETAINED ABUTMENT

Indication	Angulation	Gingival Height	Narrow NP ø3.3	Standard SP	Wide WP
	0°	1.0	-	IPD/FA-PN-00	-
		2.0	-	IPD/FA-PN-01	-
	15°	1.0	-	IPD/FA-PN-02	-
		2.0	-	IPD/FA-PN-04	-
	25°	1.0	-	IPD/FA-PN-03	-
		2.0	-	IPD/FA-PN-05	-



SCREWDRIVERS

Type	Length (mm)	Narrow NP ø3.3	Standard SP	Wide WP
Implant system Screwdriver				
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver				
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver				
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00	IPD/LL-PS-00



ACCESSORIES

Indication	Length (mm)	Narrow NP ø3.3	Standard SP	Wide WP
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01	IPD/LL-PS-01


Please see page 210 for more information.



MIS®

TB C1®

Prosthetic platform [Narrow NP / Standard SP / Wide WP]



SCAN BODY

	Indication	Height (mm)	Narrow NP	Standard SP	Wide WP
Scan Body		10	IPD/TB-SN-00	IPD/TB-SR-00	IPD/TB-SW-00
		15	IPD/TB-SN-02	IPD/TB-SR-02	IPD/TB-SW-02
		10	IPD/TB-SN-01	IPD/TB-SR-01	IPD/TB-SW-01

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Narrow NP	Standard SP	Wide WP
	0.5	IPD/TB-IN-00/3D	-	IPD/TB-IW-00/3D
	0.7	-	IPD/TB-IR-00/3D	-
	1.5	IPD/TB-IN-02/3D	IPD/TB-IR-02/3D	IPD/TB-IW-02/3D
	2.5	IPD/TB-IN-04/3D	IPD/TB-IR-04/3D	IPD/TB-IW-04/3D
	3.5	IPD/TB-IN-06/3D	IPD/TB-IR-06/3D	-
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00	IPD/KT-IW-00
	0.5	IPD/TB-IN-01/3D	-	IPD/TB-IW-01/3D
	0.7	-	IPD/TB-IR-01/3D	-
	1.5	IPD/TB-IN-03/3D	IPD/TB-IR-03/3D	IPD/TB-IW-03/3D
	2.5	IPD/TB-IN-05/3D	IPD/TB-IR-05/3D	IPD/TB-IW-05/3D
	3.5	IPD/TB-IN-07/3D	IPD/TB-IR-07/3D	-
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01	IPD/KT-IW-01

Please see page 204 for the IPD Custom Interface System accesories.



CEREC® TI-BASE SYSTEM

Indication	Gingival Height (mm)	Narrow NP	Standard SP	Wide WP
	0.5	-	IPD/TB-IR-00/SI	-
	1.5	-	IPD/TB-IR-02/SI	-
	2.5	-	IPD/TB-IR-04/SI	-
Cerec Block (S/L)		-	L	-
Cerec Library Code		-	NB B 4.1	-

TiN screw included.



RETURN TO INDEX

IPDMILLED SYSTEM*
*Check availability

Indication	Material	Diameter (mm)	Narrow NP	Standard SP	Wide WP
IPD Blank System (Compatible with NT/IPD Holders)					
	Ti	12	IPD/TB-XN-00	IPD/TB-XR-00	IPD/TB-XW-00
Mill Analog			IPD/TB-AN-00/X	IPD/TB-AR-00/X	IPD/TB-AW-00/X
TYPE A System (Compatible with DESS® Holders)					
	Ti	15	-	PR/TB-XR-15/A	PR/TB-XW-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			Narrow NP	Standard SP	Wide WP
IPD and OEM compatible	For straight channels	Torque value	30 Ncm	30 Ncm	30 Ncm
Screwdriver	Coating	Seat			
1.25 Hex	-	Conical	IPD/TB-TN-00	IPD/TB-TR-00	IPD/TB-TR-00
1.25 Hex	TiN	Conical	IPD/TB-TN-00/TiN	IPD/TB-TR-00/TiN	IPD/TB-TR-00/TiN
1.25 Hex	BLC	Conical	IPD/TB-TN-00/BLC	IPD/TB-TR-00/BLC	IPD/TB-TR-00/BLC
	For ASC options	Torque value	20 Ncm	25 Ncm	25 Ncm
Screwdriver	Coating	Seat			
TPA	TiN	Conical	IPD/TB-TN-50	IPD/TB-TR-50	IPD/TB-TR-50

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Narrow NP	Standard SP	Wide WP
0°		1.0	-	IPD/TB-MR-01	-
		1.5	IPD/TB-MN-01	-	IPD/TB-MW-01
		2.0	-	IPD/TB-MR-02	-
		2.5	IPD/TB-MN-02	-	IPD/TB-MW-02
		3.0	-	IPD/TB-MR-03	-
		3.5	IPD/TB-MN-03	-	IPD/TB-MW-03
		4.0	-	IPD/TB-MR-04	-
17°		2.5	-	IPD/TB-MR-12	-
30°		3.5	-	IPD/TB-MR-33	-
	Replacement Screw for Angled MUA		-	IPD/KA-MT-08	-

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT*
*Check availability

Angulation	Indication	Gingival Height (mm)	Narrow NP	Standard SP	Wide WP
17°		2.5	IPD/TB-MN-12/AP	IPD/TB-MR-12/AP	IPD/TB-MW-12/AP
		3.5	IPD/TB-MN-13/AP	IPD/TB-MR-13/AP	IPD/TB-MW-13/AP
30°		3.5	IPD/TB-MN-33/AP	IPD/TB-MR-33/AP	IPD/TB-MW-33/AP
		4.5	IPD/TB-MN-34/AP	IPD/TB-MR-34/AP	IPD/TB-MW-34/AP
	Replacement Screw for Angled MUA AP		IPD/KA-MT-05/BLC	IPD/KA-MT-08/BLC	IPD/KA-MT-08/BLC

Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		Narrow NP	Standard SP	Wide WP
Standard		IPD/TB-AN-00	IPD/TB-AR-00	IPD/TB-AW-00
	Full set	IPD/TB-AN-90/3D	IPD/TB-AR-90/3D	IPD/TB-AW-90/3D
Digital				
	Analog			
	Bottom Screw			
	Side Screw			

Co-Cr BASE ABUTMENT

		Narrow NP	Standard SP	Wide WP
Co-Cr Base for analogic workflow				
Indication	Angulation			
	0°	-	IPD/TB-BR-00	-
	15°	-	IPD/TB-BR-10	-
	25°	-	IPD/TB-BR-20	-
	0°	-	IPD/TB-BR-01	-
	15°	-	IPD/TB-BR-11	-
	25°	-	IPD/TB-BR-21	-
Co-Cr Base for digital workflow				
Indication	Angulation			
	Straight / ASC	-	IPD/TB-BR-00/3D	-
		-	IPD/TB-BR-01/3D	-
Scan Body		-	IPD/SC-AN-B1	-

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Narrow NP	Standard SP	Wide WP
	1.0	IPD/TB-LN-01	IPD/TB-LR-01	IPD/TB-LW-01
	2.0	IPD/TB-LN-02	IPD/TB-LR-02	-
	3.0	IPD/TB-LN-03	IPD/TB-LR-03	IPD/TB-LW-03
	4.0	IPD/TB-LN-04	IPD/TB-LR-04	-
	5.0	IPD/TB-LN-05	IPD/TB-LR-05	IPD/TB-LW-05

Please see page 205 for the PSD system accessories.


TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Narrow NP	Standard SP	Wide WP
	1.5	IPD/TB-PN-06	IPD/TB-PR-06	IPD/TB-PW-06
	1.5	IPD/TB-PN-07	IPD/TB-PR-07	IPD/TB-PW-07
Long coping screw		IPD/TB-TN-00/C	IPD/TB-TR-00/C	IPD/TB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)		Narrow NP	Standard SP	Wide WP
	Head Diameter (mm)	ø4.0	ø4.0	ø5.5
2.0		IPD/TB-DN-02	IPD/TB-DR-02	IPD/TB-DW-02
3.0		IPD/TB-DN-03	IPD/TB-DR-03	IPD/TB-DW-03
4.0		IPD/TB-DN-04	IPD/TB-DR-04	IPD/TB-DW-04
5.0		IPD/TB-DN-05	IPD/TB-DR-05	-



SCREWDRIVERS

Type	Length (mm)	Narrow NP	Standard SP	Wide WP
Implant system Screwdriver				
1.25 Hex	18	IPD / PH-25-18	IPD / PH-25-18	IPD / PH-25-18
	25	IPD / PH-25-25	IPD / PH-25-25	IPD / PH-25-25
	32	IPD / PH-25-32	IPD / PH-25-32	IPD / PH-25-32
IPD Scan Body and extra Screwdrivers				
1.20 Hex	18	IPD / PH-20-18	IPD / PH-20-18	IPD / PH-20-18
	25	IPD / PH-20-25	IPD / PH-20-25	IPD / PH-20-25
	32	IPD / PH-20-32	IPD / PH-20-32	IPD / PH-20-32
ASC Screwdriver				
TPA	18	IPD / KA-CT-18	IPD / KA-CT-18	IPD / KA-CT-18
	25	IPD / KA-CT-25	IPD / KA-CT-25	IPD / KA-CT-25
	32	IPD / KA-CT-32	IPD / KA-CT-32	IPD / KA-CT-32
PSD Screwdriver				
PSD	25	IPD / LL-PS-00	IPD / LL-PS-00	IPD / LL-PS-00



ACCESSORIES

Indication	Length (mm)	Narrow NP	Standard SP	Wide WP
Clinical RA Shank Handle	16	IPD / MC-00-16	IPD / MC-00-16	IPD / MC-00-16
Laboratory RA Shank Handle	70	IPD / ML-00-70	IPD / ML-00-70	IPD / ML-00-70
RA Shank Ratchet	90	IPD / DI-00-90	IPD / DI-00-90	IPD / DI-00-90
Ratchet adapter		IPD / DI-KA-90	IPD / DI-KA-90	IPD / DI-KA-90
PSD and insert extractor tool		IPD / LL-PS-01	IPD / LL-PS-01	IPD / LL-PS-01


Please see page 210 for more information.



MIS®

TC V3®

Prosthetic platform [Narrow NP / Standard SP]



SCAN BODY

	Indication	Height (mm)	Narrow NP	Standard SP
Scan Body		10	IPD / TC-SN-00	IPD / TB-SR-00
		15	IPD / TC-SN-02	IPD / TB-SR-02
		10	IPD / TC-SN-01	IPD / TB-SR-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	Narrow NP	Standard SP
	0.5	IPD / TC-IN-00/3D	-
	0.7	-	IPD / TB-IR-00/3D
	1.5	IPD / TC-IN-02/3D	IPD / TB-IR-02/3D
	2.5	IPD / TC-IN-04/3D	IPD / TB-IR-04/3D
	3.5	-	IPD / TB-IR-06/3D
	Cutting guide KIT	IPD / KT-IN-00	IPD / KT-IR-00
	0.5	IPD / TC-IN-01/3D	-
	0.7	-	IPD / TB-IR-01/3D
	1.5	IPD / TC-IN-03/3D	IPD / TB-IR-03/3D
	2.5	IPD / TC-IN-05/3D	IPD / TB-IR-05/3D
	3.5	-	IPD / TB-IR-07/3D
	Cutting guide KIT	IPD / KT-IN-01	IPD / KT-IR-01

Please see page 204 for the IPD Custom Interface System accesories.



CEREC® TI-BASE SYSTEM

Indication	Gingival Height (mm)	Narrow NP	Standard SP
	0.5	-	IPD / TB-IR-00/SI
	1.5	-	IPD / TB-IR-02/SI
	2.5	-	IPD / TB-IR-04/SI
Cerec Block (S/L)		-	L
Cerec Library Code		-	NB B 4.1

TiN screw included.



RETURN TO INDEX

IPDMILLED SYSTEM*
*Check availability

Indication	Material	Diameter (mm)	Narrow NP	Standard SP
TYPE IPD System (Compatible with NT/IPD Holders)				
	Ti	12	-	IPD/TB-XR-00
Mill Analog			-	IPD/TB-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	15	-	PR/TB-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			Narrow NP	Standard SP
IPD and OEM compatible	For straight channels	Torque value	30 Ncm	30 Ncm
Screwdriver	Coating	Seat		
1.25 Hex	-	Conical	IPD/TB-TN-00	IPD/TB-TR-00
1.25 Hex	TiN	Conical	IPD/TB-TN-00/TiN	IPD/TB-TR-00/TiN
1.25 Hex	BLC	Conical	IPD/TB-TN-00/BLC	IPD/TB-TR-00/BLC
	For ASC options	Torque value	20 Ncm	25 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/TB-TN-50	IPD/TB-TR-50

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	Narrow NP	Standard SP
0°	 	1.5	IPD/TC-MN-01	IPD/TB-MR-01
		2.5	IPD/TC-MN-02	IPD/TB-MR-02
		3.5	IPD/TC-MN-03	IPD/TB-MR-03
		4.5	-	IPD/TB-MR-04
17°		2.5	-	IPD/TB-MR-12
30°		3.5	-	IPD/TB-MR-33
	Replacement Screw for Angled MUA		-	IPD/KA-MT-08

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT
*Check availability

Angulation	Indication	Gingival Height (mm)	Narrow NP	Standard SP
17°		2.5	IPD/TC-MN-12/AP	IPD/TB-MR-12/AP
		3.5	IPD/TC-MN-13/AP	IPD/TB-MR-13/AP
30°		3.5	IPD/TC-MN-33/AP	IPD/TB-MR-33/AP
		4.5	IPD/TC-MN-34/AP	IPD/TB-MR-34/AP
	Replacement Screw for Angled MUA AP		IPD/KA-MT-05/BLC	IPD/KA-MT-08/BLC

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type		Narrow NP	Standard SP
Standard	Full set	IPD/TC-AN-00	IPD/TB-AR-00
		IPD/TC-AN-90/3D	IPD/TB-AR-90/3D
	Analog		
Digital	Bottom Screw		
	Side Screw		

Co-Cr BASE ABUTMENT

		Narrow NP	Standard SP
Co-Cr Base for analogic workflow			
Indication	Angulation		
	0°	-	IPD/TB-BR-00
	15°	-	IPD/TB-BR-10
	25°	-	IPD/TB-BR-20
	0°	-	IPD/TB-BR-01
	15°	-	IPD/TB-BR-11
	25°	-	IPD/TB-BR-21
Co-Cr Base for digital workflow			
Indication	Angulation		
	Straight/ASC	-	IPD/TB-BR-00/3D
		-	IPD/TB-BR-01/3D
Scan Body		-	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	Narrow NP	Standard SP
	1.0	IPD/TC-LN-01	IPD/TB-LR-01
	2.0	-	IPD/TB-LR-02
	3.0	IPD/TC-LN-03	IPD/TB-LR-03
	4.0	-	IPD/TB-LR-04
	5.0	IPD/TC-LN-05	IPD/TB-LR-05

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Narrow NP	Standard SP
	1.5	IPD/TC-PN-06	IPD/TB-PR-06
	1.5	IPD/TC-PN-07	IPD/TB-PR-07
Long coping screw		IPD/TB-TN-00/C	IPD/TB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)		Narrow NP	Standard SP
	Head Diameter (mm)	ø4.0	ø4.0
2.0		-	IPD/TB-DR-02
3.0		IPD/TC-DN-03	IPD/TB-DR-03
4.0		IPD/TC-DN-04	IPD/TB-DR-04
5.0		IPD/TC-DN-05	IPD/TB-DR-05

SCREWDRIVERS

Type	Length (mm)	Narrow NP	Standard SP
Implant system Screwdriver			
1.25 Hex	18	IPD/PH-25-18	IPD/PH-25-18
	25	IPD/PH-25-25	IPD/PH-25-25
	32	IPD/PH-25-32	IPD/PH-25-32
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver			
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver			
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00



ACCESSORIES

Indication	Length (mm)	Narrow NP	Standard SP
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01


Please see page 210 for more information.



DIO®

UB UFII®

Prosthetic platform [NP (N) / RP (R)]



SCAN BODY

	Indication	Height (mm)	NP (N)	RP (R)
Scan Body		10	IPD/UB-SN-00	IPD/UB-SR-00
		15	IPD/UB-SN-02	IPD/UB-SR-02
		10	IPD/UB-SN-01	IPD/UB-SR-01


Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	NP (N)	RP (R)
	1.0	IPD/UB-IN-00/3D	IPD/UB-IR-00/3D
	2.0	IPD/UB-IN-02/3D	IPD/UB-IR-02/3D
	3.0	IPD/UB-IN-04/3D	IPD/UB-IR-04/3D
	Cutting guide KIT	IPD/KT-IN-00	IPD/KT-IR-00
	1.0	IPD/UB-IN-01/3D	IPD/UB-IR-01/3D
	2.0	IPD/UB-IN-03/3D	IPD/UB-IR-03/3D
	3.0	IPD/UB-IN-05/3D	IPD/UB-IR-05/3D
	Cutting guide KIT	IPD/KT-IN-01	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accesories.



SCREWS

			NP (N)	RP (R)
IPD and OEM compatible	For straight channels	Torque value	20 Ncm	30 Ncm
Screwdriver	Coating	Seat		
1.20 Hex	-	Conical	IPD/UB-TN-00	IPD/UB-TR-00
1.20 Hex	TiN	Conical	IPD/UB-TN-00/TiN	IPD/UB-TR-00/TiN
1.20 Hex	BLC	Conical	IPD/UB-TN-00/BLC	IPD/UB-TR-00/BLC
	For ASC options	Torque value	20 Ncm	25 Ncm
Screwdriver	Coating	Seat		
TPA	TiN	Conical	IPD/UB-TN-50	IPD/UB-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	NP (N)	RP (R)
0°		1.5	IPD/UB-MN-01	IPD/UB-MR-01
		2.5	IPD/UB-MN-02	IPD/UB-MR-02
		3.5	IPD/UB-MN-03	IPD/UB-MR-03
17°		2.5	IPD/UB-MN-12	IPD/UB-MR-12
30°		3.5	IPD/UB-MN-33	IPD/UB-MR-33
Replacement Screw for Angled MUA			IPD/KA-MT-12	IPD/KA-MT-03

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		NP (N)	RP (R)
Standard		IPD/UB-AN-00	IPD/UB-AR-00
	Full set	IPD/UB-AN-90/3D	IPD/UB-AR-90/3D
Digital		Analog	
		Bottom Screw	
		Side Screw	



Co-Cr BASE ABUTMENT

		NP (N) 	RP (R) 
Co-Cr Base for analogic workflow			
Indication	Angulation		
	0°	IPD/UB-BN-00	IPD/UB-BR-00
	15°	IPD/UB-BN-10	-
	0°	IPD/UB-BN-01	IPD/UB-BR-01
	15°	IPD/UB-BN-11	-
Co-Cr Base for digital workflow			
Indication	Angulation		
	Straight/ASC	IPD/UB-BN-00/3D	IPD/UB-BR-00/3D
		IPD/UB-BN-01/3D	IPD/UB-BR-01/3D
Scan Body		IPD/SC-AN-B1	IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	NP (N)	RP (R)
	2.0	IPD/UB-LN-02	IPD/UB-LR-02
	3.0	IPD/UB-LN-03	IPD/UB-LR-03
	4.0	IPD/UB-LN-04	IPD/UB-LR-04

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	NP (N)	RP (R)
	1.5	IPD/UB-PN-06	IPD/UB-PR-06
	1.5	IPD/UB-PN-07	IPD/UB-PR-07
Long coping screw		IPD/UB-TN-00/C	IPD/UB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)		NP (N)	RP (R)
	Head Diameter (mm)	ø4.2	ø4.6
2.0		IPD/UB-DN-02	IPD/UB-DR-02
3.5		IPD/UB-DN-03	IPD/UB-DR-03
5.0		IPD/UB-DN-05	IPD/UB-DR-05



SCREWDRIVERS

Type	Length (mm)	NP (N)	RP (R)
Implant system Screwdriver			
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32
ASC Screwdriver			
TPA	18	IPD/KA-CT-18	IPD/KA-CT-18
	25	IPD/KA-CT-25	IPD/KA-CT-25
	32	IPD/KA-CT-32	IPD/KA-CT-32
PSD Screwdriver			
PSD	25	IPD/LL-PS-00	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	NP (N)	RP (R)
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90
PSD and insert extractor tool		IPD/LL-PS-01	IPD/LL-PS-01

Please see page 210 for more information.





MEGAGEN®

WA ANYONE®

Prosthetic platform [RP]

*Digital line not suitable for ø3.5mm implant diameter

SCAN BODY

	Indication	Height (mm)	RP
Scan Body		10	IPD/WA-SR-00
		15	IPD/WA-SR-02
		10	IPD/WA-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RP
	1.0	IPD/WA-IR-00/3D
	2.0	IPD/WA-IR-02/3D
	3.0	IPD/WA-IR-04/3D
	Cutting guide KIT	IPD/KT-IR-00
	1.0	IPD/WA-IR-01/3D
	2.0	IPD/WA-IR-03/3D
	3.0	IPD/WA-IR-05/3D
	Cutting guide KIT	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*


*Check availability

Indication	Material	Diameter (mm)	RP
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/WA-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			RP
IPD and OEM compatible	For straight channels	Torque value	35 Ncm
Screwdriver	Coating	Seat	
1.20 Hex	-	Conical	IPD/WA-TR-00
1.20 Hex	TiN	Conical	IPD/WA-TR-00/TiN
1.20 Hex	BLC	Conical	IPD/WA-TR-00/BLC
	For ASC options	Torque value	25 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/WA-TR-50



RETURN TO INDEX

MEGAGEN® WA ANYONE®

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	RP
0°		1.5	IPD/WA-MR-01
		2.5	IPD/WA-MR-02
		3.5	IPD/WA-MR-03
17°		2.5	IPD/WA-MR-12
30°		3.5	IPD/WA-MR-33
Replacement Screw for Angled MUA			IPD/KA-MT-13

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		RP
Standard		IPD/WA-AR-00
	Full set	IPD/WA-AR-90/3D
Digital		Analog
		Bottom Screw
		Side Screw



Co-Cr BASE ABUTMENT

			RP 
Co-Cr Base for analogic workflow			
Indication	Angulation		
	0°		IPD/WA-BR-00
			IPD/WA-BR-01
Co-Cr Base for digital workflow			
Indication	Angulation		
	Straight		IPD/WA-BR-00/3D
			IPD/WA-BR-01/3D
Scan Body			IPD/SC-AN-B1



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP
	2.0	IPD/WA-LR-02
	3.0	IPD/WA-LR-03
	4.0	IPD/WA-LR-04
	5.0	IPD/WA-LR-05

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP
	1.5	IPD/WA-PR-06
	1.5	IPD/WA-PR-07
Long coping screw		IPD/WA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	RP	
	Head Diameter (mm)	
3.0		IPD/WA-DR-03
5.0		IPD/WA-DR-05
7.0		IPD/WA-DR-07

SCREWDRIVERS

Type	Length (mm)	RP
Implant system Screwdriver		
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	RP
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
PSD and insert extractor		IPD/LL-PS-01

Please see page 210 for more information.



MEGAGEN®

WB ANYRIDGE®

Prosthetic platform [ø4.0]

SCAN BODY

	Indication	Height (mm)	ø4.0
Scan Body		10	IPD/WB-SR-00
		15	IPD/WB-SR-02
		10	IPD/WB-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	ø4.0
	1.0	IPD/WB-IR-00/3D
	2.0	IPD/WB-IR-02/3D
	3.0	IPD/WB-IR-04/3D
Cutting guide KIT		IPD/KT-IR-00
	1.0	IPD/WB-IR-01/3D
	2.0	IPD/WB-IR-03/3D
	3.0	IPD/WB-IR-05/3D
Cutting guide KIT		IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*


*Check availability

Indication	Material	Diameter (mm)	ø4.0
IPD Blank System (Compatible with NT/IPD Holders)			
	Ti	12	IPD/WB-XR-00
Mill Analog			IPD/WB-AR-00/X
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/WB-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			ø4.0
IPD and OEM compatible	For straight channels	Torque value	25 Ncm
Screwdriver	Coating	Seat	
1.20 Hex	-	Flat	IPD/WB-TR-00
1.20 Hex	TiN	Flat	IPD/WB-TR-00/TiN
1.20 Hex	BLC	Flat	IPD/WB-TR-00/BLC
Removing tool			IPD/WB-TR-01



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	ø4.0
0°		1.5	IPD/WB-MR-01
		2.5	IPD/WB-MR-02
		3.5	IPD/WB-MR-03
17°		2.5	IPD/WB-MR-12
30°		3.5	IPD/WB-MR-33
Replacement Screw for Angled MUA			IPD/KA-MT-07

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type	ø4.0	
Standard	IPD/WB-AR-00	
	Full set	IPD/WB-AR-90/3D
Digital	Analog	
	Bottom Screw	
	Side Screw	

Co-Cr BASE ABUTMENT

ø4.0		
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/WB-BR-00
		IPD/WB-BR-01
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight	IPD/WB-BR-00/3D
		IPD/WB-BR-01/3D
Scan Body		IPD/SC-AN-B1

PSD OVERDENTURE ABUTMENT


Indication	Gingival Height (mm)	ø4.0
	2.0	IPD/WB-LR-02
	3.0	IPD/WB-LR-03
	4.0	IPD/WB-LR-04
	5.0	IPD/WB-LR-05

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	ø4.0
	1.5	IPD/WB-PR-06
	1.5	IPD/WB-PR-07
Long coping screw		IPD/WB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	ø4.0	
Head Diameter (mm)		ø4.5
1.5	IPD /WB-DR-01	
3.0	IPD /WB-DR-03	
5.0	IPD /WB-DR-05	



SCREWDRIVERS

Type	Length (mm)	ø4.0
Implant system Screwdriver		
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	ø4.0
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter	-	IPD/DI-KA-90
PSD and insert extractor	-	IPD/LL-PS-01

Please see page 210 for more information.





DENTIUM®

XA IMPLANTIUM® / SUPERLINE™

Prosthetic platform [RP]

SCAN BODY

	Indication	Height (mm)	RP
Scan Body		10	IPD/XA-SR-00
		15	IPD/XA-SR-02
		10	IPD/XA-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RP
	1.0	IPD/XA-IR-00/3D
	2.0	IPD/XA-IR-02/3D
	3.0	IPD/XA-IR-04/3D
	Cutting guide KIT	IPD/KT-IR-00
	1.0	IPD/XA-IR-01/3D
	2.0	IPD/XA-IR-03/3D
	3.0	IPD/XA-IR-05/3D
	Cutting guide KIT	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*


*Check availability

Indication	Material	Diameter (mm)	RP
IPD Blank System (Compatible with NT/IPD Holders)			
	Ti	12	IPD/XA-XR-00
			IPD/XA-AR-00/X
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/XA-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			RP
IPD and OEM compatible	For straight channels	Torque value	25Ncm
Screwdriver	Coating	Seat	
1.27 Hex	-	Conical	IPD/XA-TR-00
1.27 Hex	TiN	Conical	IPD/XA-TR-00/TiN
1.27 Hex	BLC	Conical	IPD/XA-TR-00/BLC
	For ASC options	Torque value	25Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/XA-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	RP
0°	 	1.5	IPD/XA-MR-01
		2.5	IPD/XA-MR-02
		3.5	IPD/XA-MR-03
17°		2.5	IPD/XA-MR-12
30°		3.5	IPD/XA-MR-33
Replacement Screw for Angled MUA			IPD/KA-MT-13

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.



ANALOGS

Type		RP
Standard		IPD/XA-AR-00
	Full set	IPD/XA-AR-90/3D
Digital		Analog
		Bottom Screw
		Side Screw



Co-Cr BASE ABUTMENT

		RP
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/XA-BR-00
	0°	IPD/XA-BR-01
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight / ASC	IPD/XA-BR-00/3D
	Straight / ASC	IPD/XA-BR-01/3D
Scan Body		IPD/SC-AN-B1



PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP
	2.0	IPD/XA-LR-02
	3.0	IPD/XA-LR-03
	4.0	IPD/XA-LR-04
	5.0	IPD/XA-LR-05

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP
	1.5	IPD/XA-PR-06
	1.5	IPD/XA-PR-07
Long coping screw		IPD/XA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	RP	
	Head Diameter (mm)	
2.0		IPD/XA-DR-02
3.5		IPD/XA-DR-03
5.0		IPD/XA-DR-05

SCREWDRIVERS

Type	Length (mm)	RP
Implant system Screwdriver		
1.27 Hex	18	IPD/PH-27-18
	25	IPD/PH-27-25
	32	IPD/PH-27-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	RP
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
PSD and insert extractor		IPD/LL-PS-01

Please see page 210 for more information.



MEDENTIS®

YB ICX
Prosthetic platform [RP]

SCAN BODY

	Indication	Height (mm)	RP
Scan Body		10	IPD/YB-SR-00
		15	IPD/YB-SR-02
		10	IPD/YB-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RP
	1.0	IPD/YB-IR-00/3D
	2.0	IPD/YB-IR-02/3D
	3.0	IPD/YB-IR-04/3D
	Cutting guide KIT	IPD/KT-IR-00
	1.0	IPD/YB-IR-01/3D
	2.0	IPD/YB-IR-03/3D
	3.0	IPD/YB-IR-05/3D
	Cutting guide KIT	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*



*Check availability

Indication	Material	Diameter (mm)	RP
IPD Blank System (Compatible with NT/IPD Holders)			
	Ti	12	IPD/YB-XR-00
Mill Analog			IPD/YB-AR-00/X
TYPE A System (Compatible with DESS®Holders)			
	Ti	15	PR/YB-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			RP
IPD and OEM compatible	For straight channels	Torque value	30 Ncm
Screwdriver	Coating	Seat	
1.40 Hex	-	Conical	IPD/YB-TR-00
1.40 Hex	TiN	Conical	IPD/YB-TR-00/TiN
1.40 Hex	BLC	Conical	IPD/YB-TR-00/BLC
	For ASC options	Torque value	20 Ncm
Screwdriver	Coating	Seat	
TPA	TiN	Conical	IPD/YB-TR-50



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	RP
0°		1.5	IPD/YB-MR-01
		2.5	IPD/YB-MR-02
		3.5	IPD/YB-MR-03
17°		2.5	IPD/YB-MR-12
30°		3.5	IPD/YB-MR-33
Replacement Screw for Angled MUA			IPD/KA-MT-02

Straight Multi-unit abutments can be used for single and multiple restorations.
Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type	RP	
Standard	IPD/YB-AR-00	
Digital	Full set	IPD/YB-AR-90/3D
	Analogue	
	Bottom Screw	
	Side Screw	

Co-Cr BASE ABUTMENT

RP		
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/YB-BR-00
	15°	IPD/YB-BR-10
	25°	IPD/YB-BR-20
	0°	IPD/YB-BR-01
	15°	IPD/YB-BR-11
	25°	IPD/YB-BR-21
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight / ASC	IPD/YB-BR-00/3D
	Straight / ASC	IPD/YB-BR-01/3D
Scan Body		IPD/SC-AN-B1

All ASC CoCr analogic workflow abutments include the relevant TPA screw.

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP
	2.0	IPD/YB-LR-02
	3.0	IPD/YB-LR-03
	4.0	IPD/YB-LR-04
	5.0	IPD/YB-LR-05

Please see page 205 for the PSD system accessories.

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP
	1.5	IPD/YB-PR-06
	1.5	IPD/YB-PR-07
Long coping screw		IPD/YB-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.



HEALING ABUTMENT

Gingival Height (mm)	RP
	Head Diameter (mm) ø4.7
1.0	IPD/YB-DR-01
2.5	IPD/YB-DR-02
4.0	IPD/YB-DR-04



SCREWDRIVERS

Type	Length (mm)	RP
Implant system Screwdriver		
1.40 Hex	18	IPD/PH-40-18
	25	IPD/PH-40-25
	32	IPD/PH-40-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00




ACCESSORIES

Indication	Length (mm)	RP
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
PSD and insert extractor		IPD/LL-PS-01

Please see page 210 for more information.





SCAN BODY

	Indication	Height (mm)	Ø3.5	Ø4.0
Scan Body		10	IPD/ZA-SR-00	IPD/ZA-SR-00
Captive screw included. 1.20 Hex Screwdriver.				

IPDMILLED SYSTEM* NEW

*Check availability

Indication	Material	Diameter (mm)	Ø3.5	Ø4.0
IPD Blank System (Compatible with NT/IPD Holders)				
	Ti	12	IPD/ZA-XN-00	IPD/ZA-XR-00
Mill Analog			IPD/ZA-AR-00/X	IPD/ZA-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	10	PR/ZA-XN-10/A	PR/ZA-XR-10/A
	Ti	15	PR/ZA-XR-15/A	PR/ZA-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			Ø3.5	Ø4.0
IPD and OEM compatible	For straight channels	Torque value		25Ncm
Screwdriver	Coating	Seat		
Uni-Bredent	-	Conical	IPD/ZA-TR-00	IPD/ZA-TR-00

SCREWDRIVERS

Type	Length (mm)	Ø3.5	Ø4.0
Implant system Screwdriver			
IPD Scan Body and extra Screwdrivers			
	18	IPD/PH-20-18	IPD/PH-20-18
1.20 Hex	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32

ACCESSORIES

Indication	Length (mm)	Ø3.5	Ø4.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90

Please see page 210 for more information.



BREDENT®

ZA BLUE SKY®

Prosthetic platform [Ø3.5 / Ø4.0]



RETURN TO INDEX

GLOBAL D®

1A IN-KONE®

Prosthetic platform [RP]

SCAN BODY

	Indication	Height (mm)	RP
Scan Body		10	IPD/1A-SR-00
		15	IPD/1A-SR-02
		10	IPD/1A-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE ipd Custom Ti-Base System®

Indication	Gingival Height (mm)	RP
	1.0	IPD/1A-IR-00/3D
	2.0	IPD/1A-IR-02/3D
	3.0	IPD/1A-IR-04/3D
	Cutting guide KIT	IPD/KT-IR-00
	1.0	IPD/1A-IR-01/3D
	2.0	IPD/1A-IR-03/3D
	3.0	IPD/1A-IR-05/3D
	Cutting guide KIT	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM* NEW



*Check availability

Indication	Material	Diameter (mm)	RP
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/1A-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			RP
IPD and OEM compatible	For straight channels	Torque value	15 Ncm
Screwdriver	Coating	Seat	
1.20 Hex	-	Conical	IPD/1A-TR-00
1.20 Hex	TiN	Conical	IPD/1A-TR-00/TiN
1.20 Hex	BLC	Conical	IPD/1A-TR-00/BLC
Removing tool		Conical	IPD/1A-TR-01



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	RP
0°		1.5	IPD/1A-MR-01
		2.5	IPD/1A-MR-02
		3.5	IPD/1A-MR-03

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accesories.

MULTI-UNIT AP ABUTMENT*NEW

*Check availability

Angulation	Indication	Gingival Height (mm)	RP
17°		3.0	IPD/1A-MR-13/AP
		4.0	IPD/1A-MR-14/AP
30°		3.0	IPD/1A-MR-33/AP
		4.0	IPD/1A-MR-34/AP
Replacement Screw for Angled MUA AP			IPD/KA-MT-08/BLC

Please see page 206 for the Multi-unit system accesories.

ANALOGS

Type	RP
Standard	IPD/1A-AR-00
	Full set IPD/1A-AR-90/3D
Digital	Analog
	Bottom Screw
	Side Screw

Co-Cr BASE ABUTMENT

		RP
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/1A-BR-00
		IPD/1A-BR-01
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight	IPD/1A-BR-00/3D
		IPD/1A-BR-01/3D
Scan Body		IPD/SC-AN-B1

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP
	2.0	IPD/1A-LR-02
	3.0	IPD/1A-LR-03
	4.0	IPD/1A-LR-04
	5.0	IPD/1A-LR-05

Please see page 205 for the PSD system accesories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP
	1.5	IPD/1A-PR-06
	1.5	IPD/1A-PR-07
Long coping screw		IPD/1A-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	RP
	Head Diameter (mm) ø 4,4
1.5	IPD/1A-DR-01
3.0	IPD/1A-DR-03
4.5	IPD/1A-DR-04

SCREWDRIVERS


Type	Length (mm)	RP
Implant system Screwdriver		
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	RP
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
PSD and insert extractor		IPD/LL-PS-01

Please see page 210 for more information.





ANTHOGYR®

2A AXIOM® BL Prosthetic platform [RP]

SCAN BODY

	Indication	Height (mm)	RP
Scan Body		10	IPD/2A-SR-00
		15	IPD/2A-SR-02
		10	IPD/2A-SR-01

Captive screw included. 1.20 Hex Screwdriver.

Ti-BASE Custom Ti-Base System®

Indication	Gingival Height (mm)	RP
	1.5	IPD/2A-IR-02/3D
	2.5	IPD/2A-IR-04/3D
	3.5	IPD/2A-IR-06/3D
	Cutting guide KIT	IPD/KT-IR-00
	1.5	IPD/2A-IR-03/3D
	2.5	IPD/2A-IR-05/3D
	3.5	IPD/2A-IR-07/3D
	Cutting guide KIT	IPD/KT-IR-01

Please see page 204 for the IPD Custom Interface System accessories.

IPDMILLED SYSTEM*

*Check availability

Indication	Material	Diameter (mm)	RP
TYPE A System (Compatible with DESS® Holders)			
	Ti	15	PR/2A-XR-15/A

All premilled abutments include 2 titanium screws.

SCREWS

			RP
IPD and OEM compatible	For straight channels	Torque value	25 Ncm
Screwdriver	Coating	Seat	
1.18 Hex	-	Conical	IPD/2A-TR-00
1.18 Hex	TiN	Conical	IPD/2A-TR-00/TiN
1.18 Hex	BLC	Conical	IPD/2A-TR-00/BLC
Removing tool		Conical	IPD/2A-TR-01



RETURN TO INDEX

MULTI-UNIT ABUTMENT

Angulation	Indication	Gingival Height (mm)	RP
0°		1.5	IPD/2A-MR-01
		2.5	IPD/2A-MR-02
		3.5	IPD/2A-MR-03

Straight Multi-unit abutments can be used for single and multiple restorations. Please see page 206 for the Multi-unit system accessories.

MULTI-UNIT AP ABUTMENT*

*Check availability

Angulation	Indication	Gingival Height (mm)	RP
17°		2.5	IPD/2A-MR-12/AP
		3.5	IPD/2A-MR-13/AP
30°		3.5	IPD/2A-MR-33/AP
		4.5	IPD/2A-MR-34/AP
Replacement Screw for Angled MUA AP			IPD/KA-MT-15/BLC

Please see page 206 for the Multi-unit system accessories.

ANALOGS

Type		RP
Standard		IPD/2A-AR-00
	Full set	IPD/2A-AR-90/3D
Digital		Analog
		Bottom Screw
		Side Screw

Co-Cr BASE ABUTMENT

		RP
Co-Cr Base for analogic workflow		
Indication	Angulation	
	0°	IPD/2A-BR-00
		IPD/2A-BR-01
Co-Cr Base for digital workflow		
Indication	Angulation	
	Straight	IPD/2A-BR-00/3D
		IPD/2A-BR-01/3D
Scan Body		IPD/SC-AN-B1

PSD OVERDENTURE ABUTMENT

Indication	Gingival Height (mm)	RP
	2.0	IPD/2A-LR-02
	3.0	IPD/2A-LR-03
	4.0	IPD/2A-LR-04
	5.0	IPD/2A-LR-05

Please see page 205 for the PSD system accessories.



TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	RP
	1.5	IPD/2A-PR-06
	1.5	IPD/2A-PR-07
Long coping screw		IPD/2A-TR-00/C
The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.		

HEALING ABUTMENT

Gingival Height (mm)	RP
	Head Diameter (mm) ø4.4
1.5	IPD/2A-DR-01
3.0	IPD/2A-DR-03
4.5	IPD/2A-DR-04

SCREWDRIVERS

Type	Length (mm)	RP
Implant system Screwdriver		
1.18 Hex	18	IPD/PH-18-18
	25	IPD/PH-18-25
	32	IPD/PH-18-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
PSD Screwdriver		
PSD	25	IPD/LL-PS-00

ACCESSORIES

Indication	Length (mm)	RP
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90
PSD and insert extractor		IPD/LL-PS-01
Please see page 210 for more information.		



GALIMPLANT®

3A MULTI-POSICION AESTHETIC®

Prosthetic platform [ø3.8]



SCAN BODY

	Indication	Height (mm)	ø3.8
Scan Body		10	IPD/3A-SR-00
		10	IPD/3A-SR-01

Captive screw included. 1.20 Hex Screwdriver.



Ti-BASE Custom Ti-Base System®

Indication	Post Height (mm)	Gingival Height (mm)	ø3.8
	4.15	0.2	IPD/3A-IR-00/3D
	6.5	0.2	IPD/3A-IR-02/3D
	4.15	0.2	IPD/3A-IR-01/3D
	6.5	0.2	IPD/3A-IR-03/3D



SCREWS

			ø3.8
IPD and OEM compatible	For straight channels	Torque value	25 Ncm
Screwdriver	Coating	Seat	
1.30 Hex	-	Conical	IPD/3A-TR-00
1.30 Hex	TiN	Conical	IPD/3A-TR-00/TiN
1.30 Hex	BLC	Conical	IPD/3A-TR-00/BLC

			25 Ncm
	For ASC options	Torque value	
Screwdriver	Coating	Indication	
TPA	TiN	For PH 4.15 mm Ti-bases	IPD/3A-TR-50
TPA	TiN	For PH 6.5 mm Ti-bases	IPD/3A-TR-51



ANALOGS

Type	ø3.8	
Standard	IPD/3A-AR-00	
Digital	Full set	IPD/3A-AR-90/3D
	Analog	
	Bottom Screw	
	Side Screw	



RETURN TO INDEX

TEMPORARY ABUTMENT / OPEN TRAY COPING

Indication	Gingival Height (mm)	Ø3.8
	0.2	IPD/3A-PR-06
	0.2	IPD/3A-PR-07
Long coping screw		IPD/3A-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

HEALING ABUTMENT

Gingival Height (mm)	Head Diameter (mm)	Ø3.8
4.5		Ø3.7
		IPD/3A-DR-04
	Screw	IPD/3A-TR-00

Screw not included

SCREWDRIVERS

Type	Length (mm)	Ø3.8
Implant system Screwdriver		
1.30 Hex	18	IPD/PH-30-18
	25	IPD/PH-30-25
	32	IPD/PH-30-32
IPD Scan Body and extra Screwdrivers		
1.20 Hex	18	IPD/PH-20-18
	25	IPD/PH-20-25
	32	IPD/PH-20-32
ASC Screwdriver		
TPA	18	IPD/KA-CT-18
	25	IPD/KA-CT-25
	32	IPD/KA-CT-32

ACCESSORIES


Indication	Length (mm)	Ø3.8
Clinical RA Shank Handle	16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90

Please see page 210 for more information.



NEOSS®

6A PROACTIVE®
Prosthetic platform [NP / SP]



SCAN BODY

	Indication	Height (mm)	NP	SP
Scan Body		10	IPD/6A-ST-00	IPD/6A-SR-00

Captive screw included. 1.20 Hex Screwdriver.



IPDMILLED SYSTEM

Indication	Material	Diameter (mm)	NP	SP
IPD Blank System (Compatible with NT/IPD Holders)				
	Ti	12	IPD/6A-XT-00	IPD/6A-XR-00
Mill Analog			IPD/6A-AT-00/X	IPD/6A-AR-00/X
TYPE A System (Compatible with DESS® Holders)				
	Ti	15	-	PR/6A-XR-15/A

All premilled abutments include 2 titanium screws.



SCREWS

			NP	SP
IPD and OEM compatible	For straight channels	Torque value	15 Ncm	15 Ncm
Screwdriver	Coating	Seat		
Unigrip Neoss®	-	Conical	IPD/6A-TT-00	-
		Flat		IPD/6A-TR-00



SCREWDRIVERS

Type	Length (mm)	NP	SP
IPD Scan Body and extra Screwdrivers			
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32




ACCESSORIES

Indication	Length (mm)	NP	SP
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90

Please see page 210 for more information.



RETURN TO INDEX



THOMMEN®

7A SPI®

Prosthetic platform [ø3.5 / ø4.0 / ø4.5 / ø5.0 / ø6.0]

SCAN BODY

	Indication	Height (mm)	ø3.5	ø4.0	ø4.5	ø5.0	ø6.0
Scan Body		10	IPD/7A-ST-00	IPD/7A-SN-00	IPD/7A-SR-00	IPD/7A-SW-00	IPD/7A-SX-00

Captive screw included. 1.20 Hex Screwdriver.



IPDMILLED SYSTEM

Indication	Material	Diameter (mm)	ø3.5	ø4.0	ø4.5	ø5.0	ø6.0
IPD Blank System (Compatible with NT/IPD Holders)							
	Ti	12	IPD/7A-XT-00	IPD/7A-XN-00	IPD/7A-XR-00	IPD/7A-XW-00	IPD/7A-XX-00
Mill Analog			IPD/7A-AT-00/X	IPD/7A-AN-00/X	IPD/7A-AR-00/X	IPD/7A-AW-00/X	IPD/7A-AX-00/X
TYPE A System (Compatible with DESS® Holders)							
	Ti	15	PR/7A-XT-15/A	PR/7A-XN-15/A	PR/7A-XR-15/A	PR/7A-XW-15/A	-

All premilled abutments include 2 titanium screws.



SCREWS

			ø3.5	ø4.0	ø4.5	ø5.0	ø6.0
IPD and OEM compatible	For straight channels	Torque value	15 Ncm			25 Ncm	
Screwdriver	Coating	Seat					
4 Lobes	-	Conical	IPD/7A-TN-00	IPD/7A-TR-00	IPD/7A-TR-00	IPD/7A-TR-00	IPD/7A-TR-00



SCREWDRIVERS

Type	Length (mm)	ø3.5	ø4.0	ø4.5	ø5.0	ø6.0
IPD Scan Body and extra Screwdrivers						
1.20 Hex	18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18	IPD/PH-20-18
	25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25	IPD/PH-20-25
	32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32	IPD/PH-20-32



ACCESSORIES

Type	Length (mm)	ø3.5	ø4.0	ø4.5	ø5.0	ø6.0
Clinical RA Shank Handle	16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16	IPD/MC-00-16
Laboratory RA Shank Handle	70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70	IPD/ML-00-70
RA Shank Ratchet	90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90	IPD/DI-00-90
Ratchet adapter		IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90	IPD/DI-KA-90

Please see page 210 for more information.



RETURN TO INDEX

WORKING SYSTEMS

PRODUCT WORKFLOWS DIAGRAM

- CUSTOM TI-BASE
- PSD SYSTEM
- MULTI-UNIT SYSTEM

ACCESORIES

- SCREWDRIVERS AND KITS


TECHNICAL SPECIFICATIONS

- SCREWS
- TPA SCREWS
- SPECIAL SCREWS

CE MARKING


CUSTOM TI-BASE

WORKFLOW DIAGRAM



PSD SYSTEM


WORKFLOW DIAGRAM



[RETURN TO INDEX](#)

MULTI-UNIT SYSTEM

WORKFLOW DIAGRAM



ACCESSORIES

SCREWDRIVERS AND KITS

SCREWDRIVERS

Type	18 mm	25 mm	32 mm
1.00 Hex	IPD/PH-00-18	IPD/PH-00-25	IPD/PH-00-32
1.18 Hex	IPD/PH-18-18	IPD/PH-18-25	IPD/PH-18-32
1.20 Hex	IPD/PH-20-18	IPD/PH-20-25	IPD/PH-20-32
1.25 Hex	IPD/PH-25-18	IPD/PH-25-25	IPD/PH-25-32
1.27 Hex	IPD/PH-27-18	IPD/PH-27-25	IPD/PH-27-32
1.30 Hex	IPD/PH-30-18	IPD/PH-30-25	IPD/PH-30-32
1.40 Hex	IPD/PH-40-18	IPD/PH-40-25	IPD/PH-40-32
1.70 Hex	IPD/PH-70-18	IPD/PH-70-25	IPD/PH-70-32



Type	18 mm	25 mm	32 mm
1.25 Square	IPD/PC-25-18	IPD/PC-25-25	IPD/PC-25-32
Star	IPD/PS-00-18	IPD/PS-00-25	IPD/PS-00-32
Unigrip	IPD/PU-00-18	IPD/PU-00-25	IPD/PU-00-32
Neo GM	IPD/PU-01-18	IPD/PU-01-25	IPD/PU-01-32
Flat	IPD/PP-00-18	IPD/PP-00-25	IPD/PP-00-32
Torx	IPD/PT-00-18	IPD/PT-00-25	IPD/PT-00-32
TPA Screwdriver	IPD/KA-CT-18	IPD/KA-CT-25	IPD/KA-CT-32



SCREWDRIVERS

	20 mm	25 mm	16mm	70 mm	90 mm	-
Type						
Multi-Unit Screwdriver	IPD/LL-AB-00	-	-	-	-	-
PSD Screwdriver	-	IPD/LL-PS-00	-	-	-	-
PSD and insert extractor tool	-	-	-	-	-	IPD/LL-PS-01
Clinical RA Shank Handle	-	-	IPD/MC-00-16	-	-	-
Laboratory RA Shank Handle	-	-	-	IPD/ML-00-70	-	-
RA Shank Ratchet	-	-	-	-	IPD/DI-00-90	-
Ratchet Adapter	-	-	-	-	-	IPD/DI-KA-90




ACCESSORIES KITS

		Length	
Kit 1	RA Shank Ratchet 1.20 Hex Screwdriver 1.25 Hex Screwdriver 1.27 Hex Screwdriver 1.70 Hex Screwdriver 1.25 Square Screwdriver Unigrip Screwdriver Flat Screwdriver TPA Screwdriver Torx Screwdriver Multi-unit Screwdriver	18 mm	IPD/KT-DI-18
		25 mm	IPD/KT-DI-25
Kit 1	Clinical RA Shank Handle 1.20 Hex Screwdriver 1.25 Hex Screwdriver 1.27 Hex Screwdriver 1.70 Hex Screwdriver 1.25 Square Screwdriver Unigrip Screwdriver Flat Screwdriver TPA Screwdriver Torx Screwdriver Multi-unit Screwdriver	18 mm	IPD/KT-MC-18
		25 mm	IPD/KT-MC-25
Kit 1	Laboratory RA Shank Handle 1.20 Hex Screwdriver 1.25 Hex Screwdriver 1.27 Hex Screwdriver 1.70 Hex Screwdriver 1.25 Square Screwdriver Unigrip Screwdriver Flat Screwdriver TPA Screwdriver Torx Screwdriver	32 mm	IPD/KT-ML-32



RETURN TO INDEX



TECHNICAL SPECIFICATIONS

SCREWS


DESCRIPTION

Reference	TIN Reference	Reference /BLC	Compatibility	Platform	Seat	Head diameter	Metric	Head (L1)	Body (L2)	Total (L1)	Screw-driver	Torque (Ncm)
IPD/AA-TN-00	IPD/AA-TN-00/TIN	IPD/AA-TN-00/BLC	Nobel Biocare® Branemark System®	Ø3.5	70°	2.20	M1.6xØ0.35	2.11	5.19	7.30	Unigrip	35
			Nobel Biocare® Nobel Active®	Ø3.5								
IPD/AA-TR-00	IPD/AA-TR-00/TIN	IPD/AA-TR-00/BLC	Nobel Biocare® Branemark System®	Ø4.1	75°	2.40	M2xØ0.4	1.50	5.85	7.35	Unigrip	35
			Nobel Biocare® Nobel Active®	Ø4.3								
IPD/AA-TR-01	IPD/AA-TR-01/TIN	IPD/AA-TR-01/BLC	External Hex	Ø4.1	75°	2.50	M2xØ0.4	1.67	4.60	6.27	1.20 Hex	20
IPD/AA-TR-02	IPD/AA-TR-02/TIN	IPD/AA-TR-02/BLC	Nobel Biocare® Branemark System®	Ø4.1	Flat	2.40	M2xØ0.4	1.45	5.90	7.35	Unigrip	35
			Nobel Biocare® Nobel Active®	Ø4.3								
IPD/AA-TW-00	IPD/AA-TW-00/TIN	IPD/AA-TW-00/BLC	Nobel Biocare® Branemark System®	Ø5.1	72°	3.40	M2.5xØ0.45	1.34	5.36	6.70	Unigrip	35
IPD/AA-TW-01	IPD/AA-TW-01/TIN	IPD/AA-TW-01/BLC	Nobel Biocare® Branemark System®	Ø5.1	72°	3.00	M2.5xØ0.45	1.37	5.33	6.70	Unigrip	35
IPD/AB-TR-00	IPD/AB-TR-00/TIN	IPD/AB-TR-00/BLC	Multi-unit	Ø4.8	Flat	2.00	M1.4xØ0.3	1.35	2.10	3.45	Unigrip	15
IPD/AC-TN-00	IPD/AC-TN-00/TIN	IPD/AC-TN-00/BLC	Nobel Biocare® Nobel Replace® Select	Ø3.5	Flat	2.35	M1.8xØ0.35	1.80	6.50	8.30	Unigrip	35
IPD/AC-TR-00	IPD/AC-TR-00/TIN	IPD/AC-TR-00/BLC	Nobel Biocare® Nobel Replace® Select	Ø4.3 / Ø5.0	Flat	2.40	M2xØ0.4	1.55	8.35	9.90	Unigrip	35
IPD/AD-TT-00	IPD/AD-TT-00/TIN	IPD/AD-TT-00/BLC	Nobel Biocare® Nobel Active®	Ø3.0	70°	1.82	M1.4xØ0.3	1.81	4.89	6.70	Unigrip	15
IPD/BA-TR-00	IPD/BA-TR-00/TIN	IPD/BA-TR-00/BLC	Biomet® 3i® Externa™ 3i®	Ø3.4/ Ø4.1 / Ø5.0	75°	2.35	M2xØ0.4	1.79	5.81	7.60	1.20 Hex	25
IPD/BA-TR-01	IPD/BA-TR-01/TIN	IPD/BA-TR-01/BLC	Biomet® 3i® Externa™ 3i®	Ø3.4/ Ø4.1 / Ø5.0	75°	2.35	M2xØ0.4	1.79	5.81	7.60	1.25 Hex	25
IPD/BA-TR-02	IPD/BA-TR-02/TIN	IPD/BA-TR-02/BLC	Biomet® 3i® Externa™ 3i®	Ø3.4/ Ø4.1 / Ø5.0	Flat	2.40	M2xØ0.4	1.65	6.15	7.80	1.30 Square	35
IPD/BB-TR-01	IPD/BB-TR-01/TIN	IPD/BB-TR-01/BLC	Biomet® 3i® Certain®	Ø3.4/ Ø4.1 / Ø5.0	Flat	2.00	M1.6xØ0.35	1.90	6.50	8.40	1.20 Hex	20
IPD/BB-TR-02	-	-	Biomet® 3i® Certain®	Ø3.4/ Ø4.1 / Ø5.0	140°	2.30	M1.6xØ0.35	2.06	6.34	8.40	1.20 Hex	20
IPD/BC-TR-00	-	-	Biomet® 3i® Low Profile Abutment	Ø4.8	70°	1.95	M1.4xØ0.3	1.70	2.41	4.11	1.20 Hex	10
IPD/CA-TR-00	IPD/CA-TR-00/TIN	IPD/CA-TR-00/BLC	Klockner® SK2-NK2	Ø4.2	90°	2.45	M1.8xØ0.35	2.39	3.56	5.95	1.70 Hex	30
IPD/CA-TR-01	IPD/CA-TR-01/TIN	-	Klockner® SK2-NK2	Ø4.2	90°	2.45	M1.8xØ0.35	0.74	3.56	4.30	Cross	30
IPD/CB-TR-00	IPD/CB-TR-00/TIN	IPD/CB-TR-00/BLC	Klockner® Essential Cone®	Ø4.5	90°	2.35	M1.8xØ0.35	2.29	4.91	7.20	Star	30
IPD/CD-TN-00	IPD/CD-TN-00/TIN	IPD/CD-TN-00/BLC	Klockner® Vega®	Ø3.5	90°	2.15	M1.6xØ0.35	2.43	5.57	8.00	Star	30
IPD/CD-TR-00	IPD/CD-TR-00/TIN	IPD/CD-TR-00/BLC	Klockner® Vega®	Ø4.0 - Ø4.5	90°	2.15	Special	2.32	5.68	8.00	Star	30
IPD/DA-TR-00	IPD/DA-TR-00/TIN	IPD/DA-TR-00/BLC	Straumann® Tissue Level (SynOcta® Level)	Ø4.8	90°	2.40	M2xØ0.4	1.20	3.30	4.50	Torx	15
IPD/DA-TR-01	IPD/DA-TR-01/TIN	IPD/DA-TR-01/BLC	Straumann® Tissue Level (Implant Level)	Ø4.8 / Ø6.5	30°	2.40	M2xØ0.4	3.03	3.67	6.70	Torx	35
IPD/DA-TR-02	-	-	Straumann® Tissue Level	Ø4.8	Flat	2.52	M2xØ0.4	1.45	5.90	7.35	Torx	35
IPD/DA-TR-03	IPD/DA-TR-03/TIN	IPD/DA-TR-03/BLC	Straumann® Tissue Level	Ø4.8	30°	2.57	M2xØ0.4	3.05	3.65	6.70	Torx	35
IPD/DB-TR-00	IPD/DB-TR-00/TIN	IPD/DB-TR-00/BLC	Straumann® Bone Level	Ø3.3 / Ø4.1	30°	2.10	M1.6xØ0.35	2.31	5.54	7.85	Torx	35
IPD/DC-TR-00	IPD/DC-TR-00/TIN	IPD/DC-TR-00/BLC	Straumann® BLX®	RB/WB	90°	2.10	M1.6xØ0.35	1.32	4.78	6.10	Torx	30
IPD/DD-TR-00	IPD/DD-TR-00/TIN	IPD/DD-TR-00/BLC	Straumann® SRA®	Ø3.5 / Ø4.6	70°	2.20	M1.4xØ0.3	1.65	2.00	3.65	Torx	15
IPD/EA-TN-00	IPD/EA-TN-00/TIN	IPD/EA-TN-00/BLC	Astra® OsseoSpeed®	Ø3.0	120°	2.10	M1.4xØ0.3	2.00	5.50	7.50	1.27 Hex	15
IPD/EA-TR-00	IPD/EA-TR-00/TIN	IPD/EA-TR-00/BLC	Astra® OsseoSpeed®	Ø3.5 - Ø4.0	Flat	2.35	M1.6xØ0.35	1.95	6.30	8.25	1.27 Hex	20
IPD/EA-TR-01	IPD/EA-TR-01/TIN	IPD/EA-TR-01/BLC	Astra® Cone 20°	Ø3.5-Ø4.0 / Ø4.5-Ø5.0	Flat	2.25	M1.4xØ0.3	1.85	2.95	4.80	1.27 Hex	15
-	IPD/EA-TR-02/TIN	-	Astra® OsseoSpeed®	Ø3.5 - Ø4.0	Flat	2.15	M1.6xØ0.35	1.95	6.30	8.25	1.27 Hex	20
IPD/EA-TW-00	IPD/EA-TW-00/TIN	IPD/EA-TW-00/BLC	Astra® OsseoSpeed®	Ø4.5 - Ø5.0	Flat	2.35	M2xØ0.4	1.90	8.40	10.3	1.27 Hex	25
IPD/EB-TT-00	IPD/EB-TT-00/TIN	IPD/EB-TT-00/BLC	Astra® Evolution®	Ø3.0	52°	2.15	M1.4xØ0.3	2.40	5.24	7.64	1.27 Hex	25
IPD/EB-TN-00	IPD/EB-TN-00/TIN	IPD/EB-TN-00/BLC	Astra® Evolution®	Ø3.6	60°	2.15	M1.6xØ0.35	2.12	5.33	7.45	1.27 Hex	25
IPD/EB-TR-00	IPD/EB-TR-00/TIN	IPD/EB-TR-00/BLC	Astra® Evolution®	Ø4.2	100°	2.35	M1.8xØ0.35	1.92	5.70	7.62	1.27 Hex	25
IPD/EB-TW-00	IPD/EB-TW-00/TIN	IPD/EB-TW-00/BLC	Astra® Evolution®	Ø4.8	Flat	2.35	M2xØ0.4	1.65	5.95	7.60	1.27 Hex	25
IPD/FA-TR-00	IPD/FA-TR-00/TIN	IPD/FA-TR-00/BLC	Zimmer® Screw Vent®	Ø3.5/ Ø4.5 / Ø5.7	140°	2.10	M1.8xØ0.35	2.54	5.66	8.20	1.25 Hex	30

TECHNICAL SPECIFICATIONS

SCREWS

IPD/FB-TR-00	IPD/FB-TR-00/TIN	IPD/FB-TR-00/BLC	Zimmer® SwissPlus®	Ø4.8	140°	2.30	M2x0.4	2.55	6.75	9.30	1.25 Hex	30
IPD/FB-TR-01	IPD/FB-TR-01/TIN	IPD/FB-TR-01/BLC	Zimmer® SwissPlus®	Ø4.8	30°	2.40	M2x0.4	3.03	3.87	6.90	1.25 Hex	30
IPD/FC-TT-00	IPD/FC-TT-00/TIN	IPD/FC-TT-00/BLC	Zimmer® Eztecic®	Ø3.1	143°	1.96	M1.6x0.35	2.92	5.78	8.70	1.25 Hex	30
IPD/GA-TN-00	IPD/GA-TN-00/TIN	IPD/GA-TN-00/BLC	BTI® External	Ø3.5	Flat	2.35	M2x0.4	1.70	3.85	5.55	1.20 Hex	20
IPD/GA-TW-00	IPD/GA-TW-00/TIN	IPD/GA-TW-00/BLC	BTI® External	Ø5.5	Flat	2.55	M2x0.4	1.70	6.15	7.85	1.20 Hex	20
IPD/GB-TR-00	IPD/GB-TR-00/TIN	IPD/GB-TR-00/BLC	BTI® Internal Universal®	Universal® Ø4.1 / Wide Ø5.5	Flat	2.40	M1.8x0.35	1.85	5.20	7.05	1.20 Hex	35
IPD/GC-TR-01	IPD/GC-TR-01/TIN	IPD/GC-TR-01/BLC	BTI® Multi-im®	Ø4.1	Flat	2.00	M1.4x0.3	1.60	2.11	3.71	1.20 Hex	20
IPD/GD-TN-00	IPD/GD-TN-00/TIN	IPD/GD-TN-00/BLC	BTI® Core	Ø3.5	Flat	2.10	M1.8x0.35	1.82	5.23	7.05	1.20 Hex	35
IPD/HA-TN-00	IPD/HA-TN-00/TIN	IPD/HA-TN-00/BLC	Microdent® Microdent® System	Ø3.5	140°	2.50	M1.8x0.35	2.13	3.87	6.00	1.20 Hex	20
IPD/HA-TR-00	IPD/HA-TR-00/TIN	IPD/HA-TR-00/BLC	Microdent® Microdent® System	Ø4.2 / Ø5.1	120°	2.70	M2x0.4	2.50	5.50	8.00	1.75 Hex	30
IPD/IA-TR-00	IPD/IA-TR-00/TIN	IPD/IA-TR-00/BLC	Dentsply® Xive® Friadent®	Ø3.4 / Ø3.8 / Ø4.5	90°	2.05	M1.6x0.35	2.10	6.75	8.85	1.20 Hex	24
IPD/IB-TR-00	-	-	Dentsply® Ankylos® Balance Base Narrow	C/X	60°	2.40	M1.6x0.35	1.66	3.04	4.70	1.0 Hex	15
IPD/IB-TR-01	-	-	Dentsply® Ankylos®	C/X	60°	2.05	M1.8x0.35	2.01	6.14	8.15	1.0 Hex	25
IPD/ID-TT-00	-	-	Osteoplus® Iridium™ Argentum®	Ø3.3 / Ø3.8 / Ø4.2 / Ø4.8	120°	2.40	M1.8x0.35	1.69	5.83	7.52	1.25 Hex	25
IPD/JA-TR-00	IPD/JA-TR-00/TIN	IPD/JA-TR-00/BLC	Camlog® Camlog® Implant System	Ø3.3 / Ø3.8 / Ø4.3	90°	2.10	M1.6x0.35	2.35	8.10	10.45	1.25 Hex	20
IPD/JA-TX-00	IPD/JA-TX-00/TIN	IPD/JA-TX-00/BLC	Camlog® Camlog® Implant System	Ø5.0	90°	2.50	M2X0.4	2.34	8.11	10.45	1.25 Hex	20
IPD/JB-TR-00	IPD/JB-TR-00/TIN	IPD/JB-TR-00/BLC	Camlog® Conelog® System	Ø3.3 / Ø3.8 / Ø4.3	120°	2.14	M1.6x0.35	1.85	6.86	8.87	1.25 Hex	20
IPD/KA-CI-08	-	-	Hollow Screw	-	Flat	2.80	M2.65x0.3	0.70	1.40	2.10	IPD Cross	10
IPD/LB-TR-00	IPD/LB-TR-00/TIN	IPD/LB-TR-00/BLC	BioHorizons® Tapered Internal	Ø3.0 / Ø3.5 / Ø4.5 / Ø5.7	90°	2.35	M1.8x0.35	2.17	5.08	7.25	1.27 Hex	35
IPD/MA-TN-00	IPD/MA-TN-00/TIN	IPD/MA-TN-00/BLC	Sweden & Martina® Outlink®	Ø3.3	120°	2.20	M1.8x0.35	1.76	5.74	7.50	1.27 Hex	25
IPD/MB-TN-00	IPD/MB-TN-00/TIN	IPD/MB-TN-00/BLC	Sweden & Martina® Premium™ Kohno®	Ø3.3 / Ø3.8	120°	2.20	M1.8x0.35	1.78	6.32	8.10	1.27 Hex	25
IPD/MB-TR-00	IPD/MB-TR-00/TIN	IPD/MB-TR-00/BLC	Sweden & Martina® Premium™ Kohno®	Ø4.25 / Ø5.0	120°	2.40	M2x0.4	1.78	6.00	7.78	1.27 Hex	25
IPD/NA-TN-00	IPD/NA-TN-00/TIN	IPD/NA-TN-00/BLC	Phibo® TSH®	S2	120°	2.23	M1.8x0.35	1.92	6.08	8.00	1.25 Hex	35
IPD/NA-TW-00	-	-	Phibo® TSH®	S5	120°	2.50	M2x0.4	2.50	5.50	8.00	1.25 Hex	35
IPD/OB-TN-00	IPD/OB-TN-00/TIN	IPD/OB-TN-00/BLC	Osstem Implant® TSIII	Ø3.5 M	90°	2.20	M1.6x0.35	2.41	7.79	10.2	1.20 Hex	20
IPD/OB-TR-00	IPD/OB-TR-00/TIN	IPD/OB-TR-00/BLC	Osstem Implant® TSIII	Ø4.0 R	90°	2.30	M2x0.4	2.23	6.12	8.35	1.20 Hex	30
IPD/QB-TR-00	IPD/QB-TR-00/TIN	IPD/QB-TR-00/BLC	Biotech® Dental Kontakt®	RP	90°	1.95	M1.4x0.3	1.80	6.02	7.82	1.20 Hex	20
IPD/RA-TN-00	IPD/RA-TN-00/TIN	IPD/RA-TN-00/BLC	Neodent® Helix® HE	Ø3.3	Flat	1.99	M1.8x0.35	1.90	5.80	7.70	1.20 Hex	32
IPD/RA-TW-00	IPD/RA-TW-00/TIN	IPD/RA-TW-00/BLC	Neodent® Helix® HE	Ø5.0	Flat	2.60	M2.5x0.45	2.10	5.50	7.60	1.20 Hex	32
IPD/RB-TR-00	IPD/RB-TR-00/TIN	IPD/RB-TR-00/BLC	Neodent® Grand Morse® GM	GM	60°	1.86	M1.6x0.35	1.84	7.93	9.77	Neo GM	20
IPD/RC-TR-00	IPD/RC-TR-00/TIN	IPD/RC-TR-00/BLC	Neodent® GM abutment	RP	90°	2.34	M2x0.25	1.53	2.25	3.78	Neo GM	10
IPD/RD-TN-00	IPD/RD-TN-00/TIN	IPD/RD-TN-00/BLC	Neodent® GM micro abutment	Ø3.5	Flat	1.90	M1.4x0.3	1.72	1.99	3.71	Neo GM	10
IPD/SB-TR-00	IPD/SB-TR-00/TIN	IPD/SB-TR-00/BLC	Bego® Semados®	Ø3.25 - Ø3.75 / Ø4.1 / Ø4.5	70°	2.35	M1.8x0.35	2.35	5.25	7.60	1.25 Hex	30
IPD/TA-TT-00	IPD/TA-TT-00/TIN	IPD/TA-TT-00/BLC	MiS® Seven®	Narrow 3.3	120°	2.10	M1.6x0.35	2.53	5.15	7.68	1.25 Hex	30
IPD/TB-TN-00	IPD/TB-TN-00/TIN	IPD/TB-TN-00/BLC	MiS® C1®	Narrow NP	120°	2.10	M1.6x0.35	2.53	5.15	7.68	1.25 Hex	30
IPD/TB-TR-00	IPD/TB-TR-00/TIN	IPD/TB-TR-00/BLC	MiS® C1/V3®	Standard	120°	2.20	UNF 1-72	2.34	5.26	7.60	1.25 Hex	30
IPD/UB-TN-00	IPD/UB-TN-00/TIN	IPD/UB-TN-00/BLC	DIO® UFII	NP	90°	1.85	M1.4x0.3	2.05	5.45	7.50	1.20 Hex	20
IPD/UB-TR-00	IPD/UB-TR-00/TIN	IPD/UB-TR-00/BLC	DIO® UFII	RP	120°	2.45	M2x0.4	1.97	6.53	8.50	1.20 Hex	30
IPD/WA-TR-00	IPD/WA-TR-00/TIN	IPD/WA-TR-00/BLC	Megagen® AnyOne®	RP	120°	2.30	M2x0.4	1.91	7.99	9.90	1.20 Hex	35
IPD/WB-TR-00	IPD/WB-TR-00/TIN	IPD/WB-TR-00/BLC	Megagen® Any Ridge®	Ø4.0	Flat	2.10	M1.8x0.35	2.00	6.00	8.00	1.20 Hex	25
IPD/VA-TR-00	-	-	-	-	Flat	2.40	M2x0.4	2.20	5.80	8.00	1.20 Hex	25
IPD/XA-TR-00	IPD/XA-TR-00/TIN	IPD/XA-TR-00/BLC	Dentium® Implantium®	RP	120°	2.30	M2x0.4	1.99	8.21	10.20	1.27 Hex	25
IPD/XA-TR-02	-	-	Nobel Biocare® Branemark System®	Ø4.1	Flat	2.52	M2x0.4	1.45	5.90	7.35	1.20 Hex	30
			Nobel Biocare® Nobel Active®	Ø4.3								
IPD/YB-TR-00	IPD/YB-TR-00/TIN	IPD/YB-TR-00/BLC	Medentis® ICX	RP	30°	2.50	M1.6x0.35	2.72	6.80	9.52	1.40 Hex	30
IPD/ZA-TR-00	-	-	Bredent® Blue Sky™	Ø3.5 / Ø4.5 / Ø5.5	120°	2.17	M1.8x0.35	1.75	7.45	9.20	Unigrip Bredent®	25
IPD/1A-TR-00	IPD/1A-TR-00/TIN	IPD/1A-TR-00/BLC	Global D® In-kone®	RP	120°	2.17	M1.8x0.35	2.23	6.24	8.47	1.25 Hex	15
IPD/2A-TR-00	IPD/2A-TR-00/TIN	IPD/2A-TR-00/BLC	Anthogyr® Axiom® BL	RP	40°	1.79	M1.6x0.35	2.38	5.54	7.92	1.18 Hex	25
IPD/3A-TR-00	IPD/3A-TR-00/TIN	IPD/3A-TR-00/BLC	Galimplant® Multi-Position Aesthetic	Ø3.8	140°	2.50	M2x0.4	1.49	3.11	4.60	1.30 Hex	25
IPD/6A-TT-00	IPD/6A-TT-00/TIN	IPD/6A-TT-00/BLC	Neoss® ProActive	NP	70°	2.10	M1.6x0.35	2.46	4.74	7.20	Unigrip Neoss®	32
IPD/6A-TR-00	IPD/6A-TR-00/TIN	IPD/6A-TR-00/BLC	Neoss® ProActive	SP	Flat	2.52	M2x0.4	1.60	5.70	7.30	Unigrip Neoss®	32
IPD/7A-TT-00	IPD/7A-TT-00/TIN	IPD/7A-TT-00/BLC	Thommen®	Ø3.5	60°	1.55	M1.4x0.35	1.37	4.50	5.87	4 lobes	15
IPD/7A-TR-00	IPD/7A-TR-00/TIN	IPD/7A-TR-00/BLC	Thommen®	Ø4.0 / Ø4.5 / Ø5.0 / Ø6.0	60°	1.86	M1.6x0.35	1.70	5.50	7.20	4 lobes	25



TECHNICAL SPECIFICATIONS

TPA SCREWS


DESCRIPTION

CHARACTERISTIC

Reference	Compatibility	Platform	Seat	Head diameter	Metric	Head (L1)	Body (L2)	Total (Lt)	Screw-driver	Torque (Ncm)
IPD/AA-TN-50	Nobel Biocare® Branemark System®	Ø3.5	70°	2.30	M1.6x0.35	1.91	4.89	6.80	TPA	20
	Nobel Biocare® Nobel Active®	Ø3.5								
IPD/AA-TR-50	Nobel Biocare® Branemark System®	Ø4.1	75°	2.25	M2x0.4	1.93	3.87	5.80	TPA	25
	Sweden & Martina® Outlink®									
	Phibo® TSH®	S3 - S4								
IPD/AA-TR-52	Nobel Biocare® Branemark System®	Ø4.1	Flat	2.30	M2x0.4	1.40	4.40	5.80	TPA	25
	Biomet® 3i® Externa™ 3i®	Ø3.25 / Ø4.1 / Ø5.1								
	BTI® External	Ø4.1 / Ø5.5								
IPD/AA-TW-50	Nobel Biocare® Branemark System®	Ø5.1	72°	2.85	M2.5x0.45	1.61	4.80	6.41	TPA	25
IPD/AB-TR-50	Multi-unit	Ø4.8	Flat	2.30	M1.4x0.3	1.50	2.10	3.60	TPA	15
IPD/AB-TR-51	Multi-unit	Ø4.8	Flat	2.25	M1.4X0.3	3.25	2.10	5.35	TPA	15
IPD/AC-TN-50	Nobel Biocare® Nobel Replace® Select	Ø3.5	Flat	2.25	M1.8x0.35	1.40	6.10	7.50	TPA	25
IPD/AC-TN-51	Nobel Biocare® Nobel Replace® Select	Ø3.5	Flat	2.30	M1.6x0.35	1.91	4.89	6.80	TPA	25
IPD/AC-TR-50	Nobel Biocare® Nobel Replace® Select	Ø4.3 / Ø5.0	Flat	2.30	M2x0.4	1.40	7.40	8.80	TPA	25
	Astra® OsseoSpeed®	Ø4.5 - Ø5.0								
IPD/AC-TR-51	Nobel Biocare® Nobel Replace® Select	Ø4.3 / Ø5.0	Flat	2.30	M2x0.4	1.30	6.80	8.10	TPA	25
IPD/AD-TR-50	Nobel Biocare® Nobel Active®	Ø4.3	75°	2.30	M2x0.4	1.96	5.04	7.00	TPA	25
IPD/AD-TT-50	Nobel Biocare® Nobel Active®	Ø3.0	70°	2.30	M1.4x0.3	1.96	4.69	6.65	TPA	15
IPD/BB-TR-51	Biomet® 3i® Certain®	Ø3.4/ Ø4.1 / Ø 5.0	Flat	2.30	M1.6x0.35	1.40	6.25	7.65	TPA	20
IPD/BC-TR-50	Biomet® 3i® Low Profile Abutment	RP Ø4.8	70°	2.30	M1.4x0.3	1.71	2.41	4.12	TPA	15
IPD/BC-TR-51	Biomet® 3i® Low Profile Abutment	RP Ø 4.8	70°	2.25	M1.4x0.3	1.33	4.24	5.57	TPA	15
IPD/CA-TR-50	Klockner® SK2-NK2	Ø4.2	90°	2.30	M1.8x0.35	1.50	3.00	4.50	TPA	25
IPD/CB-TR-50	Klockner® Essential Cone®	Ø4.5	90°	2.30	M1.8x0.35	1.58	4.92	6.50	TPA	20
IPD/CD-TN-50	Klockner® Vega®	Ø3.5	90°	2.30	M1.6x0.35	1.66	5.69	7.35	TPA	25
IPD/CD-TR-50	Klockner® Vega®	Ø4.0 / Ø4.5	90°	2.25	Special	1.80	5.65	7.45	TPA	25
IPD/DA-TR-50	Straumann® Tissue Level (SynOcta® Level)	Ø4.8 / Ø6.5	90°	2.30	M2x0.4	1.65	3.32	4.97	TPA	25
IPD/DA-TR-51	Straumann® Tissue Level (Implant Level)	Ø4.8 / Ø6.5	30°	2.30	M2x0.4	2.52	3.78	6.30	TPA	25
IPD/DB-TR-50	Straumann® Bone Level	Ø3.3 / Ø4.1	30°	2.30	M1.6x0.35	2.15	5.55	7.70	TPA	20
IPD/DD-TR-50	Straumann® SRA®	Ø3.5 / Ø4.6	70°	2.25	M1.4x0.3	1.82	2.09	3.91	TPA	15
IPD/DE-TR-50	Straumann® TLX®	NT / RT / WT	90°	2.25	M1.6x0.35	1.52	4.78	6.30	TPA	
IPD/EA-TN-50	Astra® OsseoSpeed®	Ø3.0	120°	2.25	M1.4X0.35	1.55	5.55	7.10	TPA	15
IPD/EA-TR-50	Astra® OsseoSpeed®	Ø3.5-Ø4.0	Flat	2.25	M1.6x0.35	1.35	6.05	7.40	TPA	20
IPD/EA-TR-51	Astra Uni 20° / 45°	All	Flat	2.30	M1.4x0.3	1.50	2.90	4.40	TPA	15
IPD/EB-TT-50	Astra® Evolution®	Ø3.0	52°	2.30	M1.4X0.3	1.97	5.24	7.21	TPA	25
IPD/EB-TN-50	Astra® Evolution®	Ø3.6	60°	2.30	M1.6x0.35	1.84	5.26	7.10	TPA	20
IPD/EB-TR-50	Astra® Evolution®	Ø4.2	100°	2.30	M1.8x0.35	2.22	5.38	7.60	TPA	25
IPD/EB-TW-50	Astra® Evolution®	Ø4.8	Flat	2.35	M2x0.4	1.80	6.05	7.85	TPA	25
IPD/FA-TR-50	Zimmer® Screw Vent®	Ø3.5/ Ø4.5 / Ø5.7	140°	2.25	M1.8x0.35	1.58	5.12	6.70	TPA	25

TECHNICAL SPECIFICATIONS TPA SCREWS

IPD/FC-TT-50	Zimmer® Eztetic®	NP Ø3.1	143°	2.30	M1.6x0.35	1.56	5.72	7.28	TPA	20
IPD/GA-TN-50	Bti® External	Ø3.5	Flat	2.30	M2x0.4	1.50	3.60	5.10	TPA	25
IPD/GB-TR-50	Bti® Internal Universal®	Universal® Ø4.1 / Wide Ø5.5	Flat	2.30	M1.8x0.35	1.50	5.00	6.50	TPA	25
IPD/HA-TN-50	Microdent® Microdent® System	Ø3.5	140°	2.30	M1.8x0.35	1.59	4.01	5.60	TPA	25
IPD/HA-TR-50	Microdent® Microdent® System	Ø4.2 / Ø5.1	120°	2.30	M2x0.4	1.72	4.28	6.00	TPA	25
IPD/IA-TR-50	Dentsply® Xive® Friadent®	Ø3.8	90°	2.30	M1.6x0.35	1.56	5.54	7.10	TPA	20
IPD/IB-TR-51	Dentsply® Ankylos®	C/X	60°	2.25	M1.8x0.35	1.89	5.41	7.30	TPA	25
IPD/LB-TR-50	BioHorizons® Tapered Internal	Ø3.0 / Ø3.5 / Ø4.5 / Ø5.7	90°	2.30	M1.8x0.35	1.68	4.82	6.50	TPA	25
	Sweden & Martina® Outlink®	Ø3.3								
IPD/MB-TN-50	Sweden & Martina® Premium™ Kohno®	Ø3.3 / Ø3.8	120°	2.30	M1.8x0.35	1.52	4.88	6.40	TPA	25
	Phibo® TSH®	S2								
IPD/MB-TR-50	Sweden & Martina® Premium™ Kohno®	Ø4.25 / Ø5.0	120°	2.30	M2x0.4	1.55	4.85	6.40	TPA	25
IPD/OB-TN-50	Osttem Implant® TSIII	Ø3.5 M	90°	2.30	M1.6x0.35	1.66	7.74	9.40	TPA	20
IPD/OB-TR-50	Osttem Implant® TSIII	Ø4.0 R	90°	2.30	M2x0.4	1.82	5.68	7.50	TPA	25
IPD/QB-TR-50	Biotech Dental Kontakt®	RP	90°	2.30	M1.4x0.3	1.69	6.06	7.75	TPA	15
IPD/RA-TN-50	Neodent® Helix® HE	Ø3.3	Flat	2.25	M1.8x0.35	1.25	4.85	6.10	TPA	25
IPD/RA-TW-50	Neodent® Helix® HE	Ø5.0	Flat	2.85	M2.5x0.45	0.50	5.40	5.90	TPA	25
IPD/RB-TR-50	Neodent® Grand Morse® GM	GM	60°	2.30	M1.6x0.35	2.08	7.62	9.70	TPA	20
IPD/RC-TR-50	Neodent® GM abutment	Ø4.8	90°	2.34	M2x0.25	1.60	2.23	3.83	TPA	10
IPD/RD-TN-50	Neodent® GM micro abutment	Ø3.5	90°	2.25	M1.4x0.3	1.40	1.99	3.39	TPA	10
IPD/SB-TR-50	Bego® Semados®	Ø3.25-Ø3.75 / Ø4.1 / Ø4.5	70°	2.30	M1.8x0.35	1.95	4.95	6.90	TPA	25
IPD/TA-TT-50	MIS® Seven®	Narrow 3.3	120°	2.30	M1.6x0.35	1.53	4.92	6.45	TPA	20
IPD/TB-TN-50	MIS® C1®	Narrow NP	120°	2.25	M1.6x0.35	1.55	5.00	6.55	TPA	20
IPD/TB-TR-50	MIS® C1/V3®	Standard	120°	2.25	UNF 1-72	2.27	4.98	7.25	TPA	25
IPD/UB-TN-50	DIO® UFII	NP	90°	2.30	M1.4x0.3	1.71	5.34	7.05	TPA	15
IPD/UB-TR-50	DIO® UFII	RP	120°	2.30	M2x0.4	1.80	6.20	8.00	TPA	25
IPD/WA-TR-50	Megagen® AnyOne®	RP	120°	2.30	M2x0.4	1.81	8.02	9.83	TPA	25
IPD/XA-TR-50	Dentium® Implantium® /Superline®	RP	120°	2.30	M2x0.4	1.81	8.02	9.83	TPA	25
IPD/YB-TR-50	Medentis® ICX	RP	30°	2.30	M1.6x0.35	3.15	5.10	8.25	TPA	20
IPD/3A-TR-50	Galimplant® Multi-Position Aesthetic	Ø4.0	140°	2.50	M2x0.4	1.50	2.65	4.15	TPA	25
IPD/3A-TR-51	Galimplant® Multi-Posición Estético	Ø4.0	140°	2.50	M2x0.4	3.85	2.65	6.50	TPA	25



TECHNICAL SPECIFICATIONS

SPECIAL SCREWS IPDMILLED

DESCRIPTION

CHARACTERISTIC

Reference	TIN Reference	Reference /BLC	Compatibility	Platform	Seat	Head diameter	Metric	Head (L1)	Body (L2)	Total (L1)	Screw-driver	Torque (Ncm)
IPD/DA-TR-01/X	-	-	Straumann® Tissue Level*	RN Ø4.8	30°	2.5	M2x0.4	2.30	3.70	7.00	Torx	35
IPD/EB-TR-00/X	-	-	Astra® Evolution*	M Ø4.2	78°	2.35	M1.8x0.35	1.94	5.66	7.60	1.27 Hex	25
-	IPD/EA-TR-02/TIN	-	Astra® OsseoSpeed*	Aqua Ø3.5 - Ø4.0	Flat	2.15	M1.6x0.35	1.95	6.30	8.25	1.27 Hex	20
IPD/AD-TN-00/X	-	-	Nobel Biocare® Active*	Ø3.0	Flat	2.25	M1.6x0.35	1.80	5.90	7.70	Unigrip	35
IPD/AD-TR-00/X	-	-	Nobel Biocare® Active*	Ø4.3	Flat	2.5	M2x0.4	1.85	6.15	8.00	Unigrip	35
IPD/IA-TR-00/X	-	-	Dentsply® Xive® Friadent*	Ø3.8	90°	2.1	M1.6x0.35	2.00	6.30	8.30	1.20 Hex	24
IPD/IB-TR-01/X	-	-	Dentsply® Ankylos®	C/X	30°	2.4	M1.8x0.35	3.10	6.50	9.60	1.0 Hex	25
IPD/JB-TW-00	-	-	Camlog® Conelog®	Ø5.0	120°	2.5	M2x0.4	2.06	6.84	8.90	1.25 Hex	20
IPD/TA-TR-00/X	-	-	MiS® Seven®	Wide WP	120°	2.2	M1.8x0.35	2.40	5.20	7.60	1.27 Hex	30

OTHER SPECIFICATIONS CE MARKING

WARNING: This product catalogue may contain some trade names that differ from the descriptions used for the models. These synonyms have been used for practical and commercial reasons and/or due to the use of terms/categories that are widely used and recognised by the market.

CE MARKING

CE MARKING OF CONFORMITY (01)	FAMILIES	MODELS	DESCRIPTION OF THE MODELS
	Laboratory instruments and accessories from <i>ipd</i>	AN	Analog
		AND3D	Digital Analog
		CA	Castable
		AINC3D	Cutting guide
		TI	Coping
		TTI	Coping Screw
		SCTR	Scan Transfer
		SC3D	Scan Abutment
		SC	Scan Abutment CoCr
		SCH	Scan abutment Hollow
		LL	Screwdrivers
		STD3D	Stump Die 3D
		SCOS	One Shot IQ
		SCFL	Scan Flag IQ
	Attachments and accessories	SCLQ	ScanLogIQ® Kit
		PC	Cementing Abutment
		PP	Temporary abutment
		PMR	Straight Multi-Unit Abutment
		PMA	Angled Multi-Unit Abutment
		IN	Hollow Screw System
		INC3D	Custom Interface System
		INSI	Cerec® Ti Base
		PSD	PSD Overdenture Abutment
		TC	Healing Abutment
		CCB3D	Co-Cr base with castable
		CCR	Straight Co-Cr base with castable
		CCA	Angled Co-Cr base with castable
		PREM	IPDmilled Blanks
		TT	Titanium Screws
		TPA	TPA Screws
		TTN	TIN Screws
	IPDmilled Type A System	TTC	BLC Screws
		APSD	PSD Retentive inserts
	IPDmilled Type A System	Premilled Blank Ti	

Information note - 01: The IPD medical devices included in this catalogue comply with the applicable requirements of EU Regulation 2017/745 and bear the CE conformity marking. If you would like to receive more information about our products, please do not hesitate to contact IPD customerservice@ipd2004.com

Information note - 02: The IPDmilled Type A system is distributed by IPD, conformity assessment is carried out by NB (0425).

All trademarks and other distinctive signs, designs, patents, text, photographs, graphics or other creations of IPD are the exclusive property of Implant Prótesis Dental 2004 S.L. and are duly protected by legislation on intellectual property. Therefore, any use, reproduction or other form of exploitation of the exclusive rights of IPD requires prior written consent.
Trademarks and other signs of third parties used by IPD must be used with identification of the owner and in a manner that does not give the appearance of a commercial link.
The use of IPD products must be in accordance with IPD's instructions to ensure compliance with all procedures involved in the use of the product and in accordance with generally accepted good dental practice.

IPD AROUND

THE WORLD



INTELLIGENT
PROSTHETIC
DENTISTRY