

hard tissue

bone substitutes

bone & tissue
regeneration

botiss
biomaterials

XENOGRAFTS



cerabone®

THE NATURAL BOVINE BONE SUBSTITUTE

cerabone® is a long-term stable, particularly safe bone substitute, which is produced from the femoral heads of cattle by a unique 1200°C manufacturing process utilizing heat and water only (free of chemical additives). The human-like bone structure of cerabone® with its three-dimensional pore-network and bioactive surface promotes the adhesion and invasion of bone forming cells resulting in complete integration of the granules into newly formed bone matrix.

PROPERTIES

- 100% pure natural bone mineral
- 1200°C maximum safety
- Human-like bone structure
- Rough, hydrophilic surface favoring optimal cell adhesion and blood absorption
- High volume stability
- Easy handling

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY: Sinus lift / Horizontal and vertical augmentation / Periodontal bone defects / Peri-implant defects / Socket and ridge preservation / Furcation defects (class I and II)

ALLOGRAFTS



cerabone® plus

WITH HYALURONATE

cerabone® plus combines the established bovine bone grafting material cerabone® with the well-known properties of hyaluronic acid. cerabone® plus forms a sticky bone material upon hydration that provides unique application comfort by allowing both easy uptake and delivery to the site of application.

PROPERTIES

- Osteoconductivity and volume stability of cerabone® plus proven properties of hyaluronate
- Sticky and malleable following hydration
- Efficient defect filling and time-saving application
- Easy defect contouring
- Minimized displacement of single granules during application

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY: Horizontal and vertical augmentation / Peri-implant defects / Periodontal intrabony defects / Socket and ridge preservation / Sinus lift / Furcation defects (class I and II)



maxgraft® +HyA

ALLOGENIC GRANULES WITH HYALURONATE

maxgraft® +HyA extends the well-established maxgraft® portfolio by combining allogenic granules with hyaluronate, a unique composition that offers improved handling properties upon hydration and enhanced clinical outcomes in bone grafting procedures. The granules are available in both cancellous and cortico-cancellous forms, and in small and large granule sizes. A new extra-small granule size (XS) is also available, suitable for administration using a conventional syringe after hydration in small defects.

PROPERTIES

- Sticky bone allograft upon hydration
- Precise application to the defect
- Enhanced bone regeneration
- Preserved natural structure and collagen content of human bone
- 5 years shelf life at 5-30°C

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY, ORAL AND CMF SURGERY: Periodontal osseous defects / Regeneration of extraction sockets (socket preservation) / Regeneration of missing bone tissue around dental implants / Regeneration of gaps around block grafts / Sinus augmentation / Horizontal and vertical augmentation



maxgraft®

PROCESSED HUMAN ALLOGRAFT

maxgraft® is a sterile and safe allograft product from selected human organ and tissue donors. processed by the Cells+ Tissue-bank Austria. The human collagen is responsible for fast integration and healing as well as flexibility of block grafts. The excellent biological regeneration capability of maxgraft® results in a predictable clinical outcome.

PROPERTIES

- Natural mineralized collagen
- Preserved biomechanical properties
- Osteoconductive properties supporting natural and controlled tissue remodeling
- Bone augmentation without autograft harvesting
- No donor site morbidity
- 5 years shelf life at 5-30°C

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY: GRANULES: Localized augmentation of the ridge for future implant placement / Reconstruction of the ridge for prosthetic therapy / Filling of osseous defects, such as extraction sockets / Elevation of maxillary sinus floor / Regeneration of periodontal bone defects / BLOCKS: A highly effective alternative to traditional block grafting / Ridge augmentation



maxgraft® cortico

ALLOGENIC CORTICAL STRUTS FOR THE SHELL TECHNIQUE

maxgraft® cortico is a prefabricated plate made of processed allogenic bone. Similarly to the autogenous bone, it can be used for the shell technique. maxgraft® cortico was developed to avoid the donor-site morbidity and to prevent the time-consuming harvesting and splitting of autologous cortico-cancellous bone blocks.

PROPERTIES

- Osteoconductive properties supporting natural and controlled tissue remodeling
- Preservation of biomechanical properties
- High volume stability and resorption protection
- Five years shelf life at 5-30°C

INDICATIONS:

IMPLANTOLOGY, ORAL AND CMF SURGERY: Vertical augmentation / Horizontal augmentation / Complex three-dimensional augmentations / Single tooth gaps / Fenestration defects



maxgraft® bonebuilder

CUSTOMIZED ALLOGENIC BONE BLOCK

The individually designed allogenic bone block enables complex horizontal and vertical augmentation by using the latest 3D-CAD/CAM technology. The perfect three-dimensional precision fit significantly reduces valuable surgery time, making autologous bone harvesting and manual adjustment unnecessary, thus diminishing the donor-site morbidity.

PROPERTIES

- Osteoconductive properties supporting natural and controlled tissue remodeling
- Preservation of biomechanical properties
- Sterile without antigenic effects
- Five years shelf life at 5-30°C

INDICATIONS:

IMPLANTOLOGY, ORAL AND CMF SURGERY: Horizontal and vertical augmentation / Extensive bone defects / Atrophic maxilla and mandibula

SYNTHETICS



maxresorb®

SYNTHETIC BIPHASIC CALCIUM PHOSPHATE

maxresorb® shows an ideal homogenous, biphasic, composition of 60% hydroxyapatite (HA) and 40% beta-tricalcium phosphate (β-TCP). This composition is reflected in the controlled resorption of maxresorb®, which results in an initial integration of the particles followed by a continuous resorption.


PROPERTIES

- Synthetic and resorbable
- Controlled resorption/remodeling
- Rough and hydrophilic surface
- High interconnected porosity
- 60% HA/40% β-TCP
- Osteoconductive

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY: Sinus lift / Ridge augmentation / Intraosseous defects / Socket preservation / Osseous defects / Furcation defects

INNOVATION



NOVAMag®

SHIELD THE ULTIMATE SOLUTION FOR POST-EXTRACTION CARE

The NOVAMag® SHIELD is a fully resorbable, magnesium-based solution designed for the management of buccal and palatal wall defects. It combines the mechanical strength of the magnesium metal with controlled biodegradability. Applied with the Shield Technique without flap elevation or additional fixation, NOVAMag® SHIELD is placed between the soft tissue and bone to support the bone graft and maintain the contour of the augmented site.

PROPERTIES

- Biodegradable metal
- Synthetic
- Fully resorbable
- Volume stable
- No removal surgery necessary resulting in fewer surgical interventions and less chair time
- No need for flap preparation with additional incisions and no fixation required in the Shield Technique

INDICATIONS:

- in case of surgical bone defects and bone wall defects
- in the context of ridge preservation
- in extraction sockets after tooth extractions
- in case of GBR in conjunction with immediate or delayed implant placement



MAGNESIUM



NOVAMag[®] product line

RESORBABLE MAGNESIUM MEMBRANES & FIXATION SCREWS

The NOVAMag[®] membrane and NOVAMag[®] fixation screws are completely resorbable and biodegradable and are available in various sizes. The membrane is composed of pure magnesium combining the benefits of the mechanical strength of the metal and its biodegradability into a unique barrier membrane for guided bone and tissue regeneration. The biodegradable magnesium alloy used for the NOVAMag[®] fixation screw and its surface treatment is designed to slow down resorption and to retain mechanical strength during the initial wound healing phase, thereby providing a sufficient stabilization of the barrier membrane or bone graft.

PROPERTIES

- Biodegradable metal
- Synthetic
- Resorbable barrier membrane and fixation screws
- Controlled degradation (i.e., no early disintegration, no encapsulation)
- No removal surgery necessary resulting in fewer surgical interventions and less chair time

INDICATIONS:

STOMATOLOGY, MAXILLOFACIAL SURGERY, IMPLANTOLOGY, PERIODONTOLOGY AND ORAL SURGERY
Surgical bone defects and bone wall defects / Sinus lift / Socket preservation / Ridge augmentation / Ridge reconstruction for prosthetic treatment / Fenestration defects / periodontal bone defects (1 to 3 walls, furcation defects) / Augmentation in conjunction with immediate or delayed implant placement / After apicectomy, cystectomy, resection of retained teeth and resection of other bone lesions

SYNTHETIC



permamem[®]

HIGH-DENSITY PTFE BARRIER MEMBRANE

Non-resorbable, biologically inert and biocompatible membrane made of high-density polytetrafluoroethylene (PTFE). permamem[®] maintains its structural characteristics both during the initial implantation and over the whole healing time. Due to its dense structure the membrane acts as an efficient barrier against bacterial and cellular penetration, and can therefore be used for open healing in certain indications.

PROPERTIES

- 100% synthetic PTFE barrier membrane
- Ultra-thin (~0.08 mm)
- Impervious to bacteria due to dense structure
- Easily removable due to minimal tissue ingrowth into the surface structure
- No need for primary soft tissue closure (indication-dependent)
- Easy recovery thanks to blue color
- Rounded edges for minimal tissue trauma

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY:
Socket and ridge preservation (open healing) / Horizontal and vertical augmentation / Fenestration and dehiscence defects / Intraosseous defects (1 to 3 walls) / Furcation defects (class I and II)

COLLAGEN



Jason[®] membrane

NATIVE PERICARDIUM GBR / GTR MEMBRANE

Jason[®] membrane is a native collagen membrane obtained from porcine pericardium, developed and manufactured for dental tissue regeneration. It is very thin and provides a naturally long barrier function based on the specific composition and structure of the pericardial collagen fibres. Owing to the preservation of the natural biomechanical properties of the pericardium, Jason[®] membrane exhibits beneficial handling characteristics such as a remarkable tear resistance and effective surface adaptation.

PROPERTIES

- Naturally long barrier function
- Multi-directional strength and tear resistance
- No artificial cross-linking
- No stickiness after hydration
- Excellent surface adaptation
- Easy manipulation
- Can be applied dry or wet
- Low thickness, no swelling upon hydration

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY:
Horizontal and vertical augmentation / Ridge reconstruction / Socket and ridge preservation / Sinus lift / Fenestration and dehiscence defects / Intraosseous defects (1 to 3 walls) / Furcation defects (class I and II)



collprotect[®] membrane

NATIVE COLLAGEN MEMBRANE


collprotect[®] membrane is a native collagen membrane made of porcine dermis, which is intended for dental bone and soft tissue regeneration. The natural, hemostatic effect of collagen enables early wound stabilization and supports the natural healing. Moreover, the collprotect[®] membrane displays a good surface adaptation and tissue integration and is ideal for most indications where an intermediate stability and easy handling are required.

PROPERTIES

- Natural compact, open porous collagen structure
- No artificial cross-linking
- Natural rough surface for cell adhesion and migration
- Pores facilitate blood vessel ingrowth and angiogenesis
- Controlled degradation
- Natural collagen supports clot formation/wound healing
- Easy application in dry or wet status

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY:
Protection and covering of the Schneiderian membrane / Sinus lift / Socket preservation / Horizontal ridge augmentation / Fenestration and dehiscence defects / Intraosseous defects (1 to 3 walls) / Furcation defects (class I and II)



mucoderm[®]

3D-STABLE SOFT TISSUE (COLLAGEN) GRAFT

Acellular collagen matrix that offers a safe alternative to autologous soft tissue transplants in a diverse range of soft tissue grafting indications. mucoderm[®] is derived from porcine dermis that undergoes a multi-step purification process. After implantation mucoderm[®] is continuously remodeled into patients own soft tissue.

PROPERTIES

- Rapid revascularization and tissue integration
- Soft tissue regeneration/augmentation avoiding palatal autograft harvesting
- Complete remodeling into patient's own tissue in ~6-9 months
- Can be easily applied and fixed by sutures
- Can be cut into procedure-specific shape

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND ORAL AND CMF SURGERY:
Recession coverage / Soft tissue grafting in combination with GBR/GTR / Broadening of attached gingiva / Closure of extraction sockets / Thickening of peri-implant soft tissue / Oral wound coverage after transplant harvesting or tumour surgery



collafleece[®] / collacone[®]

COLLAGEN HEMOSTAT (SPONGE / CONE)

Wet-stable, porcine collagen with highly efficient hemostatic properties. The natural porous collagen structure supports the hemostasis and controls the natural healing of the wound.

PROPERTIES

- Stabilization of blood clot and efficient local hemostasis
- Maintains integrity in the presence of blood and during application
- Fast resorption (2-4 weeks)
- Easy application
- Wound protection
- Supports wound healing

INDICATIONS:

IMPLANTOLOGY, PERIODONTOLOGY AND CMF SURGERY:
Minor oral wounds / Biopsy harvesting sites / Bone block and soft tissue transplant harvesting sites / Extraction sockets / Internal sinus lift

soft tissue

collagen & barriers

bone & tissue
regeneration

botiss
biomaterials